

Maharashtra University of Health Sciences, Nashik
Inspection Committee Report for Academic Year 2025-2026

Clinical Material in Hospital

Name of College/Institute : Parvatidevi Kumbhar College of Nursing

Faculty : Nursing

HOSPITAL DETAILS


Sr. No.	Particulars to be verified	Particular	Adequate/ Inadequate
1	The Institute / College shall execute a MoU with any institute for affiliation of hospital in addition to minimum 100 bedded own/parent Hospital (Affiliated hospital must be 50 bedded or more.) To be made available on web site		Adequate
a.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: Copy to be made available on web site		Adequate
b.	Student Bed Ratio for UG & PG to be verified: (As per MSR) Calculate at Actual 1:3		Adequate
c.	Average Bed Occupancy in % : (Minimum 75%) 87%		Adequate
d.	Clinical facilities for PG to be verified:-(As per MSR)		Adequate
	(i) Whether OPD is functioning to be verified (ii) Total No of OPD (on the day of inspection) (iii) Average Number of patients attending OPD (current year) (iv) Average Number of Delivery (Current year) (v) Average Number of abnormal Delivery (Current year)		Adequate
<ul style="list-style-type: none"> As per Central Council Norms/ University Norms, above Infrastructure must be available at College. If Infrastructure is available, then mark "Adequate" & do not attach any Documents it should be available on college website In case of "Inadequate", it must be marked as "Inadequate" with evidence. To be submit to university with report 			

Here we declare all relevant document uploaded are clear and visible on web site & are true as per my knowledge & Belief
Any Other, Please Specify:-

Date:- 05/02/2025

Chairman of LIC

Member Of LIC


Principal
Parvatidevi Kumbhar College of Nursing
Dean/ Principal Stamp & Signature
Azad Chowk, Kolhapur - 416002

Member Of LIC

प्रतिसादी अर्ज अर्जाची तारीख

18/11/2021

फी भरल्याची तारीख

28/11/2021

क.र.नं. 39/21

28/10/21

बदल अर्ज नं.

1

नवीन तयार झालेल्या नोंदीच्या कार्यलय

परिशिष्ट-3

(कानू 13 (1) पहा)

पब्लिक ट्रस्ट रजिस्ट्रेशन ऑफिस येथे ठेवणेत आलेल्या रजिस्टरात नोंदविलेल्या पब्लिक ट्रस्टच्या केलेल्या नोदीतील झालेल्या बदलाबाबत अगर इष्ट अशा क्रावयाच्या बदलाबाबतचा क्रावयाचा रिपोर्ट

सार्वजनिक ट्रस्टचा रजिस्ट्रेशन नंबर

- एफ/८/कोल्हापूर

सार्वजनिक ट्रस्टचे नाव

- कौन्सील ऑफ एज्युकेशन कोल्हापूर

सार्वजनिक ट्रस्टचा पत्ता

- कोल्हापूर.

ब.क.क. 678/21

16/11/21

प्र. अ. वि. दि. 11/11/2021

मि. 09

सार्वजनिक न्यास नोंदणी कार्यालय
कोल्हापूर विभाग, कोल्हापूर

फेरफाराचे स्वरूप	फेरफाराचे कारण	शेरे
परिशिष्ट १ वर नमुद असलेल्या खाली नमुद स्विकृत कार्यकारी मंडळ सदस्याची नोंद परिशिष्ट १ वर करणेत यावी. डॉ. संतोष कमलेश प्रभु : तज्ञ संचालक	संस्थेतर्फे नर्सिंग महाविद्यालय सुरू करावयाचे ठरविणेत आले आहे. आरोग्य विद्यापिठाच्या नियमानुसार नर्सिंग अभ्यासक्रम सुरू करावयाचा असल्यास रुग्णालय असणे गरजेचे असते. सदर रुग्णालयाचे संचालक हे संस्थेवर ट्रस्टी असणे आवश्यक असलेने संस्थेच्या नियम VIII-d नुसार संस्थेच्या दि.१८.०९.२०२१ रोजीच्या कार्यकारी मंडळ सभेत तज्ञ संचालक स्विकृत करणेत आला.	१) संस्थेची नियम व नियमावली झेरॉक्स २) परिशिष्ट-१-ची प्रत झेरॉक्स— ३) दि.१८.९.२०२१ रोजीची कार्यकारी मंडळ सभेची नोटीस झेरॉक्स प्रत ४) कार्यकारी मंडळ सभेचे इतिवृत्त झेरॉक्स प्रत ५) नवीन संचालकाचे संमतीपत्र ६) सभासद यादी झेरॉक्स व कार्यकारी मंडळ यांची सभेची प्रत ७) बदल अर्ज नं. चे कामातील आदेशाची प्रमाणित प्रत ८) नवीन संचालकाचे ओळखपत्र झेरॉक्स

O.S is hereby directed to verify the document.
16/11/21
ध. उ. भा

ब.उ.आ./स.प.आ.-१/२/३ यांचेसमो
प्रस्ताव सुनावणी देवली ता. 17/11/21
सकाळी ११.०० वा. ची सभल मिळाली.

अर्जदार

कोल्हापूर

ता. २२/१०/२०२१

रिपोर्ट करणाऱ्या ट्रस्टीची सही

मी उपरनिर्दीष्ट श्री. वैभव आनंद पेडणेकर रा. २२४२/२/१ ए वॉर्ड, बाबुजमाल दर्गाह रोड, कोल्हापूर येथील रहिवाशी प्रतिज्ञापूर्वक इक्कार करतो व सांगतो की, वरील अर्जात नमुद केलेली माहिती माझ्या उत्तम माहितीप्रमाणे व समजुतीप्रमाणे खरी व बरोबर आहे. कोल्हापूर येथे प्रतिज्ञापूर्वक इक्कार केला.

उपरोक्त तारीख (१६) माहे (कोल्हापूर) सन २०२१

(श्री. वैभव आनंद पेडणेकर)

माझ्या समक्ष

०२/११/२०२१

न.व.स.स. कोल्हापूर विभाग, कोल्हापूर

SECRETARY
COUNCIL OF EDUCATION, KOLHAPUR.

170 (A)



महाराष्ट्र MAHARASHTRA 2022

© 2021 ©

ZI 617797

दिनांक 19 MAY वि.नं. 500 ला.नं. 0/10

सी./श्री. निरवनाथ नरहरी मगडूम

पुता : कोल्हापूर हस्ते श्री. धीरज

यांनी रु. [900] वा स्टॅप मागितलेवरून रु. 900 वा

ह्याचे भरती रु. _____ असे स्टॅप दिले.

सहाय्यदार करवीर आचार्य,
कोल्हापूर.

(Signature)



18 MAY 2022

STAMP HEAD CLERK,
TREASURY OFFICE,
KOLHAPUR. (M.S.)

मार्. श्री. सुदाळे
फोड नं. - 2609073

सदर मुद्राक *(Signature)* कामी देण्यात आला

MEMORANDUM OF UNDERSTANDING (MOU) BETWEEN

SECRETARY, COUNCIL OF EDUCATION,
PARVATIDEVI KUMBHAR COLLEGE OF NURSING,
649, C WARD AZAD CHOWK, KOLHAPUR 416 002.

AND

WINS HOSPITAL,
183/1B, NAGALE PARK, NEAR MAHAVEER COLLEGE, KOLHAPUR. 416002


Principal

Parvatidevi Kumbhar College of Nursing
Azad Chowk, Kolhapur - 416002

SECRETARY

COUNCIL OF EDUCATION, KOLHAPUR.

No. of Corrections
on this page *(Signature)*



Utilization of Parent Hospital for Nursing Students

This DEED OF AGREEMENT is made on this 21 August 2021 day of, between

SECRETARY, COUNCIL OF EDUCATION, PARVATIDEVI KUMBHAR COLLEGE OF NURSING,

649, C WARD AZAD CHOWK, KOLHAPUR 416 002.

(Here in after called the first party)

and

WIINS HOSPITAL,

183/1B, NAGALE PARK, NEAR MAHAVEER COLLEGE, KOLHAPUR. 416002

(Here in after called the second party)

1. The First Party can be utilize Second Party's Hospital as an Parent hospital for the Nursing students of First Party for their clinical experience.
2. The Second Party is having 100 bedded Hospital. The types and number of beds are as follows;
3.

a. Medical	:- 10 BEDS
b. Surgical & Orthopedic	:- 35 BEDS
c. Gynaec/Obstetrics	:- 10 BEDS
d. Pediatric	:- 10 BEDS
e. ENT/Ophthalmic	:- 06 BEDS
f. Psychiatric	:- 00 BEDS
g. ICCU/ICU	:- 22BEDS
h. Skin Infection Disease	:- 04BEDS
i. Emergency/Causality	:- 03BEDS
4. This MOU will be for the period from 30 years and will be renewed further after consent of both parties.
5. Video shooting permission during Inspection (MUHS, INC, MNC, MSBNPE)
6. Permission to conduct practical examination (MUHS, MSBNPE)
7. Permission to demonstrate the procedure.
8. Posting timing for internship shift wise (8hrs duty on rotation basis)
9. During final Examination, before 20 days student will be in study holiday.
10. Permission for integrated posting & research project activates.

Principal

Parvatidevi Kumbhar College of Nursing
Azad Chowk, Kolhapur - 416002

SECRETARY

COUNCIL OF EDUCATION, KOLHAPUR.


No. of Copies
Date: 21/08/21

On behalf of First Party



SECRETARY,
COUNCIL OF EDUCATION,
PARVATIDEVI KUMBHAR COLLEGE
OF NURSING,
649, C WARD AZAD CHOWK,
KOLHAPUR 416 002.

On behalf of Second Party



WIINS HOSPITAL,
183/1B, NAGALE PARK,
NEAR MAHAVEER COLLEGE,
KOLHAPUR. 416002

Witness Name, Address. Signature

1. Mr.
.....
.....
.....

2. Mr.
.....
.....
.....

Witness Name, Address. Signature

Mr.


Mr.

No. of Corrections
on this page

SECRETARY
COUNCIL OF EDUCATION, KOLHAPUR

BEFORE ME

Adv. Rehane M. S.
NOTARY GOVT. OF INDIA
1171, 'C' Ward, Bhul Galli, Ravwar Peth,
KOLHAPUR. Dist. Kolhapur (M.S.)




TRUE COPY

NOTARY REG. SR. No. 2049

Principal
Parvatidevi Kumbhar College of Nursing
Azad Chowk, Kolhapur - 416002

Office Superintendent
D.R.K. College of Commerce, Kolhapur



[Handwritten signature]

[Handwritten signature]

SECRETARY
COUNCIL OF EDUCATION, KOLHAPUR.

TRUE COPY

[Handwritten signature]
Office Superintendent
D.R.K. College of Commerce, Kolhapur

[Handwritten signature]
Principal


Parvatidevi Kumbhar College of Nursing
Azad Chowk, Kolhapur - 416002



भारत सरकार
Unique Identification Authority of India
Government of India

नॉदणी क्रमांक: / Enrolment No.: 2006/09031/00046

To
संतोष कमलेश प्रभु
Santosh Kamallesh Prabhu
183-B Western India Institute of Neurosciences
E Ward Near Wonder 11
Nagala Park
Shaniwar Peth
Shaniwar Peth
Kolhapur Maharashtra - 416002
9422581382



आपला आधार क्रमांक / Your Aadhaar No. :

5686 8361 9028

माझे आधार, माझी ओळख



भारत सरकार
Government of India



संतोष कमलेश प्रभु
Santosh Kamallesh Prabhu
जन्म तारीख/DOB: 06/04/1959
पुरुष/ MALE

SECRETARY
COUNCIL OF EDUCATION, KOLHAPUR.

5686 8361 9028

माझे आधार, माझी ओळख

Principal
Parvatidevi Kumbhar College of Nursing
Azad Chowk, Kolhapur - 416002

TRUE COPY

Office Superintendent



कोल्हापूर महानगरपालिका

पोस्ट बॉक्स नं. ३३, पिन कोड नं. - ४१६ ००२

फोन नं.: पी.बी.एक्स. बोर्ड : २५४०२९१ ते २५४०२९८ व २५४०२९०

मुंबई नर्सिंग होम नों./वशि ७८/२०२१

दि. १२ / ०७ / २०२१

प्रति,

डॉ. संतोष प्रभू व डॉ. सुजाता प्रभू
वेस्टर्न इंडिया इन्स्टिट्यूट ऑफ न्यूरोसायंसेस
१८३/१, बी कसबा बावडा रोड, नागाळा पार्क, कोल्हापूर

विषय - हॉस्पिटलमधील कार्यरत बेड संख्येबाबत ...

संदर्भ - आपला दि. २३/०६/२०२१ रोजाचा इकडील कार्यालयास प्राप्त अर्ज

उपरोक्त संदर्भित विषयास अनुसरून वेस्टर्न इंडिया इन्स्टिट्यूट ऑफ न्यूरोसायंसेस या हॉस्पिटलमधील कार्यरत बेड संख्येबाबत आपण संदर्भित पत्राने अर्ज सादर केला आहे. सदर अर्ज अवलोकनीय केला असता आपले वेस्टर्न इंडिया इन्स्टिट्यूट ऑफ न्यूरोसायंसेस या हॉस्पिटलची मुंबई शुश्रूषा गृह नोंदणी अधिनियम १९४९ अंतर्गत नोंदणी क्र. ४०९ ने नोंदणी करणेत आली असून २१ मार्च २०२३ अखेर नोंदणीचे नुतनीकरण प्रमाणपत्र आपणास अदा करणेत आले आहे. सदर नोंदणीवेळी आपले हॉस्पिटलकरिता १०० बेडची मान्यता देणेत आली आहे व त्याची नोंद मुंबई शुश्रूषा गृह नोंदणी अधिनियम नोंद रजिस्टरमध्ये करणेत आली असे.



[Signature]

आरोग्याधिकारी
कोल्हापूर महानगरपालिका

TRUE COPY

[Signature]

Office Superintendent
D.K.K. College of Commerce, Kolhapur

[Signature]
SECRETARY
COUNCIL OF EDUCATION, KOLHAPUR

[Signature]
Principal

Parvatidevi Kumbhar College of Nursing
Azad Chowk, Kolhapur - 416002

WESTERN INDIA INSTITUTE OF NEUROSCIENCES (WIINS) 201

• POSTGRADUATE TEACHING INSTITUTE FOR DNB NEUROSURGERY •
• NEURONAVIGATION CENTRE FOR CRANIAL & SPINAL SURGERY •

183/1 B, Bavda Road, Nagala Park, Kolhapur - 416 002. Ph. : (0231) 2644881, 82
Mob. : 7447445300, 7447435300, 9421914040 e-mail : wiinsinfo@gmail.com Website : www.wiins.org



• DEPT. OF NEUROSURGERY & ADVANCED TRAUMA CARE •

Dr. Santosh Prabhu
MS., MCh.

Consulting Hrs :

Mon. - Fri.: 10 a.m. To 1.00 p.m.
Evening : 5 p.m. To 6.30 p.m.
(Evening only by Appointments)
Sat. Evening & Sunday Only Emergency Cases

Dr. Narendra Motarwar
DNB (Neuro)
Dr. Sandeep Patil
MS., MCh.

Bed Distributions

Classification of Beds - At present Hospital

Beds	Sanction	Occupancy
Medical	10	
Surgical Orthopedic	35	
Gynaec/Obstetrics	10	
Paediatric	10	
ENT/Ophthalmic	6	72%
Psychiatric	-	
I.C.CU / I.C.U	22	
Skin Infection Disease	4	
Emergency Casualty	3	
Any Other Specification	Parthen Hospital for Smile train programme	
Total	100	72%

COMPUTER ASSISTED
BRAIN & SPINE
SURGERY

NAVIGATION GUIDED
ENDOSCOPIC SURGERY
FOR BRAIN & SPINE

FRAMELESS
STEREOTACTIC
SURGERY

SURGERY FOR
PARKINSON'S DISEASE
PSYCHOSURGERY

MICRO-NEUROSURGERY
FOR
TRIGEMINAL NEURALGIA
AVM / ANEURYSM
BRAIN TUMORS

1st STROKE UNIT
IN MAHARASHTRA



TREATMENT FOR
BACKACHE
SCIATICA
HEADACHE
PARALYSIS
HYPERBARIC OXYGEN
THERAPY

SPINAL / CRANIAL
NAVIGATION



Principal

Parvatidevi Kumbhar College of Nursing
Azad Chowk, Kolhapur - 416002



SECRETARY
COUNCIL OF EDUCATION, KOLHAPUR

stryker® (USA) DESIGNATED TRAINING CENTRE FOR IMAGE GUIDED SURGERY FOR SOUTH EAST ASIA

TRUE COPY

Office Superintendent
D.R.K. College of Commerce, Kolhapur

KOLHAPUR MUNICIPAL CORPORATION

(Health Department)

FORM 'C'

(See Rule 5)

Certification of Registration section 5 of the Bombay Nursing Homes
Registration Act. 1949

CERTIFICATE

No. 409

This is to Certify that Sfri. / Smt. **DR.SANTOSH KAMLESH PRABHU & DR.
SUJATA SANTOSH PRABHU** has been registered under the Bombay Nursing
Homes Registration Act 1949. in respect of **WESTERN INDIA INSTITUTE OF
NEUROSCIENCES (WIINS)** situated at **183/1 B NEAR WONDER 11
BUILDING BAWADA ROAD NAGALA PARK KOLHAPUR** and has been

Registration No. : 409
Date of Registration : 27-May-2015
Place : Kolhapur
Date of issue of Certificate : 23-Oct-2023

This Certificate of registration shall be valid up to 31-Mar-2026

The name of **DR.SANTOSH KAMLESH
PRABHU & DR.SUJATA SANTOSH PRABHU**

Local Supervising Authority



Kolhapur Municipal Corporation.

Kolhapur.

[Handwritten signature]
13-10-23

Medical officer of Health
Kolhapur Municipal Corporation
(Signature of the registering authority.)

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: <http://mpcb.gov.in>
Email: psa@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
and 4th floor, Opp. Cine
Planet Cinema, Near Sion
Circle, Sion (E),
Mumbai-400022

RED/M.S.I

No:- Format1.0/PSO/UAN No.MPCB-
CONSENT-0000206346/CO/2407000394

Date:
03/07/2024

To,
Western India Institute of Neurosciences
183/1,183/1 B Bavada Road, Nagala Park
Karvir,
Kolhapur-416002
Email: wiins_kpr@rediffmail.com
Contact No.:9423637804



Your Service is Our Duty



Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:**
1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no. Format1.0/PSO/UAN No.0000114770/CR/2202000642
 2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 02/05/2024
 3. Information called through mail dated 23/06/2024.
 4. Your Reply dtd. 24/06/2024, 29/06/2024 , 01/07/2024 & 02/07/2024

After examining the proposal, The Maharashtra Pollution Control Board hereby Renew Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **27-05-2024 To 27-05-2026**
2. The capital investment of the HCF is **₹4953 Lakhs** (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 8500.32 M² with Built-up area 5282.43 M².
4. **Activities Included**
 - a. Total Number of Beds : **100 Nos.** (As per BNH certificate no. 409 valid upto 31-03-2026)
 - I. General Beds : **48 Nos**
 - II. ICU/ICU Beds : **28 Nos**
 - III. Operation Theatre : **3 Nos**
 - IV. Other Beds : **21 Nos**

5. Conditions under the Water (P&CP) Act, 1974:-

1. Quantity of total water consumption shall not exceed 32 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act, 1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDf and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.


Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1	Biological Sludge	NA	As per Actual	MT/M	use as manure

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **S. S. Services, Kolhapur Municipal Corporation, Kolhapur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).


SECRETARY
COUNCIL OF EDUCATION, KOLHAPUR

10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. Any violation of applicable Environmental enactments, Rules, CPCB guidelines, and conditions of this CCA may attract revocation of this CCA without further notice.
18. The hospital has uploaded the receipt of payment of JVS outstanding RS.2360/-. SRO Kolhapur you are directed to verify the JVS outstanding payment paid by Hospital on 24/06/2024.
19. You uploaded a Bank Guarantee (BG) of Rs. 2.00 Lakh as per the previous Consent to Operate (CCA) on 13/06/2024. However, according to the Board Circular dated 29/02/2024, a 12% interest amounting to Rs. 54,312/- has been adjusted from the paid fee due to the non-submission of the BG of Rs. 2.00 Lakh within the stipulated period as per the previous CCA.
20. You shall extend and submit the bank guarantee of INR 2.00 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Kolhapur within 15 days. Nonsubmission of B.G. in specified time shall attract 12% interest on BG amount as per Boards Circular dated 29/02/2024.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



[Handwritten Signature]

aa958b05
dbd10014
88e6b15c
fb01fb40
3e3d03c9
4edf1935
38d4388f
12f8de12

Signed by: Dr. Vishwajeet Ramesh Thakur
Principal Scientific Officer
For and on behalf of
Maharashtra Pollution Control Board
psa@mpcb.gov.in
2024-07-03 12:28:02 IST

[Handwritten Signature]

SECRETARY
COUNCIL OF EDUCATION, KOLHAPUR



KOLHAPUR MUNICIPAL CORPORATION

Fire Department

Post Box. No. 33, Pin - 416002

FIRE SAFETY CERTIFICATE

Date: 02-Apr-2024

To,

Dr. DR. SANTOSH KAMLESH PRABHU & DR. SUJATA SANTOSH PRABHU

Kolhapur.

Subject:- Issuing the Fires no objection Certificate for**WESTERN INDIA INSTITUTE OF NEUROSCIENCES (WIINS), 183/1 B NEAR WONDER 11 BUILDING BAWADA ROAD NAGALA PARK KOLHAPUR. With No Of Bed :- 100****Reference:-** Your application no.: FHN10000004242500020 / FRNOC0409
Apr-2024

Date: 02-

As per your application to issue the Fire NOC for **WESTERN INDIA INSTITUTE OF NEUROSCIENCES (WIINS)**. Your Hospital has been inspected by the Kolhapur Municipal Corporation Fire Department under Maharashtra fire prevention and life safety measures act 2006. The fire equipments installed in your hospital are maintained in good and efficient condition. Therefore we are issuing the no objection certificate for the same.

Also you have to submit **form B** for renewal of above fire NOC in every year in the month of January and July from government approved license agency only.

Challan No:- CLN1712056087510**Challan Amount:-** 28738.0

मनिष रणचिसे

Chief Fire Officer

Kolhapur Municipal Corporation



महाराष्ट्र MAHARASHTRA
16 JUL 2024

2024

12AB 618191

दिनांक

दि. नं. स्टॅम्प किंमत रु.

श्री. Principal

Parvatidevi Kumbhar College of Nursing

Azad Chowk, Kolhapur - 416002

यांचे रु. (100) दिते स्टॅम्प कॅडि रु. 100

अॅफडेव्हरीट, करारपत्र, मॉरगेज, मुळपत्र व खरेदी पत्र



15 JUL 2024

STAMP HEAD CLERK
TREASURY OFFICE
KOLHAPUR (M.S.)





MEMORANDUM OF UNDERSTANDING

This Memorandum of Understanding is made and entered at Kolhapur on this day of 1st of August 2024

PARVATIDEVI KUMBHAR COLLEGE AND SCHOOL OF NURSING KOLHAPUR

located at 649, near Bindu Chowk, C Ward, Kolhapur, Maharashtra 416002 represented by its authorized signatory, hereinafter referred to as "Nursing College" for short, which expression




shall, unless the counterpart otherwise admits, include its present office bearers, executors, successors and assignees) of the **FIRST PART**

AND

PRERANA HOSPITAL LTD. under the brand name 'Aster Aadhar Hospital', having its place of business at RS. No. 628, B Ward, Near Shastri Nagar, Near KMT Workshop, Kolhapur 416 012 represented by its Head Operations, **Dr. Dalon Fernandes**, hereinafter referred to as "Aster" (which expression shall, unless repugnant to the context hereof, mean and include its successors, legal representative and assigns) of the **SECOND PART**.

WHEREAS

1. The First Party is a Nursing college at **Kolhapur**.
2. The First Party is desirous of availing the Training and Internship support at the Hospital of the Second Party for training of its nursing students; hence approached the Second Party to allow their students of Nursing College to explore the clinical hospital beds facilities at Aster Aadhar Hospital, Kolhapur unit for providing clinical training.
3. The First Party confirms that it will be their responsibility to have all statutory affiliation, recognition and certification from all apex bodies including the Maharashtra Nursing Council, Indian Nursing Council, State Government and legal authorities as may be required from time to time as well as recruit Tutors, Teachers and other teaching, technical and administrative staff of their own College of Nursing and create all other facilities to provide academic training of the required curriculum program at their own premises.
4. The Second Party has agreed to allow the students of Nursing School/college of the First Party to come to the hospital and get themselves trained using clinical facilities with the help of existing nursing staff of Hospital, for gaining needed Clinical Training and Experience.
5. The Principal of Parvatidevi Kumbhar College and School Of Nursing, Prof. Bhalchandra Kulkarni has been authorized to sign and execute this Agreement.




6. The parties have thus entered into this Agreement on the terms as recorded hereinafter.

NOW THIS AGREEMENT WITNESSETH AS UNDER:

1. The First Party shall be responsible for procurement and maintenance of affiliation and recognition from University, State Nursing Council, Indian Nursing Council and other legal authorities including State Government as may be required from time to time: wherein the Second Party will not be responsible or will not be liable for any de-recognition of the First Party.
2. The First Party shall notify the Second Party in writing in advance, i.e. 15 days before proposed training schedule, about the schedules, timetables and training related activities including clinical examination etc. The Second Party will provide training to the Students of the First Party at Aster Aadhar Hospital, Kolhapur.
3. The First Party shall be responsible to inform the Second Party in case of any changes in decisions concerning training activities-such as change in the schedules etc.
4. The First Party agrees to post/depute the B.Sc. Nursing & General Nursing and Midwifery students continuously for a period in each academic year as mutually agreed between the parties.
5. The Second Party agrees to permit/allow prospective students to undergo training in all departments of the Hospital, provided that any information received during the training shall not be disclosed in connection/ concern to the parties to this MOU.
6. The Second Party will not be responsible for the payment of any Stipend, Incentives or compensations to the students of the First Party. The Parties hereto agrees that students of the First Party in any way shall not be considered as staff, employee or officer of Second Party. By entering into this Agreement no relationship of employer and employee is deemed to be established between the Second Party and students of the First Party.
7. This agreement to create a joint venture, partnership, a principal-agent relationship or any other business organization or entity. Nothing herein shall be construed to constitute either party as the agent of the other party for any purpose whatsoever, and neither party shall

bind or attempt to bind the other party to any contract or the performance of any obligation, or represent to any third party that it has any right to enter into any binding obligation on the other party's behalf. Each Party shall execute its obligations or duties hereunder at its own expense without recourse to the other Party.

8. The First Party shall be responsible to vaccinate its students under this agreement with Hepatitis-B Vaccine. The Second Party will not be responsible for any accident, hazards if any happen to the First Party's Students at the hospital site. First Party hereto agree to indemnify each other in case of any accident, hazards to the interns at hospital site.
9. The Second Party reserves its right to alter, reject or change the clinical (practical) training timetables and schedules, to safeguard the interest of the patients, its own training activities, programs, events etc. or without assignment of any reason whatsoever in any unforeseeable circumstances.
10. Students of the First Party shall be strictly bound to follow rules, regulation and policies enforced from time to time by the Second Party. First Party will submit the attendance record/ Physical Record of training on monthly basis to the Second Party.
11. Both the parties accept to constitute a Steering Co-ordination Committee with due representation of Senior Academicians and Practitioners to be monitored from time to time for the clinical training of nursing students. There would be quarterly meeting held of the Steering Co-ordination Committee till this agreement is in force. The periodically report of the training to be submitted to the Unit Head of the Hospital by the Committee.
12. The First Party shall appoint qualified clinical instructor/tutor exclusively for students, who will monitor them during the training period. He/ She will monitor attendance, training & also take all responsibilities of students. He/ She will be present in the patient area with the students at the time of training period going as per the shift schedule decided respectively.
13. After completion of training, if required their evaluation would be done by the Second Party .

- 
14. The First Party shall be responsible to provide one (1) Supervisor for one (1) batch consisting of students as agreed between the parties and shall also provide Identity Card and Uniform to their students and staff members to allow them entry into the premises of the Second Party. Provided that Second Party holds right to eject any of staff of First Party without any prior intimation. Provided contrary as mutually agreed between the parties to this agreement.
15. The existing nursing staff of the Second Party will support student of the First Party in clinical training and experience. The Staff of Second Party will cooperate fully to the students in Clinical training. The Second Party shall not be responsible to recruit any special staff to support any clinical training to the Students.
16. The party of Second Part shall permit Party of the First Part to conduct practical examinations and for inspection of the party of First part. Proviso, the Second Party shall provide necessary compliance documents for the purpose of this clause.
17. First Party will not do any such activities/ programs /claim such thing which will bring disrepute/bad name to Second Party & attached institutions.
18. The MOU will not give any right temporary or perpetual on any moveable/immovable/intellectual assets/facilities or any other objects of Second party to First party by virtue of this MOU.
19. This Memorandum of Understanding will remain in force initially for period of Three (03) years from 01-08-2024 till 31-07-2027 It will automatically expire on 31-07-2027 unless renewed for a further period. Either Party may cancel /terminate this MOU without assigning any reasons by giving three (3) months notice in writing to the Other Party. Without prejudice, The Second Party reserves its right to cancel /terminate this MOU in the event it is found that First Party or any of its students have acted contrary to the obligations contained in this MOU. The decision of the Second Party in such cases shall be final.
20. The Second Party will permit First Party to conduct practical examinations for its students and co-operate during inspections of First Party by such authorities on the premises of

Second Party as agreed under prior mutual discussion between the parties. The Second Party will provide necessary information subject to such inspection as needed for the inspection.

21. This Memorandum of Understanding shall be governed by and construed in accordance with the laws of India and the courts at Kolhapur shall have exclusive jurisdiction to try and entertain the matters arising here from.
22. No modification, variation, waiver or amendment of any term & condition of this MOU shall be effective unless and until it shall be reduced to writing and signed by both the parties thereto.
23. The Parties agree that the terms and conditions of this Memorandum of Understanding are confidential and shall not be disclosed to any third party without prior written consent from the non-disclosing party, unless law requires such disclosure. Moreover the students deployed in the hospital should not disclose any confidential patient information or any hospital SOPs and processes to third party.
24. Any notice, request, consent, waiver or other communication required or permitted hereunder shall be effective only if it is in writing and shall be deemed duly given: -
- (i) when delivered by hand, or
 - (ii) three days after being given to an express courier of repute, or
 - (iii) when sent by confirmed facsimile or when sent by electronic mail addressed as

follows: **THE PRINCIPAL,**


Parvatidevi Kumbhar College and School Of Nursing

649, near Bindu Chowk, C Ward, Kolhapur, Maharashtra 416002

THE HEAD OPERATIONS,

Aster Aadhar Hospital,

RS. No. 628, B Ward, Near Shastri Nagar, KMT Workshop, Kolhapur 416 012




25. Any provision of this Memorandum of Understanding which is invalid or unenforceable shall be ineffective to the extent of such invalidity or unenforceability, without affecting in any way the validity, legality and enforceability of the remaining provisions hereof.


IN WITNESS, WHEREOF BOTH THE PARTIES HAVE EXECUTED THIS MEMORANDUM OF UNDERSTANDING ON THE DATE AND PLACE FIRST MENTIONED HEREINABOVE

For,

Parvatidevi Kumbhar College of Nursing Kolhapur


6/8/2024
Prof. Bhalchandra Kulkarni

Principal, Parvatidevi Kumbhar College and School Of Nursing



For,



Aster Aadhar Hospital, Kolhapur


6/8/2024
Dr. Dalon Fernandes

Head Operations,

Aster Aadhar Hospital,

Kolhapur




WITNESS:


Name: Prasad Kulkarni Name: Nitin S. Misal


Signature: Prasad Signature: Nitin

BEFORE ME

IDENTIFIED BY


प्रमोद कर्मिरे
रामटेकर
महाराष्ट्र न्यायिक सेवा
कोलहापुर 9782658385




SARITA V. BHOSALE
Advocate & Notary
'Oasis', B-2, Near Mahaveer College,
Nagala Park, Kolhapur - 416 003,
Mob. 98-11377, 99916996

Notary Regl. Sr. No. 8784/2024

KOLHAPUR MUNICIPAL CORPORATION



(Health Department)

FORM 'C'

(See Rule 5)

Certification of Registration section 5 of the Bombay Nursing Homes
Registration Act, 1949



CERTIFICATE

No. 214

This is to Certify that Shri. / Smt. **DR. ULHAS BHALCHANDRA DAMALE**
has been registered under the Bombay Nursing Homes Registration Act 1949. in respect
of **ASTER AADHAR HOSPITAL (PREERANA HOSPITAL LTD)** situated at
R.S.NO.628 B WARD NEAR GOMATI NALA SHASTRI NAGAR
KOLHAPUR and has been authorised to carry on the said nursing home.

Registration No. : 214

Date of Registration : 19-Nov-1998

Place : Kolhapur

Date of issue of Certificate : 22-Oct-2021

This Certificate of registration shall be valid up to 31-Mar-2025


The name of **DR. ULHAS BHALCHANDRA
DAMALE**

Local Supervising Authority



Kolhapur Municipal Corporation.

Kolhapur.


Medical officer of Health
Kolhapur Municipal Corporation
(Signature of the registering authority.)

Council Of Education's
PARVATIDEVI KUMBHAR COLLEGE OF NURSING, KOLHAPUR
 649, C, Ward, Near Bindu Chowk, Azad Chowk, Kolhapur
Aster Adhar Hospital Bed Details

Floor	Room No.	New (Bed Category)	Census	Non Census
6th Floor	605, 606	Super Deluxe	2	
	601, 602	Single Room AC	2	
	607, 608, 609	Single Room AC	3	
	603 A, 603 B	Twin Sharing AC	2	
	604 A, 604 B	Twin Sharing AC	2	
5th Floor	514	Single Room AC	1	
	519 To 522	Single Room AC	4	
	502 To 504	Single Room Non AC	3	
	506 To 513	Single Room Non AC	8	
	515 A, 515 B	Twin Sharing AC	2	
	516 A, 516 B	Twin Sharing AC	2	
	517 A, 517 B	Twin Sharing AC	2	
	518 A, 518 B	Twin Sharing AC	2	
	BMT1-2	BMT	2	
	505 A, 505 B, 505 C	Twin Sharing NON AC	3	
4th Floor	420 To 424	Deluxe	5	
	414 To 419	Single Room AC	6	
	402 To 404	Single Room Non AC	3	
	406 To 413	Single Room Non AC	8	
	405A, 405 B, 405 C	Twin Sharing NON AC	3	
3rd Floor	302 To 304	Single Room Non AC	3	
	301	Twin Sharing NON AC	1	
	306 -313, 318-319	Single Room Non AC	10	
	314-317, 320-322	Single Room AC	7	
	305A, 305 B, 305 C	Twin Sharing NON AC	3	
	1 TO 30 Scheme Ward	Scheme ward	30	
	CCU 31 to CCU 34	CCU	4	
	DC 9 TO DC 17	Daycare	0	8
2nd Floor	ICU 1 TO ICU 30	Multibed	30	
	ICCU 35 TO ICCU 40	CVTS	6	
	1 TO DC 8 Scheme ward	Scheme ward	0	7
1ST FLOOR	FGW 1 TO FGW 19	Multibed	19	
	PICU 1 TO PICU 8	PICU	8	
	NICU 1 TO NICU 13	NICU	10	
	AKD 101 TO AKD 106	Dialysis	0	6
GROUND FLOOR	ER 1 TO ER 8	Casualty	0	8
	ER 9 TO ER 15	Casualty	0	0
TOTAL			196	29

Revenue Earning Bed	225
Census Bed	196
Non Census Bed (AKD, ER, Daycare)	29

Super Delux	2
Delux	5
Twin sharing	10
Twin sharing	12
General ward	49
Single room	23
Single room	35
Icu	58
BMT	2
	196


Principal

Parvatidevi Kumbhar College of Nursing
 Azad Chowk, Kolhapur - 416002

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

RED/L.S.I

Date: 15/12/2022

No:- Format1.0/CAC/UAN No.MPCB-
CONSENT-0000115982/CO/2212001122

To,
Aster Aadhar Hospital (Prerana Hospital),
R.S. No. 628, A Ward, Near KMT Workshop, Shastri
Nagar, Tal. Karveer, Dist. Kolhapur.



Your Service is Our Duty

Sub: Grant of 1st Combined Consent to Operate & BMW Authorization for expansion and amalgamation of existing combine consent & BMW Authorization.

- Ref:**
1. Existing Combined Consent and Bio-Medical Authorization granted by the Board vide dtd. 14.07.2021, valid up to 30.11.2025.
 2. Combined Consent to Establish and Bio-Medical Authorization for expansion granted by the Board vide dtd. 17.07.2021.
 3. Your Application UAN No. 0000115982 dtd. 23.09.2021.
 4. Minutes of 10th Consent Appraisal Committee meeting held on 25.02.2022.

Combined Consent to Operate and BMW Authorization.

For: grant of 1st Combined Consent to Operate & BMW Authorization for expansion and amalgamation of existing combine consent & BMW Authorization under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981, Authorization under Bio-Medical Waste Management Rules, 2016 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. **The Combined Consent to Operate and BMW authorization is granted upto: 30.11.2025**
The capital investment of the project is Rs.10.41 Crs. (As per C.A Certificate submitted by industry Existing C.I. is of Rs. 63.4 Crs + Expansion/ increase in C.I. Rs. 10.41 Crs = 73.81 Crs).
2. **The Consent is valid for the Activity of**

Sr No	Activity	Quantity	UOM
1)	Hospital		
a)	Beds	250	Nos
b)	Total Plot Area	5900.00	Sq.Mtrs
c)	Total Built up Area	8297.38	Sq.Mtrs

4. Conditions under Water (P&CP) Act, 1974 for discharge of effluent:

Sr No	Description	Permitted (in CMD)	Standards to Achieve	Disposal
1.	Trade effluent	5	As per Schedule - I	After disinfection, partially treated effluent is sent to STP for further treatment & disposal
2.	Domestic effluent	57	As per Schedule - I	Treated effluent shall be 60% recycled for Secondary purposes, applied on land for gardening and remaining discharged into Sewerage system provided by Local body

5. Conditions under the Air (P & CP) Act, 1981 for air emissions:

Sr.No	Description of stack / source	Number of Stack	Standards to be achieved
1	DG Sets (4 x 400 KVA)	1	As per Schedule -II

6. Conditions under Hazardous & Other Wastes (M & T M) Rules 2008 for treatment and disposal of hazardous waste:

Sr No	Type of Waste	HW Category	Quantity	UoM	Treatment	Disposal
1	5.1 Used or spent oil	5.1	100	Ltr/A	Recycle	Sale to authorised party

7. Conditions about Non Hazardous Wastes:

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	STP Sludge	110	Kg/M	Drying	Used as a manure
2	Dry Waste	75	Kg/Day	Recycle	Sale to Auth. Party/ Vendor
3	Wet Waste	200	Kg/Day	OWC followed by Composting facility	Used as manure

8. Treatment and Disposal of Biomedical Waste generated to CBMWTSDf:

Sr.No	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Color coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	155.00	Yellow colored non-chlorinated plastic bags or containers	CBMTSDF
		b) Soiled Waste	260.00		
		c) Chemical Liquid Waste	180.00		
		d) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	220.00		
		e) Microbiology Biotechnology and other clinical laboratory waste	110.00		
2	Red	Contaminated waste (Recyclable)	7300.00	Red colored non chlorinated plastic bags or containers	CBMWTSDf

Sr.No	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Color coding	Treatment & Disposal
3	White (Translucent)	Waste sharps including Metals	180.00	Puncture proof, Leak proof, tamper proof container	CBMWTSDf
4	Blue	a) Glassware	1500.00	Puncture proof & leak proof boxes or containers with blue colored marking.	CBMWTSDf
		b) Metallic body implants	466.00		

9. PP shall comply the following guidelines published by the CPCB on February-2019 regarding handling of BMW for utilization
1. HCE shall preferably handover Bio-medical wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms for production of drugs, reagent chemicals, markers etc. if any such as Pharmaceutical industry / Biotechnology firm approaches them for the same. If there are any difficulties in the matter, the same may be communicated to such firm and copied to the board also.
 2. HCE shall strictly follow the procedure for packaging & transportation of Bio-medical Wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms as per the guidelines of CPCB published in Feb-2019 for "Handling of BMW for utilization".
 3. HCEs shall submit the report to the Board office about type, quantity and frequency of handling over such BMW on yearly basis.
 4. Industry to enter into legal agreement with HCE's and inform the MPC Board and competent authority of State Public Health Department about such collection of BMW along with quantity and type of waste collected.
 5. In case of any technical difficulty towards handing over the required BMW, you shall inform to the Board accordingly.
 6. HCEs shall properly dispose and handover the waste to authorised user / facilities having valid consent to operate from MPCB.
10. This consent is issued subject to conditions mentioned below:
- a. The "authorized Person" shall comply with provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
 - b. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this Authorization.
 - c. You shall submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on www.cpcb.nic.in alongwith Annual Report to MPCB with a copy to CPCB before 31st January every year.
 - d. You shall manage the Mercury Waste in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.cpcb.nic.in dated: 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities".

- e. You shall ensure phase out of chlorinated plastic bags, gloves and blood bags by HCEs within two years.
 - f. You shall establish Bar code system within one year.
 - g. You shall ensure that the liquid waste is treated and disposed by all the occupier or operator of a CBWTF in accordance with the Water Act, 1974;
 - h. You shall maintain day to day basis and display the monthly record Including Annual report on its website within two years from the date of Notification.
 - i. You shall submit separate Bank Guarantees towards compliance of condition mentioned at Annexure - IV to Regional Office, within 30 days.
 - j. You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, for verification purpose.
 - k. You shall submit application for renewal of Combined Consent and Biomedical Waste authorization before 120 days along with appropriate fees.
11. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
 12. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.
 13. PP shall comply with CPCB Guidelines for Handling, Treatment and Disposal of Waste Generated during Treatment/ Diagnosis/ Quarantine of COVID-19 Patients.
 14. This Consent is issued with the overriding effect on earlier Combined Consent and Bio-Medical Authorization granted by the Board vide No. Format 1.0/ CAC/ UAN No. 000098900/ CR-2107000790 dtd. 14.07.2021. .
 15. HCE shall submit/extend the BGs as per BG regime.
 16. This Consent is issued pursuant to the decision of 10th Consent Appraisal Committee meeting held on 25.02.2022.
- This consent is issued as per communication letter dated 03/11/2022 which is approved by competent authority of the board.



Generated By Translink
313e07e1
8e6fa9a7
55600462
293f4c9f
a81d1751
79ead0b7
7314bbb0
247dd54b

Signed by: Dr. Y.B.Sontakke
Joint Director(WPC) & InCharge Of CAC-Cell
For and on behalf of,
Maharashtra Pollution Control Board
cac-cell@mpcb.gov.in
2022-12-15 19:00:11 IST

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	150000.00	MPCB-DR-8065	23/09/2021	RTGS
2	37500.00	TXN2212001789	13/12/2022	Online Payment
3	15000.00	TXN2110002678	28/10/2021	Online Payment

Copy to:

1. Regional Officer, MPCB, Kolhapur and Sub-Regional Officer, MPCB, Kolhapur
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. CC-CAC Desk- for record & website updating purpose.

SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. A] As per your application, you have provided primary treatment comprising of collection tank (5 CMD) for disinfection of 5 CMD trade effluent from Laboratory & Operation Theatre by treating with Sodium Hypochlorite Solution.

B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent:

Sr.No	Parameters	Standards
	I. Compulsory Parameters	Limiting Concentration in mg/l, except for pH
(1)	pH	5.5 to 8.5
(2)	Oil & Grease	10 mg/l
(3)	BOD (3 days 27°C)	30 mg/l
(4)	Total Suspended Solids	100
(5)	COD	100 mg/l

C] The partially treated trade effluent after disinfection sent to STP for further treatment & disposal. In no case, sewage shall find its way outside hospital premises.

2. A] As per your application, you have provided Sewage Treatment Plant of designed capacity 60 CMD with MBBR technology for the treatment of 57 CMD of sewage.

B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards,

1	BOD	Not to exceed	30 mg/l
2	COD	Not to exceed	100 mg/l
3	Suspended Solids	Not to exceed	50 mg/l

C] The treated sewage shall be recycled for secondary purposes to the maximum extent, applied on land for gardening within premise and excess, if any, shall be discharged into Sewerage system provided by local body. In no case, sewage shall find its way outside hospital premises.

3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	66.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	10.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	0

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

SCHEDULE-II**Terms & conditions for compliance of Air Pollution Control:**

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S%	SO ₂
S-1	DG Set (400 KVA)	Acoustic Enclosure/ Stack	3.5 above roof	HSD	3.5 Ltr/Hr	1.00	1.47
S-2	DG Set (400 KVA)	Acoustic Enclosure/ Stack	3.5 above roof	HSD	3.5 Ltr/Hr	1.00	1.47
S-3	DG Set (400 KVA)	Acoustic Enclosure/ Stack	3.5 above roof	HSD	3.5 Ltr/Hr	1.00	1.47
S-4	DG Set (400 KVA)	Acoustic Enclosure/ Stack	3.5 above roof	HSD	3.5 Ltr/Hr	1.00	1.68

2. The applicant shall provide stack height of mtrs operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Total Particulate matter	Not to exceed	150 mg/Nm ³
--------------------------	---------------	------------------------

3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
5. Conditions for D.G. Set
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.

- e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- f) D.G. Set shall be operated only in case of power failure.
- g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.

SCHEDULE-III
Details of Bank Guarantees:

Sr. No.	Consent(C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
NA						

** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.
Existing BG obtained for above purpose if any may be extended for period of validity as above.

Statement of conditions to be complied and Bank Guarantee imposed to ensure timely compliance to be observed by:

Sr.No	Activity / Condition to be Complied	Compliance Timeline(Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Rule	Continuous	50,000
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000
1B	Records		
1	To Maintain records of BMW and submission of Annual Report in Form -II before 31st January	Continuous	25,000
2	To maintain records of BMW material delivered to CBMWTSDf	Continuous	25,000
2	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	25,000

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG Imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG Imposed	Purpose of BG	Amount of BG Returned
NA				

SCHEDULE-IV

General Conditions:

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. You should monitor effluent quality, stack emissions, noise and ambient air quality quarterly
3. You shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
4. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
5. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
6. You shall submit, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 to Regional Office, , the 30th day of September every year.
7. You shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW (MH&TM) Rules 2008, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
8. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns to RO- as per Rule 5(6) & 22(2) of Hazardous Waste (M, H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
9. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
10. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
11. You shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
12. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.

13. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
14. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
15. You should not cause any nuisance in surrounding area.
16. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
17. You shall maintain good housekeeping.
18. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement to Regional Office by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
19. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
20. You shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. You will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
21. You shall submit Six Monthly statement in respect of obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
22. You shall submit official e-mail address and any change will be duly informed to the MPCB, forthwith.
23. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended
24. You shall observe provisions of E-waste (Management and Handling) Rules 2011 and Battery Waste (Management and Handling) Rules 2001, as amended.

This certificate is digitally & electronically signed.

Hospital attach Relevant Document on web site			
1	Hospital Details	Details on College Website	Adequate/ Inadequate
	Name of the Hospital : Aster Aadhar Hospital	Yes/No	
	Address: 628, B Ward, Shastrinagar, Near KMT Workshop, Kolhapur - 416012		
	Telephone No. : (0231) 6622555		
	Bed Strength : 250		
	Distance of Hospital from the College to which it is attached (in kms) 1.5 kms	-	
	Number of beds registered as per BNH Act (attach certificate on web site)	Yes/No	
2	I.Total constructed area of Hospital Building as per MSR attach completion certificate and blue print (8296 Sq.mtr.)	Yes/No	
	Whether the Hospital is Owned by the College	No	Adequate – affiliation with college
	II. Hospital Administration Block as per MSR (Superintendent room, Deputy Superintendent room, Medical officers' room, Matron room, Assistant Matron room, Reception and Registration, etc.)	Yes	
	III. Out–Patient Departments (OPD) as per MSR Total Area of OPD Complex 1872 Sq.ft. No. of OPD's 31 Facilities shall be as per MSR & all details shall be on college website.	Yes	Avg. OPD 250 to 300 per day
	IV. In Patient Departments (IPD) as per MSR Total Area of IPD Complex 3153 Sq.mtr. No. of IPD Departments 32 Bed Distribution 198 Facilities shall be as per MSR & all details shall be on College website.	Yes	IPD admissions Avg. 25 to 30 per day
	V. Operation Theatres Block as per MSR Total Area of OT Block 736 sq.mtr. No. Of OTs available 07 Facilities shall be as per MSR & all details shall be on college website.	Yes	Avg. OT procedures 10 to 15 per day
	VI. Casualty Facilities State Government Permission Letter attach copy on web site	Yes	
	VII. Central Clinical Laboratory details (all Relevant information on hospital letter head to be uploaded on web site) Well-equipped with separate sections for Pathology, Biochemistry and Microbiology. Attached toilet shall be there for collection of urine samples. Other diagnostic tools for ECG or TMT etc. shall be Provided.	Yes	All Clinical Laboratories in house available
	VIII. Radiology or Sonography Section: - :- (all Relevant information on hospital letter head to be uploaded on web site) Radiologist chamber, X-ray room, Dark room, film drying room, store room, patients waiting and dressing room, reception or registration or report room.	Yes	All radiology section available except PET SCAN
	IX. Labor Room :- Average Deliveries conducted annually/Monthly/ Daily as per Birth record maintained by hospital:- (information to be available on web site) – Average monthly 2 to 3 normal deliveries and LSCS 10 to 12 monthly average.	Yes	

3.	Fire Safety Certificate		
a.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: Copy to be made available on web site		
b.	Student Bed Ratio for UG & PG to be verified:(As per MSR) Calculate at Actual		
c.	Average Bed Occupancy in % : (Minimum 75%) 75% Occupancy		
d.	Clinical facilities for PG to be verified:-(As per MSR) DNB available for 3 specialities		
	(i) Whether OPD is functioning to be verified (ii) Total No of OPD (on the day of inspection) – 200 to 250 OPD (iii) Average Number of patients attending OPD(current year) – 9600 OPD's (iv) Average Number of Delivery (Current year) - 36 Average Number of abnormal Delivery (Current year) - 64		



KOLHAPUR MUNICIPAL CORPORATION

Fire Department

Post Box. No. 33, Pin - 416002

FIRE SAFETY CERTIFICATE

Date: 30-Aug-2024

To,

Dr. DR. ULHAS BHALCHANDRA DAMALE

Kolhapur.

Subject:- Issuing the Fires no objection Certificate for

**ASTER AADHAR HOSPITAL (PRERANA HOSPITAL LTD), R.S.NO.628 B WARD
NEAR GOMATI NALA SHASTRI NAGAR KOLHAPUR. With No Of Bed :- 250**

Reference:- Your application no.: FHR10000008242500236 / FRNOC0214
Aug-2024

Date: 30-

As per your application to issue the Fire NOC for **ASTER AADHAR HOSPITAL (PRERANA HOSPITAL LTD)**. Your Hospital has been inspected by the Kolhapur Municipal Corporation Fire Department under Maharashtra fire prevention and life safety measures act 2006. The fire equipments installed in your hospital are maintained in good and efficient condition. Therefore we are issuing the no objection certificate for the same.

Also you have to submit **form B** for renewal of above fire NOC in every year in the month of January and July from government approved license agency only.

Challan No:- CLN1724995722916

Challan Amount:- 23293.0

मनिष रणभिये

Chief Fire Officer

Kolhapur Municipal Corporation



महाराष्ट्र MAHARASHTRA

2023

CP 516046

25 OCT 2024

दिनांक

वि.नं.

2344

स्टॅम्प किंमत रु.

श्री. Principal

Parvatidevi Kumbhar College of Nursing
Azad Chowk, Kolhapur - 416002

यांचे रु. (

दिले स्टॅम्प कोड क्र. २६०१०२५

ऑफेडेव्हीट, करारपत्र, मॉरगेज, मुखपत्र व खरेदी पत्र



MEMORANDUM OF UNDERSTANDING (MOU) BETWEEN

SECRETARY, COUNCIL OF EDUCATION,

PARVATIDEVI KUMBHAR COLLEGE OF NURSING,


649, C WARD, AZAD CHOWK, KOLHAPUR 416002.

AND

ATHAAYU MULTISPECIALITY HOSPITAL PVT. LTD.

44/1, NH-4, UJALAIWADI, TAL-KARVEER,

KOLHAPUR-416004.



Affiliation for utilization of Hospital for nursing students

This DEED OF AGREEMENT is made on this day of 4th February, 2025 between

SECRETARY, COUNCIL OF EDUCATION,

PARVATIDEVI KUMBHAR COLLEGE OF NURSING,

649, C WARD, AZAD CHOWK, KOLHAPUR 416002.

(herewith in after called the first party)

AND

ATHAAYU MULTISPECIALITY HOSPITAL PVT. LTD.

44/1, NH-4, UJALAIWADI, TAL-KARVEER,

KOLHAPUR-416004.

(herewith in after called the second party)




1. The first party can be utilize Second party's Hospital as an affiliated hospital for the Nursing students of First Party for their clinical experience.
2. The second party is having 150 bedded Hospital. The types and number of beds are as follows:

S.N	Bed Type	No. of beds
1	ITU	06
2	ICCU	08
3	MICU	48
4	General Ward Male	16
5	General Ward Female	12
6	Single Room	02
7	Sharing Room	18
8	VIP Suit	11
9	Dialysis	06
10	Casualty/EMR	09
11	Day care	14
	Total	150


3. This MOU will be for the period from 01/01/2025 To 31/12/2027 . And will be renewed further after consent of both parties. Which can be extended further or terminated earlier with 30 days notice on either side, without assigning any reason.
4. Video shooting permission during Inspection (MUHS, MNC, INC).
5. Permission to conduct practical examination. (MUHS, MSBNPE)
6. Permission to demonstrate the procedure.
7. Posting timing for internship shift wise (8 hrs duty on rotation basis)
8. During final examination, before 20 days student will be in study holiday.
9. Hospital is free to associate with the organization of similar service or different services.
10. Hospital have no any legal responsibilities for any activity carried out by Nursing Institute with or without knowledge of hospital management.

On behalf of first Party



SECRETARY
COUNCIL OF EDUCATION, KOLHAPUR
 SECRETARY, COUNCIL OF EDUCATION,
 PARVATIDEVI KUMBHAR COLLEGE OF
 NURSING, 649, C WARD, AZAD CHOWK,


On behalf of Second Party



JAMIL MANER
 Chief Operating Officer (COO)
 Athaayu Multispeciality Hospital
 ATHAAYU MULTISPECIALITY HOSPITAL
 PVT. LTD. 44/1, NH-4, UJALAIWADI,
 TAL- KOLHAPUR 416002.
 KOLHAPUR-416004.

Notary Regi. Sr. No. 06

Date: 12 FEB 2025



SACHIN BABASO BHOSALE
 Advocate & Notary
 17/1, Yashshree Banglow,
 Chhatrapati Rajaram Colony,
 Kasaba Bawada, Kolhapur.

Witness Name, Address:

1. Mr. BD/kerkarn
Ruiker colony, Kolhapur
Amisal

Witness Name, Address Signature

1. Ms. Revati Mane
Rimane
11/02/25

2. Mr. Nitin S. Misal
Ruiker colony, Kolhapur
Amisal

2. Mr. Suraj Patil
Amisal
11/02/25

NO. of corrections
 on this page - Nil

12 FEB 2025

भारत सरकार
Government of India

विश्वनाथ नरहरी मगदूम
Vishwanath Narahari Magdum
जन्म तारीख / DOB: 29/01/1953
पुरुष / Male

3497 4079 5042

आधार - सामान्य माणसाचा अधिकार

भारतीय नवविध गोपनीय प्राधिकरण
Unique Identification Authority of India

पत्ता
मगदूम एंडोसर्जरी इन्स्टीट्यूट प्राविभा
मगदूम शास्त्री ग्राउंड समीत
राजारामपुरी, राजारामपुरी, कोल्हापूर,
कोल्हापूर, महाराष्ट्र, 416008

Address
Magdum Endosurgery Institute
Khatibhik Nagar, Shastri Ground
Sannor, Rajarampur, Rajarampur,
Kolhapur, Kolhapur, Maharashtra,
416008

3497 4079 5042

1947
1000 000 1947

www.uidai.gov.in





महाराष्ट्र MAHARASHTRA

© 2021 ©

YV 220222

दिनांक 13.0 NOV 2021 वि. नं. ३३२५ स्टॅप किं. रु. १००/-

श्री. PRESIDENT, COUNCIL OF EDUCATION, KOLHAPUR. एल्ले शारद पांडुरंग

आपले रा. बुकवार पेठ येथील शाळा

रु. (शेअर) चा स्टॅप मागितलेवरून रु. १००/-चा

त्याचे भरती रु. — असे स्टॅप दिले.

म. रफिक, अ. ओख

स्टॅप वेंडर

तहसिलदार कचेरी करवीर कपाड

परवाना क्र. १४८/८९,

कोड नं. २६०१०२९




25 NOV 2021

STAMP HEAD CLERK
TREASURY OFFICE
KOLHAPUR. (M.S.)

सदर मुद्रांक यंत्रणेच्याकडे देण्यात आला

Memorandum of understandingCouncil of education's proposed Parvetidevi Kumbhar School of Nursing, Kolhapur.
(Here in after called the first party)

And

Masai Hospital,
C-Ward, Lugadi lane, somvar peth,
Kolhapur.
PrincipalParvatidevi Kumbhar College of Nursing
Azad Chowk, Kolhapur - 416002

The deed of agreement is made on 20-10-21 for next five years for utilization hospital for the nursing students for their clinical experience.

First part can utilize second parties hospital as an affiliated hospital for nursing students for the clinical experience.

Second party is having 103 bedded hospital.

Department	No of beds
------------	------------

ICU	
-----	--

General ward	
--------------	--

Male Ward	
-----------	--

Female ward	
-------------	--

Special rooms	
---------------	--

The mou for the period from 20-10-2021 to 20-10-2026 and will renewed further after consent of both parties.

Video shooting permission during inspection.


Permission to conduct practical examnation.

Permission to demonstrate the procedure.

Posting timeing for internship shiftwise (8 hrs duty on rotation basis)


During final examination before 20 days stents will be in study holiday.


Permission for intergrated posting and research projects activivities.


Principal

Parvatidevi Kumbhar College of Nursing
Azad Chowk, Kolhapur - 416002




Dr. UDAY PATIL
MDDCH
TRUE COPY No. 63676


Office Superintendent
D. B. K. College of Commerce, Kolhapur



KOLHAPUR MUNICIPAL CORPORATION

Fire Department

Post Box. No. 33, Pin - 416002

FIRE SAFETY CERTIFICATE

Date: 27-May-2024

To,

Dr. DR. UDAY SARJERAO PATIL

Kolhapur.

Subject:- Issuing the Fires no objection Certificate for

**MASAI CHILDRENS HOSPITAL, 1837 C WARD LUGDI LANE SOMWAR PETH
KOLHAPUR, With No Of Bed :- 103**

Reference:- Your application no.: FHN10000005242500155 / FRNOC0202
May-2024

Date: 27-

As per your application to issue the Fire NOC for **MASAI CHILDRENS HOSPITAL**. Your Hospital has been inspected by the Kolhapur Municipal Corporation Fire Department under Maharashtra fire prevention and life safety measures act 2006. The fire equipments installed in your hospital are maintained in good and efficient condition. Therefore we are issuing the no objection certificate for the same.

Also you have to submit **form B** for renewal of above fire NOC in every year in the month of January and July from government approved license agency only.

Challan No:- CLN1716809569982

Challan Amount:- 23293.0

मनिष रणभिसे

Chief Fire Officer

Kolhapur Municipal Corporation



Maharashtra Pollution Control Board
महाराष्ट्र प्रदूषण नियंत्रण बोर्ड

S S Services

R.S. No. 206, S.S.No. 29, E Ward, Kasaba Bawada,
Near Drainage Plant, Behind Circuit House,, Dist. Kolhapur - 416003
Emergency Mobile No. : 9112476555 e-mail: ssservicesup@gmail.com



Unique Registration No.: SSSK/2023/00024



Offline QR Code

Registration Certificate



Online QR Code

Outward No.: SSSK /2023/0005

Date: 24-04-2024

This is to certify that, Masai Childrens Hospital, at 1837,C,Ward Lugadi Line, Near KMC, Kolhapur,, Kolhapur, Maharashtra 416002 is registered with M/s. S S Services , Kolhapur for Management of Bio Medical Waste in accordance with, the provision of Bio Medical Waste Management Rules, 2016, as amended and in compliance with the provisions of CPCB guidelines.

- 1 Authorized Person of HCE : Dr. Uday Sarjerao Patil
(Name and Designation) Doctor
- 2 Bombay Nursing Home Act Registration Details
 - a. BNH Registration Number : 202
 - b. BNH Issue Date : 31-05-2022
 - c. Total Number of Beds : 103 Beds
 - d. BNH Validity (Form 'C') : 31-03-2025
- 3 Common Treatment Facility Registration Details
 - a. Date of Registration : 16-10-2020
 - b. No. of Beds Registered : 103 Beds
 - c. Registration Validity : 31-03-2025
- 4 Renewal of CTF Membership (if Applicable)
 - a. Renewal Date : 01-04-2025
 - b. No. of Beds : 103 Beds
- 5 MPCB Consent (Establish/ 1st Operate/ Renewal) Details
 - a. Consent / CCA Number : UAN NO.0000147085/CO/2305002213
 - b. Issue Date : 29-05-2023
 - c. Validity up to : 31-05-2027



S. S. Services

Authorized Signature CBMWTF, Kolhapur

Name : Mr. Ashish Vilasrao Ghatge

Designation : Partner

Note: HCE shall display copy of Registration Certificate at Front Desk and Temporary BMW Storage area.

KOLHAPUR MUNICIPAL CORPORATION



(Health Department)

FORM 'C'

(See Rule 5)

Certification of Registration section 5 of the Bombay Nursing Homes
Registration Act. 1947



CERTIFICATE

No. 202

This is to Certify that Shri. / Smt. **DR. UDAY SARJERAO PATIL** has been
registered under the Bombay Nursing Homes Registration Act 1949. in respect of
MASAI CHILDRENS HOSPITAL situated at **1837 C LUGDI LANE**
SOMWAR PETH KOLHAPUR and has been authorised to carry on the said
nursing home.

Registration No. : 202
Date of Registration : 15-Apr-1998
Place : Kolhapur
Date of issue of Certificate : 31-May-2022

This Certificate of registration shall be valid up to **31-Mar-2025**


The name of **DR. UDAY SARJERAO
PATIL**

Local Supervising Authority



Kolhapur Municipal Corporation.

Kolhapur.


Medical officer of Health
Kolhapur Municipal Corporation
(Signature of the registering authority.)

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

RED/M.S.I

Date: 29/05/2023

No:- Format1.0/CC/UAN No.0000147085/CO/2305002213

To,
M/s. MASAI CHILDREN's HOSPITAL
1st and 2nd Floor, Shree Safalya Appt., 'C' Ward,
Lugadi Lane,
Somvar Peth, Kolhapur-416002,

Email: masaihospital@rediffmail.com
Contact No.: 9975373356



Your Service is Our Duty



Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:
1. Bio-Medical Waste Authorization granted by the Board vide no.RO-KOLHAPUR/BMW_AUTH/2108000513/2021 dated 26.08.2021
 2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 15/09/2022
 3. Minutes of 24th CC meeting held on 22.12.2022
 4. SCN for refusal for CCA issued on 17.01.2023
 5. Your reply submitted vide letter dated 25.01.2023
 6. Minutes of 36th CC meeting held on 20.03.2023
 7. Your reply submitted vide letter dated 24.04.2023, 25.05.2023

After examining the proposal, The Maharashtra Pollution Control Board hereby grant Combined Consent 1st operate and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **01-06-2022 To 31-05-2027**
2. The capital investment of the HCF is **₹661.41** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 1275.90 M² with Built-up area 3654.07 M².
4. **Activities Included**
 - a. Total Number of Beds : **103 Nos.** (As per BNH certificate no. 202 valid upto 31-03-2025)

5. Conditions under the Water (P&CP) Act, 1974:-

1. Quantity of total water consumption shall not exceed 20 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act, 1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDf and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1		NA	As per Actual	--NA--	NA

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **S. S. Services, Kolhapur Municipal Corporation, Kolhapur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.

11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. HCE shall submit revised BNH registration copy with incorporation of bed number within a period of three months.
18. You shall submit the bank guarantee of INR 1.50 lakh towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Kolhapur within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice

This consent is issued as per communication letter dated 03/11/2022 which is approved by competent authority of the board.



Generated By: 9f7e2c12
757d2635
343589d0
4b1a5c34
baa6fec3
812f96ec
68958ee5
eeel668b

Signed by: Dr. Amar R. Supate
Principal Scientific Officer
For and on behalf of,
Maharashtra Pollution Control Board
psb@mpcb.gov.in
2023-05-29 16:26:54 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	125000.00	MPCB-DR-14098	15/09/2022	NEFT
2	25000.00	MPCB-DR-14097	15/09/2022	NEFT

Copy to:

1. Regional Officer, MPCB, Kolhapur and Sub-Regional Officer, MPCB, Kolhapur
- - They are directed to ensure the compliance of the consent conditions.
- SRO They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)**A. Water Consumption Details:-**

<i>Sr. No.</i>	<i>Purpose for water consumed</i>	<i>Water consumption quantity (CMD)</i>
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	20.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

<i>Sr. No.</i>	<i>Description</i>	<i>Permitted quantity of discharge (CMD)</i>	<i>Standards to be achieved</i>	<i>Disposal</i>
1	Domestic Sewage	18	As per clause 'C'	Partly on land for gardening and rest for flushing.
2	Trade effluent	0	As per clause 'C'	NA

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

<i>Sr. No.</i>	<i>Parameters</i>	<i>Discharge Standards applicable</i>
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D.** You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E.** You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F.** The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G.** You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Annexure - II**Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	DG SET	Diesel	5.00 Ltr/Hr	11.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	80.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	40.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	50.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	30.00	Autoclave safe plastic bags or containers.	Pre-treat to sterilize with nonchlorinated chemicals on-site as per National AIDS Control Organisation or World Health Organisation guidelines thereafter sent to BMW-CTF for Incineration.
2	Red	Contaminated waste (Recyclable)	30.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
3	White (Translucent)	Waste sharps including Metals	20.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
4	Blue	a) Glassware	15.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
		b) Metallic body implants	0.00		

Responsibilities of the Health Care Facility

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **S. S. Services, Kolhapur Municipal Corporation, Kolhapur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Kolhapur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

SCHEDULE-III**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	50,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	25,000.00
2	To maintain records of BMW handed over to CBMWTF	Continuous	25,000.00
Total			1,50,000.00

Note: You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.



General Conditions**The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Kolhapur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.





महाराष्ट्र MAHARASHTRA

2021

YT 798620

दिनांक

वि.नं.

ला.नं. १९/९६

श्री.

रु.

त्यांचे भरती रु.

हजे अ.पा. अ.पा. यांना

मागितलेवरून रु. १००/-ची

असे स्टॅप दिले.


शहूल ना. पाटील

स्टॅम्प व्हेंडर
तहसीलदार कार्यालय आगा
करवीर, कोल्हापूर.
फोड क. २६०१००४



11 OCT 2021

STAMP HEAD CLERK
TREASURY OFFICE
KOLHAPUR (M.S.)



Memorandum of Understanding

Council of Education's, proposed Parvatidevi Kumbhar College of Nursing,
Kolhapur.


(Here in after called the first party)

And

Janaki Multi-speciality Hospital,
2018, 'E', Rajarampuri, 3rd Lane,
Kolhapur.

(Here in after called the second party).





The Deed of agreement is made on 20-10-2021 for next five years for utilization hospital for the nursing students for their clinical experience.

First party can utilize second parties hospital as an affiliated hospital for nursing students for the clinical experience.

Second party is having 100 bedded hospital.

Department	No. of Beds
ICU	-
General Ward	- 20
Male ward	- 08
Female ward	- 06
Special Rooms	12

The MOU for the period from 20-10-2021 to 20-10-2026 and will renewed further after consent of both parties.

Video shooting permission during inspection.

Permission to conduct practical examination

Permission to demonstrate the procedure.

Posting timing for internship shift wise (8 hrs duty on rotation basis).


During final examination before 20 days students will be in study holiday.

Permission for integrated posting and research project activities.

I know the deponent

(Adv. V. A. Rednagar)

Before Me



Adv. Rehana Mubarak Shaikh
NOTARY GOVT. OF INDIA
171 C Ward, Bho: Galli, Kaviwar Peth
KOLHAPUR DIST. Kolhapur (M.S.)

श्रीमती मल्टिस्पेशलिटी हॉस्पिटल
जजारामपुरी ३ री गल्ली, कोल्हापूर.
डॉ. सो. गीता अ. पिलाई
एम. डी.

रजि. नं. 076229
(0231) 2520888

NOTARY REGI. SR. No.

246
2021

KOLHAPUR MUNICIPAL CORPORATION



(Health Department)

FORM 'C'



(See Rule 5)

Certification of Registration section 5 of the Bombay Nursing Homes
Registration Act, 1949

CERTIFICATE

No. 227

This is to Certify that Shri. / Smt. **DR MRS GEETA ANNUKUMAR PILLAI**
has been registered under the Bombay Nursing Homes Registration Act 1949. in respect
of **IANAKI MULTISPECIALITY HOSPITAL** situated at 2018 E
RAJARAMPURI 3RD LANE KOLHAPUR and has been authorised to carry on
the said nursing home.

Registration No. : 227
Date of Registration : 30-Oct-1999
Place : Kolhapur
Date of issue of Certificate : 23-May-2022

This Certificate of registration shall be valid up to **31-Mar-2025**

The name of **DR MRS
GEETA ANNUKUMAR PILLAI**

Local Supervising Authority



Kolhapur Municipal Corporation.

Kolhapur.

[Signature]
13.5.22

Medical officer of Health
Kolhapur Municipal Corporation
(Signature of the registering authority.)

Certificate Just used for Reference

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0231-2652952
0231-2660448
Fax: 0231-2652952
Website: <http://mpcb.gov.in>
Email: rokolhapur@mpcb.gov.in



Maharashtra Pollution
Control Board, Udyog
Bhavan Building, Near
Collectorate Office,
Kolhapur - 416 002

ORANGE/S.S.I

No:- Format1.0/RO/UAN No.0000175787/CO/2311000232

Date: 03/11/2023

To,
Janaki Multispecility Hospital
2018, E Ward, Rajarampuri 3 rd Lane, Bus Route
Kolhapur
-416008
Email: geeta_pillai@yahoo.com
Contact No.: 9422412513



Your Service is Our Duty

Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref: Your application for Combine Consent and Bio-Medical Waste Authorization dated 27/07/2023

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **31-08-2023 To 31-08-2027**
2. The capital investment of the HCF is **₹241.13 Lakhs** (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 594.00 M² with Built-up area 1282.00 M².
4. **Activities Included**
 - a. Total Number of Beds : **46 Nos. 246**
 - I. General Beds : **20 Nos**
 - II. ICU/ICU Beds : **12 Nos**
 - III. Other Beds : **14 Nos**
5. **Conditions under the Water (P&CP) Act, 1974:-**
 1. Quantity of total water consumption shall not exceed 3.5 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
 2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
 3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.
6. **Conditions under the Air (P&CP) Act, 1981:-**

Certificate Just use for Reference

15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.



J. S. Salunkhe

44a501e7
edf4ee03
2eff7104
6093cd91
90804dbb
9ccb52c5
64cf0ee2
70bf89a5

Signed by: J. S. Salunkhe
Regional Officer
For and on behalf of,
Maharashtra Pollution Control Board
rokolhapur@mpcb.gov.in
2023-11-03 13:34:38 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	30000.00	TXN2307003756	27/07/2023	Online Payment

Copy to:

1. Regional Officer, MPCB, Kolhapur and Sub-Regional Officer, MPCB, Kolhapur
2. Cheif Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.






Janaki
Multi Speciality Hospital

214

Date: 26/09/2022

TO WHOMSOEVER IT MAY CONCERN

This is to certify that, Janaki Multispeciality Hospital is established in 1999, the hospital is multispeciality hospital for Gynecology, Surgery, Medicine, Ortho, Ophtalma, ENT, and Dentist with strength of 46 beds and our occupancy rate is more than 70%



Principal

Parvatidevi Kumbhar College of Nursing
Azad Chowk, Kolhapur - 416002

TRUE COPY

Office Superintendent
D.R.K. College of Commerce, Kolhapur



महाराष्ट्र MAHARASHTRA

© 2021 ©

YV 220223

दिनांक 30 NOV 2021

वि. नं. १३२६ स्टॅप किं. रु. १००/-

श्री. PRESIDENT,
COUNCIL OF EDUCATION, KOLHAPUR

आपटे - शिंदे पद मोर्चा यांना

रु. (१३२) चा स्टॅप मागितलेवरून रु. १००/- चा

त्याचे भरती रु.

SAP

असे स्टॅप दिले.

म. रफिक अ. शेख

स्टॅप व्हेंडर

सहसिलदार फचेरी कल्लोर कर्पाड

परवाना क्र. १४८/८९,

कोड नं. २२०१०२१



25 NOV 2021

STAMP HEAD CL
TREASURY OFF
KOLHAPUR. (M.S.)

सदर मुद्रांक श्री. शिंदे यांनी देण्यात आला

Memorandum of Understanding

Council of Education's proposed Parvatidevi Kumbhar School of Nursing,
Kolhapur.

(Here in after called the first party)

And

Patki Hospital,
Shahupuri 3rd Lane,
Kolhapur.

Principal

Parvatidevi Kumbhar College of Nursing
Azad Chowk, Kolhapur - 416002

The deed of agreement is made on 27-12-21 for next five years for utilization hospital for the nursing students for their clinical experience.

First part can utilize second parties hospital as an affiliated hospital for nursing students for the clinical experience.

Second party is having 45 bedded Obs. and Gynec hospital.

The mou for the period from 27-12-2021 to 27-12-2026 and will renewed further after consent of both parties.

Video shooting permission during inspection.


Permission to conduct practical examnation.

Permission to demonstrate the procedure.


Posting timeing for internship shiftwise (8 hrs duty on rotation basis)


During final examination before 20 days stents will be in study holiday.

Permission for intergrated posting and research projects activivities.


Dr. Satish M. Patki
 M.B.B.S., M.D.
 Obsterician & Gynecologist
 Regd. No. 49228
 Patki Hospital, Kolhapur.

TRUE COPY


 Office Superintendent
 D.R.K. College of Commerce, Kolhap.


Principal
 Parvatidevi Kumbhar College of Nursing
 Azad Chowk, Kolhapur - 416002

KOLHAPUR MUNICIPAL CORPORATION

(Health Department)

FORM 'C'

(See Rule 5)

Certification of Registration section 5 of the Bombay Nursing Homes
Registration Act, 1949

CERTIFICATE

No. 78

This is to Certify that Shri. / Smt. **DR. SATISH MANOHAR PATKI** has been
registered under the Bombay Nursing Homes Registration Act 1949, in respect of
PATKI HOSPITAL situated at 693 E. SHAHUPURI 3 RD LANE
KOLHAPUR and has been authorised to carry on the said nursing home.

Registration No. : 78
Date of Registration : 30-Mar-1995
Place : Kolhapur
Date of issue of Certificate : 14-Jul-2022

This Certificate of registration shall be valid up to 31-Mar-2025

The name of **DR. SATISH MANOHAR PATKI**

Local Supervising Authority



Kolhapur Municipal Corporation.

Kolhapur.

Medical officer of Health
Kolhapur Municipal Corporation
(Signature of the registering authority.)

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0231-2652952

0231-2660448

Fax: 0231-2652952

Website: <http://mpcb.gov.in>

Email: rokolhapur@mpcb.gov.in

Maharashtra Pollution
Control Board, Udyog
Bhavan Building, Near
Collectorate Office,
Kolhapur - 416 002

RED/S.S.I

No:- Format1.0/RO/UAN

No.0000142961/CO/2209000440

Date: 09/09/2022

To,
PATKI HOSPITAL
693,693, E WARD, 3rd LANE, SHAHUPURI, KOLHAPUR
TAL. KARVEER, DIST. KOLHAPUR.



Your Service Is Our Duty

Sub: Granted Combine Consent to Operate under Red Category

Ref: Your application for Combine Consent and Bio-Medical Authorization dated 06.07.2022

Combined Consent to Operate and BMW Authorization.

For: Under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 and Bio-Medical Waste Management Rules, 2016 and amendment thereof is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. **The Combined Consent to Operate and BMW authorization is granted upto: 30.06.2025**
2. **The capital investment of the project is Rs.3.36 Crs. (As per C.A Certificate submitted by industry).**
3. **45 Nos of Bed**
4. **Conditions under Water (P&CP) Act, 1974 for discharge of effluent:**

Sr No	Description	Permitted (in CMD)	Standards to Acheive	Disposal
1.	Trade effluent	0	As per Schedule -I	NA
2.	Domestic effluent	3.5	As per Schedule - I	On Land for Gardening

5. **Conditions under the Air (P& CP) Act, 1981 for air emissions:**

Sr.No	Description of stack / source	Number of Stack	Standards to be achieved
1	NA	1	As per Schedule -II

6. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2008 for treatment and disposal of hazardous waste:**

Sr No	Type of Waste	HW Category.	Quantity	UoM	Treatment	Disposal
1		NA	0	--NA--	NA	NA

7. **Conditions about Non Hazardous Wastes:**

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	Cat-1. Human Anatomical Waste	33	Kg/M	NA	Send to CBMWTSDF M/s. S. S Services
2	Cat - 3 Microbiology & Biotechnology waste	22	Kg/M	NA	Send to CBMWTSDF M/s. S. S Services
3	Cat-4 Waste Sharps	10	Kg/M	NA	Send to CBMWTSDF M/s. S. S Services
4	Cat-5 Discarded Medicines and Cytotoxic drugs	80	Kg/M	NA	Send to CBMWTSDF M/s. S. S Services
5	Cat-6 Solid Waste	15	Kg/M	NA	Send to CBMWTSDF M/s. S. S Services
6	Cat -7 Solid Waste	10	Kg/M	NA	Send to CBMWTSDF M/s. S. S Services

8. **Treatment and Disposal of Biomedical Waste generated to CBMWTSDF:**

Sr.No	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Color coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	33.00	Yellow colored non-chlorinated plastic bags or containers	S. S. Services, Kasaba Bawada, Kolhapur
		b) Soiled Waste	15.00		
		c) Expired or Discarded Medicines	80.00		
		d) Microbiology Biotechnology and other clinical laboratory waste	22.00		
2	Red	Contaminated waste (Recyclable)	10.00	Red colored non chlorinated plastic bags or containers	S. S. Services, Kasaba Bawada, Kolhapur
3	White (Translucent)	Waste sharps including Metals	10.00	Puncture proof, Leak proof, tamper proof container	S. S. Services, Kasaba Bawada, Kolhapur

9. PP shall comply the following guidelines published by the CPCB on February-2019 regarding handling of BMW for utilization

1. HCE shall preferably handover Bio-medical wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms for production of drugs, reagent chemicals, markers etc. if any such as Pharmaceutical industry / Biotechnology firm approaches them for the same. If there are any difficulties in the matter, the same may be communicated to such firm and copied to the board also.
2. HCE shall strictly follow the procedure for packaging & transportation of Bio-medical Wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms as per the guidelines of CPCB published in Feb-2019 for "Handling of BMW for utilization".
3. HCEs shall submit the report to the Board office about type, quantity and frequency of handling over such BMW on yearly basis.
4. Industry to enter into legal agreement with HCE's and inform the MPC Board and competent authority of State Public Health Department about such collection of BMW along with quantity and type of waste collected.
5. In case of any technical difficulty towards handing over the required BMW, you shall inform to the Board accordingly.
6. HCEs shall properly dispose and handover the waste to authorised user / facilities having valid consent to operate from MPCB.

10. This consent is issued subject to conditions mentioned below:

- a. The "authorized Person" shall comply with provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
 - b. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this Authorization.
 - c. You shall submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on www.cpcb.nic.in alongwith Annual Report to MPCB with a copy to CPCB before 31st January every year.
 - d. You shall manage the Mercury Waste in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.cpcb.nic.in dated: 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities"?
 - e. You shall ensure phase out of chlorinated plastic bags, gloves and blood bags by HCEs within two years.
 - f. You shall establish Bar code system within one year.
 - g. You shall ensure that the liquid waste is treated and disposed by all the occupier or operator of a CBWTF in accordance with the Water Act, 1974;
 - h. You shall maintain day to day basis and display the monthly record Including Annual report on its website within two years from the date of Notification.
 - i. You shall submit separate Bank Guarantees towards compliance of condition mentioned at Annexure - IV to Regional Office, within 30 days.
 - j. You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, for verification purpose.
 - k. You shall submit application for renewal of Combined Consent and Biomedical Waste authorization before 120 days along with appropriate fees.
11. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
 12. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.



J. S. Salunkhe

05dbe569
c468ecbc
46da3628
d302d0e8
0b695734
9b1b046c
d0f8925f
949a3a02

Signed by: J. S. Salunkhe
Regional Officer
For and on behalf of,
Maharashtra Pollution Control Board
rokolhapur@mpcb.gov.in
2022-09-09 21:29:36 IST

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	45000.00	MPCB-DR-12985	06/07/2022	NEFT
2	616.00	TXN2208003138	27/08/2022	Online Payment
3	7500.00	MPCB-DR-12986	06/07/2022	NEFT

0

Copy to:

1. Regional Officer, MPCB, Kolhapur and Sub-Regional Officer, MPCB, Kolhapur
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai

SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. A] Generation - Nil
B] Treatment - NA
C] Disposal - NA
2. A] As per your application, you have provided Septic Tank followed by Soak pit for the treatment of 3.5 CMD of sewage.
B] The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise and remaining shall be disposed in sewerage system provided by local body. In no case, sewage shall find its way for gardening / outside hospital premises.

3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	5.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	0

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S%	SO ₂
NA	NA NA	NA	NA	NA	0 --NA--	0.00	0.00

2. The applicant shall provide stack height of mtrs operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Total Particulate matter	Not to exceed	150 mg/Nm ³
--------------------------	---------------	------------------------

3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
5. Conditions for D.G. Set
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.

SCHEDULE-III
Details of Bank Guarantees:

Sr. No.	Consent(C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C To R Existing Extend	100000/-	Continuous	Towards Previous BMW Authorization Conditions	Continuous	Continuous

**** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.**
Existing BG obtained for above purpose if any may be extended for period of validity as above.

Statement of conditions to be complied and Bank Guarantee imposed to ensure timely compliance to be observed by:

Sr.No	Activity / Condition to be Complied	Compliance Timeline(Months)	Bank Guarantee Amount
1A	Performance		
1			

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
						NA

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG Imposed	Purpose of BG	Amount of BG Returned
				NA

SCHEDULE-IV

General Conditions:

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. You should monitor effluent quality, stack emissions, noise and ambient air quality quarterly
3. You shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
4. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
5. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
6. You shall submit, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 to Regional Office, , the 30th day of September every year.
7. You shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW (MH&TM) Rules 2008, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
8. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns to RO- as per Rule 5(6) & 22(2) of Hazardous Waste (M, H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
9. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
10. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
11. You shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
12. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
13. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.

14. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
15. You should not cause any nuisance in surrounding area.
16. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
17. You shall maintain good housekeeping.
18. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement to Regional Office by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
19. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
20. You shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. You will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
21. You shall submit Six Monthly statement in respect of obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
22. You shall submit official e-mail address and any change will be duly informed to the MPCB, forthwith.
23. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended
24. You shall observe provisions of E-waste (Management and Handling) Rules 2011 and Battery Waste (Management and Handling) Rules 2001, as amended.

This certificate is digitally & electronically signed.



PATKI HOSPITAL



218

693, E, Shahupuri 3rd Lane, Kolhapur, Maharashtra-416001

Tel No – (0231) 2651666/2651635/2656070

Email Id – satish.patki@rediffmail.com, Visit us at – www.patkihospitalkolhapur.com

Date:26.09.2022.

TO WHOMSOEVER IT MAY CONCERN

This is to certify that, Patki Hospital is established in 1987, the hospital is a super specialty center for excellence, specializing in obstetrics, infertility, and gynecology with a strength of 45 beds and our occupancy rate is more than 72%.

HR Manager
Patki Hospital,
Kolhapur

PATKI HOSPITAL
693, 'E' Shahupuri, 3rd Lane,
KOLHAPUR, Tel.2656070

TRUE COPY

Office Superintendent
D.R.K. College of Commerce, Kolhapur

Principal
Parvatidevi Kumbhar College of Nursing
Azad Chowk, Kolhapur - 416002



महाराष्ट्र MAHARASHTRA OCT 2021

दिनांक

वि.नं.

2021

ला.नं. १९/१६

YT 798619


श्री.

होले, शा.पा. अ.प्र. टेयांना


रु. (१००) बंधन पावितलेवरून रु. १०० /-ची

त्यांचे भरती रु.

असे स्टॅम्प दिले.



राहुल ना. पाटील
स्टॅम्प बँकर
पुसीलदार कार्यालय आपण
कावडी, कोल्हापूर.
दोहा रु. २६०१००४



Memorandum of Understanding

Council of Education's, proposed Parvatidevi Kumbhar College of Nursing,
Kolhapur.

(Here in after called the first party)

And

Swastik Hospital Neuro-Psychiatric Centre,
Assembly Road, Near Mahavir Garden,
New Shahupuri, Kolhapur.

(Here in after called the second party).

Principal

Parvatidevi Kumbhar College of Nursing
Azad Chowk, Kolhapur - 416002

PRESIDENT,
COUNCIL OF EDUCATION, KOLHAPUR



The Deed of agreement is made on 20-10-2021 for next five years for utilization hospital for the nursing students for their clinical experience.

First party can utilize second parties hospital as an affiliated hospital for nursing students for the clinical experience.

Second party is having ⁵⁰~~100~~ bedded hospital.

Department	No. of Beds
ICU	-
General Ward	-
Male ward	-
Female ward	-
Special Rooms	-
	6
	24
	20
	10

The MOU for the period from 20-10-2021 to 20-10-2026 and will renewed further after consent of both parties.

Video shooting permission during inspection.

Permission to conduct practical examination

Permission to demonstrate the procedure.

Posting timing for internship shift wise (8 hrs duty on rotation basis).

During final examination before 20 days students will be in study holiday.

Permission for integrated posting and research project activities.

I know the deponent

[Signature]
(A. V. A. Redekar)

Before Me

[Signature]
Adv. Retana Subarak Shankh
NOTARY GOVT. OF INDIA
171 C Ward, Bho. Salli, Raviwar Peth
KOLHAPUR DIST Kolhapur (M.S.)

[Signature]
Dr. P. M. CHOUGULE
M.D. (Psych.) D.P.M. (Dom.)
143 A/12, E, SWASTIK HOSPITAL
Near Mahavir Garden, Assembly Road,
KOLHAPUR - 416 001 Ph. 0231-2658635

[Signature]
Principal

Devi Kumbhar College of Nursing
Chowk, Kolhapur - 416002

NOTARY REGI. SRT TRUE COPY

Office Superintendent
D.R.K. College of Commerce, Kolhapur

[Signature]
PRESIDENT,
COUNCIL OF EDUCATION, KOLHAPUR

Certificate No. : 115/2020

Certificate

This is to state that Dr. Parshwanath M. Chougule
Name of the health care establishment

Swastik Hospital

Availing our common treatment facility for
Bio-Medical Waste handling and disposal
since 16/10/2020. The number of beds
registered with us is 10 Beds.

This certificate remains valid up to 31/03/2025

[Subject to compliance of the (Bio-Medical
waste Management and handling)

Rules, 1998 and its amendments]

Issued on. 31/03/2024. Authorised Signature



All Certificate issued before this date remain cancelled



R. S. No. 206, S.S. No. 29, 'E' Ward, Kasaba Bawada, Near
Drainage Plant, Behind Circuit House, Kolhapur-416 003
Mobile : 99701 68017; 93711 00621, 99229 70440

Bio-Medical
Waste
Treatment



	आरोग्य सेवा
	प्रादेशिक मनोरुग्णालय, रत्नागिरी
	प्रादेशिक मनोरुग्णालय, मेनरोड, रत्नागिरी - ४१५६१२
	नैसर्गिक दुरध्वनी : ०२२५२/२२२३५५, नमस्त्वाम दुरध्वनी : ०२२५२/२२२३५५
	ईमेल आयडी rtgmental50@yahoo.com

जा.क्र.प्राभरुर/पिस्ट टेवल/गामापरवाना/स्वस्तिक हॉस्पिटल/1120-21/२०२१

दिनांक :-

प्रति,

सा. अतिरिक्त संचालक,
आरोग्य सेवा (मानसिक आरोग्य)
मुंबई.

विषय :- खाजगी रुग्णालयांमधील मानसिक कक्षास परवानगी देणेबाबत...

संदर्भ :- प्रादेशिक मनोरुग्णालय, रत्नागिरी येथील दिनांक १७.०९.२०२१ ची अभ्यागत समितीमधील ठराव.


महोदय,

उपरोक्त विषयास अनुसरून खाजगी रुग्णालयांमधील मानसिक कक्षास परवानगी मिळणेबाबत डॉ. पी.एम.चौगुले यांचे स्वस्तिक हॉस्पिटल, कोल्हापूर यांनी विहीत तमून्वातील प्रस्ताव या कार्यालयास सावर केलेला आहे. त्या अनुषंगाने डॉ. पी.एम.चौगुले यांचे स्वस्तिक हॉस्पिटल, कोल्हापूर येथील मानसिक कक्षास जिल्हा शल्य चिकित्सक, कोल्हापूर यांच्याकडून अधिकाधिक, प्रादेशिक मनोरुग्णालय, रत्नागिरी यांनी प्रत्यक्ष भेट दिली आहे.


मानसिक कक्षास परवानगीसाठी आवश्यक असलेली सर्व कागदपत्रांसह प्रस्ताव ही जिल्हा कडेन तसेच तपासणीबाबतचा जहाजासहित या रुग्णालयाच्या दिनांक १७.०९.२०२१ रोजीच्या अभ्यागत समितीमध्ये सादर करण्यात आली. प्रस्तुत प्रस्तावाची छातपी या समितीमध्ये करण्यात येवून प्रस्ताव वरिष्ठ कार्यालयाकडे पाठविण्यात याचा असे सर्वानुमते ठरावित आले. त्या नुसार दिनांक १७.०९.२०२१ च्या अभ्यागत समितीमध्ये ठराव नुसार मान्यता दिलेली आहे.

तसेच सदरचा प्रस्ताव पुढील कार्यवाहीसाठी आपणास सादर करण्यात येत आहे.

आपला विष्वास,



चेतकीय अधिकारी
प्रादेशिक मनोरुग्णालय, रत्नागिरी


प्रत : डॉ. पी.एम.चौगुले यांचे स्वस्तिक हॉस्पिटल, कोल्हापूर यांना माहितीसाठी


Principal

vatidevi Kumbhar College of Nursing
Zad Chowk, Kolhapur - 416002

TRUE COPY


Office Superintendent
D.R.K. College of Commerce, Kolhapur


PRESIDENT,
COUNCIL OF EDUCATION, KOLHAPUR

Sr. No. 72

Section 8
See Rule 16



48-A
Annexure II

Renewal of License For Psychiatric Hospital / Nursing Home

I, Dr. Sadhana Tayade Director of
Health Services, Maharashtra State Mumbai by the authority vested
in by the State Mental Health Authority vide Government Notification
PHD No.MIS-1088/CR-188/PH-3 Dt. 29th March 1995 under section 8
of Mental Health Act 1987 hereby declare that I am satisfied after
inspection of Swastik Psychiatric Hospital

I hereby allow renewal of license for the Psychiatric Hospital/Nursing
Home by Dr. Parismath Monappa Chougule
At 143, A/12, Near Mahavir Garden, Assembly
Road, Kolhapur Tel No.
From 17/02/2021 till 16/02/2026
License No. 27/2021

SEAL



SWASTIK HOSPITAL

143 A/12, E, Near Mahavir Garden,
Assembly Road, KOLHAPUR - 416 001
Ph. 0231-2658835

Place: MUMBAI

Date :

30/3/21
(Dr. SADHANA TAYADE)
Licensing Authority
DIRECTOR OF HEALTH SERVICES,
Government of Maharashtra,
MAHARASHTRA STATE,
MUMBAI