

**Maharashtra University of Health Sciences, Nashik**  
**Inspection Committee Report for Academic Year 2025-2026**

**Clinical Material in Hospital**


Name of College/Institute : Parvatidevi Kumbhar College of Nursing

Faculty : Nursing

**HOSPITAL DETAILS**

Sr. No.	Particulars to be verified	Particular	Adequate/ Inadequate
1	The Institute / College shall execute a MoU with any institute for affiliation of hospital in addition to minimum 100 bedded own/parent Hospital (Affiliated hospital must be 50 bedded or more.) <b>To be made available on web site</b>		Adequate
a.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: <b>Copy to be made available on web site</b>		Adequate
b.	Student Bed Ratio for UG & PG to be verified:(As per MSR) Calculate at Actual <b>1:3</b>		Adequate
c.	Average Bed Occupancy in % : (Minimum 75%) <b>87%</b>		Adequate
d.	Clinical facilities for PG to be verified:-(As per MSR)		Adequate
	(i) Whether OPD is functioning to be verified (ii) Total No of OPD (on the day of inspection) (iii) Average Number of patients attending OPD(current year) (iv) Average Number of Delivery (Current year) (v) Average Number of abnormal Delivery (Current year)		Adequate
<ul style="list-style-type: none"> <li>• As per Central Council Norms/ University Norms, above Infrastructure must be available at College.</li> <li>• If Infrastructure is available, then mark "Adequate"&amp; do not attach any Documents it should be available on college website</li> <li>• In case of "Inadequate", it must be marked as "Inadequate" with evidence. To be submit to university with report</li> </ul>			

Here we declare all relevant document uploaded are clear and visible on web site & are true as per my knowledge & Belief  
Any Other, Please Specify:-

  
**Principal**  
 Parvatidevi Kumbhar College of Nursing  
 Nashik  
 Dean/Principal Stamp & Signature

Date:- 02/01/2026



महाराष्ट्र MAHARASHTRA 2022

© 2021 ©

ZT 617797

दिनांक 19 MAY 2022 वि.नं. ५७० ला. नं. ८/९७

सौ./श्री. विरवनाथ नरहरी मठाडूम

पत्ता : कोल्हापूर हरमो झ.म. धोरपडे

मौनी रु. [ 900 ] चा स्टॅप मागितलेवरुन रु. ... 900 ... चा

त्याचे भरती रु. \_\_\_\_\_ असे स्टॅप दिले.

सहाय्यदार करवीर आवार,  
कोल्हापूर.

*(Signature)*

स्टॅप बंधन  
वार. मी. सुदाते

कोड नं. - २६०१०२३

सदर मुद्राक *(Signature)* कामी देण्यात आला



18 MAY 2022


STAMP HEAD CLERK,  
TREASURY OFFICE,  
KOLHAPUR. (M.S.)

### MEMORANDUM OF UNDERSTANDING (MOU) BETWEEN

SECRETARY, COUNCIL OF EDUCATION,  
PARVATIDEVI KUMBHAR COLLEGE OF NURSING,  
649, C WARD AZAD CHOWK, KOLHAPUR 416 002.

AND

WIINS HOSPITAL,  
183/1B, NAGALE PARK, NEAR MAHAVEER COLLEGE, KOLHAPUR. 416002



No. of Corrections  
on this page: *(Signature)*

## Utilization of Parent Hospital for Nursing Students

This DEED OF AGREEMENT is made on this 21 August 2021 day of, between

**SECRETARY, COUNCIL OF EDUCATION, PARVATIDEVI KUMBHAR COLLEGE OF NURSING,**

**649, C WARD AZAD CHOWK, KOLHAPUR 416 002.**

(Here in after called the first party)

and

**WIINS HOSPITAL,**

**183/1B, NAGALE PARK, NEAR MAHAVEER COLLEGE, KOLHAPUR. 416002**

(Here in after called the second party)

1. The First Party can be utilize Second Party's Hospital as an Parent hospital for the Nursing students of First Party for their clinical experience.
2. The Second Party is having **100** bedded Hospital. The types and number of beds are as follows;
3.
  - a. Medical :- 10 BEDS
  - b. Surgical & Orthopedic :- 35 BEDS
  - c. Gynaec/Obstetrics :- 10 BEDS
  - d. Pediatric :- 10 BEDS
  - e. ENT/Ophthalmic :- 06 BEDS
  - f. Psychiatric :- 00 BEDS
  - g. ICCU/ICU :- 22BEDS
  - h. Skin Infection Disease :- 04BEDS
  - i. Emergency/Causality :- 03BEDS
4. This MOU will be for the period from 30 years and will be renewed further after consent of both parties.
5. Video shooting permission during Inspection (MUHS, INC, MNC, MSBNPE)
6. Permission to conduct practical examination (MUHS, MSBNPE)
7. Permission to demonstrate the procedure.
8. Posting timing for internship shift wise (8hrs duty on rotation basis)
9. During final Examination, before 20 days student will be in study holiday.
10. Permission for integrated posting & research project activates.

No. of Corrections  
on this page: *12*

On behalf of First Party



SECRETARY  
COUNCIL OF EDUCATION,  
PARVATIDEVI KUMBHAR COLLEGE  
OF NURSING,  
649, C WARD AZAD CHOWK,  
KOLHAPUR 416 902.

*[Handwritten signature in blue ink]*

On behalf of Second Party



WIINS HOSPITAL,  
183/1B, NAGALE PARK  
NEAR MAHAVEER COLLEGE  
KOLHAPUR. 416002

*[Handwritten signature in blue ink]*

**Dr. Santosh Prabhu**  
Chief of neurosurgery  
M. S. Mch. - 47832



Witness Name, Address. Signature

1. Mr. *Nitin Shrikant Misal*  
*Reiker colony*  
*Kolhapur 416005*  
*Misal*
2. Mr. *B.D. Kulkarni*  
*F-205, Javadekar Ecohomes,*  
*Ramasmela, Kolhapur*  
*Kulkarni*

Witness Name, Address. Signature

Mr.

Mr.

No. of Corrections  
on this page *2*

**BEFORE ME**

*[Handwritten signature]*  
Adv. Rehana M. Shaikh  
NOTARY GOVT. OF INDIA  
1171, 'C' Ward, Bhol Galli, Raviwar Peth,  
KOLHAPUR. Dist. Kolhapur (M.S.)



NOTARY REGI. SR. No. *2049*

*[Handwritten signature]*



भारत सरकार  
Government of India



विश्वनाथ नरहरी मगदुम  
Vishwanath Narahari Magdum  
जन्म तारीख / DOB : 29/01/1953  
पुरुष / Male



3497 4079 5042

आधार - सामान्य माणसाचा अधिकार



भारतीय विशिष्ट ओळख प्राधिकरण  
Unique Identification Authority of India

पत्ता  
मगदुम एंडोसरजरी इन्स्टिट्यूट प्रतिभा  
नगर, शास्त्री ग्राउंड समोर,  
राजारामपुरी, राजारामपुरी, कोल्हापूर,  
करवीर, महाराष्ट्र, 416008

Address:  
magdum endosurgery institute  
pratibha nagar, shastri ground  
samor, Rajarampuri, Rajarampuri,  
Kolhapur, Karvir, Maharashtra,  
416008

3497 4079 5042

1947  
1800 300 1947

help@uidai.gov.in

www.uidai.gov.in



*[Handwritten signature]*



सत्यमेव जयते  
भारत सरकार



आधार

भारतीय विशिष्ट ओळख प्राधिकरण

भारत सरकार  
Unique Identification Authority of India  
Government of India

नोंदणी क्रमांक:/ Enrolment No.: 2006/09031/00046

To  
संतोष कमलेश प्रभू  
Santosh Kamalesh Prabhu  
183-B Western India Institute of Neurosciences  
E Ward Near Wonder 11  
Nagala Park  
Shaniwar Peth  
Shaniwar Peth  
Kolhapur Maharashtra - 416002  
9422581382



आपला आधार क्रमांक / Your Aadhaar No. :

5686 8361 9028

माझे आधार, माझी ओळख



भारत सरकार  
Government of India



संतोष कमलेश प्रभू  
Santosh Kamalesh Prabhu  
जन्म तारीख/DOB: 06/04/1959  
पुरुष/ MALE

5686 8361 9028



माझे आधार, माझी ओळख

प्रतिसादी अर्ज अर्जाची तारीख 18/11/2021

फी भरल्याची तारीख 28/11/2021

क.र.नं-391/21

28/11/21

बदल अर्ज नं.

1

नवीन तयार झालेल्या नोंदणी कार्यालय  
सार्वजनिक न्यास नोंदणी कार्यालय  
कोल्हापूर विभाग, कोल्हापूर (कनू १३ (१) पहा)

पब्लिक ट्रस्ट रजिस्ट्रेशन ऑफिस येथे ठेवणेत आलेल्या रजिस्ट्रात नोंदविलेल्या पब्लिक ट्रस्टच्या केलेल्या नोंदीतील झालेल्या बदलाबाबत अगर इष्ट अशा करावयाच्या बदलाबाबतचा करावयाचा रिपोर्ट

सार्वजनिक ट्रस्टचा रजिस्ट्रेशन नंबर

- एफ/८/कोल्हापूर

सार्वजनिक ट्रस्टचे नाव

- कौन्सील ऑफ एज्युकेशन कोल्हापूर

सार्वजनिक ट्रस्टचा पत्ता

- कोल्हापूर.

ब.क.क्र. 678/21

16/11/21

प. आदेशिक (प्र.)

नि. 09

सार्वजनिक न्यास नोंदणी कार्यालय,  
कोल्हापूर विभाग, कोल्हापूर

फेरफराचे स्वरूप	फेरफराचे कारण	शेरे
परिशिष्ट १ वर नमुद असलेल्या खाली नमुद स्विकृत कार्यकारी मंडळ सदस्याची नोंद परिशिष्ट १ वर करणेत यावी. डॉ. संतोष कमलेश प्रभु : तज्ञ संचालक	संस्थेतर्फे नर्सिंग महाविद्यालय सुरू करावयाचे ठरविणेत आले आहे. आरोग्य विद्यापिठाच्या नियमानुसार नर्सिंग अभ्यासक्रम सुरू करावयाचा असल्यास रुग्णालय असणे गरजेचे असते. सदर रुग्णालयाचे संचालक हे संस्थेवर ट्रस्टी असणे आवश्यक असलेले संस्थेच्या नियम VIII-d नुसार संस्थेच्या दि.१८.०९.२०२१ रोजीच्या कार्यकारी मंडळ सभेत तज्ञ संचालक स्विकृत करणेत आला.	१) संस्थेची नियम व नियमावली झेरॉक्स २) परिशिष्ट-१-बी प्रत झेरॉक्स ३) दि.१८.९.२०२१ रोजीची कार्यकारी मंडळ सभेची नोंदीस झेरॉक्स प्रत ४) कार्यकारी मंडळ सभेचे इतिवृत्त झेरॉक्स प्रत ५) नवीन संचालकचे रांगतीपत्र ६) सभासद यादी झेरॉक्स व कार्यकारी मंडळ याची झेरॉक्स ७) बदल अर्ज नं. चे कामातील आदेशाची प्रमाणित प्रत ८) पदाधिकाऱ्याचे प्रतिज्ञापत्र ९) नवीन संचालकचे ओळखपत्र झेरॉक्स

O.S is hereby directed to verify the document.  
16/11/21  
ध.उ.आ

ध.उ.आ./सा.घ.आ -१/२/३ यांचेसमोर  
प्रस्ताव सुनावणी देवढी सा. 17/11/21  
सकाळी ११.०० वा. ची समज मिळाली.

अर्जदार

कोल्हापूर  
ता. 28/11/2021

रिपोर्ट करणाऱ्या ट्रस्टीची सही

मी उपरनिर्दीष्ट श्री.वैभव आनंद पेडणेकर रा.२२४२/२/१ ए वॉर्ड, बाबुजमाल दर्गाह रोड, कोल्हापूर येथील रहिवाशी प्रतिज्ञापूरवक इकार करतो व सांगतो की, वरील अर्जात नमुद केलेली माहिती माझ्या उत्तम माहितीप्रमाणे व समजुतीप्रमाणे खरी व बरोबर आहे. कोल्हापूर येथे प्रतिज्ञापूरवक इकार केला.

उपरोक्त तारीख (१६) माहे (१६) सन २०२१

श्री.वैभव आनंद पेडणेकर

माझ्या समक्ष  
कोल्हापूर विभाग, कोल्हापूर

ATTESTED  
Principal  
PDKCON Kolhapur



**ATTESTED**  
*Sulhasan*  
**Principal**  
**PDKCON Kolhapur**

9

धर्मादाय उप आयुक्त, कोल्हापूर विभाग, कोल्हापूर यांचे समोर

बदल अर्ज क्र.६७८/२०२१

(महाराष्ट्र सार्वजनिक विश्वस्त व्यवस्था अधिनियम, १९५० चे कलम २२ अन्वये अर्ज)



संस्थेचे नांव :

कौन्सिल ऑफ एज्युकेशन  
कोल्हापूर.

नों. क्र.एफ-०८/कोल्हापूर.

श्री. वैभव आनंद पेडणेकर  
वय-सजान, व्यवसाय-वकील  
रा-२२४२/२/१ ए वॉर्ड, बाबुजमाल  
दर्गाह रोड, कोल्हापूर.

विरुद्ध

--अर्जदार

कोणी नाही.

न्यायनिर्णय

(जाहीर दिनांक -१८/११/२०२१)

१. उपरोक्त दर्शविलेली संस्था ही सार्वजनिक न्यास नोंदणी कार्यालय, कोल्हापूर येथे नोंदणीकृत आहे. संस्थेचा नोंदणी क्रमांक एफ-०८/कोल्हापूर असा आहे. प्रस्तुतचा बदल अर्ज डॉ. संतोष कमलेश प्रभु-तज्ञ संचालक यांची परिशिष्ट एक वर स्वीकृत कार्यकारी मंडळ सदस्य म्हणून निवड झाल्याने त्याची नोंद घेण्याकरीता अर्जदाराने महाराष्ट्र सार्वजनिक विश्वस्त व्यवस्था अधिनियम, १९५० चे कलम २२ अन्वये अर्ज दाखल केला आहे. प्रस्तुत प्रकरणात नि.क्र. ०१ ते १४ कागदपत्रे दाखल केली आहेत.

२. अर्जदाराने महाराष्ट्र सार्वजनिक विश्वस्त व्यवस्था अधिनियम, १९५० चे कलम २२ अन्वये अर्ज दाखल केला आहे. सदरील प्रकरण हे बिनवादाचे आहे. असे असले तरी अर्जदाराने दाखल केलेला अर्ज कायदेशीर आहे किंवा नाही याची चौकशी

ATTESTED

*Principle*  
Principal

PDKCON Kolhapur

*Musawari*  
18-11-21

करण्याकरीता माझ्यापुढे खालील वादप्रश्न उपस्थित होतात. त्याचे सकारण स्पष्टीकरण मी पुढील प्रमाणे देत आहे.

अ.क्र.	वाद प्रश्न	निष्कर्ष
१.	अर्जदाराने दाखल केलेला अर्ज कायदेशीर आहे का?	होय
२.	आदेश काय?	अंतिम आदेशाप्रमाणे

कारणमिमांसा

वादप्रश्न क्र. १ व २ करिता :-

३. प्रस्तुत प्रकरणात अर्जदाराने पुराव्याचे शपथपत्र नि.क्र.१३ वर दाखल केले आहे. नि.क्र.१४ वर तोंडी पुरावा संपल्याची पुरसिस दाखल केली आहे. परिशिष्ट एक वर नोंद असलेले विश्वस्त सौ. रजनीताई विश्वनाथ मगदुम यांचे शपथपत्र नि.क्र.०७ वर, विजयकुमार नानासाहेब पाटील यांचे शपथपत्र नि.क्र.०४ वर, डॉ. विश्वनाथ नरहरी मगदुम यांचे शपथपत्र नि.क्र.०९ वर अर्जदाराने दाखल केले आहे. नि.क्र.१५ वर परिशिष्ट एक वर नोंद असलेले विश्वस्त श्री. प्रकाश क. कामत, सौ.रजनीताई मगदुम, श्री.विश्वनाथ मगदुम, श्री.व्ही.एन. पाटील यांचे सही असलेले वकीलपत्र विधिज्ञ श्री.वैभव पेडणेकर यांनी दाखल केले आहे. नि.क्र.०३ वर दिनांक १८/०९/२०२१ रोजीच्या कार्यकारी मंडळ सभावृत्तांतातील ठराव क्र.०२ नुसार डॉ. संतोष कमलेश प्रभु यांची तज्ञ संचालक म्हणून निवड केल्याचे दिसून येते तसेच नि.क्र.०४ वर डॉ.संतोष कमलेश प्रभु यांची सही असलेले संमतीपत्र दाखल केले आहे. कार्यालयीन अधीक्षक यांनी नि.क्र.०३ वर "मुळमध्ये सेक्रेटरी यांचे शिक्क्यानंतर शिक्क्याच्याखाली सही व कायम केलेचा शोरा दिसून आला, झेरॉक्समध्ये याबाबी नाहीत." या आशयाचा शोरा नमुद केला असून त्याचा खुलासा करण्याकरीता



*Handwritten signature and date: 11.11.21*

**ATTESTED**  
Principal  
PDKCON Kolhapur

अर्जदाराने नि.क्र.१४ वर पुरसिस दाखल केली आहे व त्यात असे नमुद केले आहे की,  
“सदर सभावृत्तांत संस्थेच्या कार्यकारी मंडळाच्या पुढील सभेत कन्फर्म केलेमुळे सदर मूळ  
प्रोसिडिंगवर सदर सभावृत्तांत कायम केलेचा सही व शिक्का नोंदविलेला आहे.” या  
आशयाची पुरसिस दाखल केली आहे. प्रस्तुत प्रकरण दाखल झाल्यापासून कोणत्याही  
व्यक्तीने आक्षेप नोंदविलेला नाही. म्हणून सदरील प्रकरण हे बिनवादाचे आहे. अर्जदाराने  
पुराव्याच्या शपथपत्राआधारे नि.क्र.०१ मधील मजकूर कागदोपत्री पुराव्याआधारे शाबीत  
केलेला आहे. म्हणून वादप्रश्न क्र.०१ चे उत्तर होकारार्थी देऊन वादप्रश्न क्र.०२ च्या  
अनुषंगाने मी खालील आशयाचा आदेश पारीत करीत आहे.

आ दे श

१. अर्जदाराचा बदल अर्ज मंजूर करण्यात येतो.
२. झालेल्या बदलाची नोंद परिशिष्ट -१ वर अपील मुदत संपल्यानंतर घेण्यात यावी.
३. झालेल्या निकालाची माहिती संबंधित अर्जदारास कळविण्यात यावी.

दिनांक : १८/११/२०२१  
स्थळ: कोल्हापूर



*M. Chaudhari*  
18-11-21  
(प्र.म.चौधरी)  
धर्मादाय उप आयुक्त,  
कोल्हापूर विभाग, कोल्हापूर.



प्रमाणित सत्य प्रत

*[Signature]*  
२९/११/२०२१  
प्र. अधीक्षक  
सार्वजनिक न्यास नोंदणी कार्यालय  
कोल्हापूर विभाग, कोल्हापूर

ATTESTED

*[Signature]*  
Principal  
PDKCON Kolhapur

Prepared & compared by :

*[Signature]*  
29/11/2021





## कोल्हापूर महानगरपालिका

पोस्ट बॉक्स नं. ३३, पिन कोड नं. - ४१६ ००२

फोन नं.: पी.बी.एक्स. बोर्ड : २५४०२९१ ते २५४०२९८ व २५४०२९०

मुंबई नर्सिंग होम नों./वशि ७८/२०२१

दि. १२ / ०७ / २०२१

प्रति,

डॉ.संतोष प्रभू व डॉ.सुजाता प्रभू  
वेस्टर्न इंडिया इन्स्टिट्यूट ऑफ न्यूरुसायंसेस  
१८३/१,बी कसबा बावडा रोड, नागाळा पार्क, कोल्हापूर

विषय - हॉस्पिटलमधील कार्यरत बेड संख्येबाबत ...

संदर्भ - आपला दि.२३/०६/२०२१ रोजांचा इकडील कार्यालयास प्राप्त अर्ज

उपरोक्त संदर्भिय विषयास अनुसरून वेस्टर्न इंडिया इन्स्टिट्यूट ऑफ न्यूरुसायंसेस या हॉस्पिटलमधील कार्यरत बेड संख्येबाबत आपण संदर्भिय पत्राने अर्ज सादर केला आहे. सदर अर्ज अवलोकनीय केला असता आपले वेस्टर्न इंडिया इन्स्टिट्यूट ऑफ न्यूरुसायंसेस या हॉस्पिटलची मुंबई शुश्रूषा गृह नोंदणी अधिनियम १९४९ अंतर्गत नोंदणी क्र.४०९ ने नोंदणी करणेत आली असून २१ मार्च २०२३ अखेर नोंदणीचे नुतनीकरण प्रमाणपत्र आपणास अदा करणेत आले आहे. सदर नोंदणीवेळा आपले हॉस्पिटलकरिता १०० बेडची मान्यता देणेत आली आहे व त्याची नोंद मुंबई शुश्रूषा गृह नोंदणी अधिनियम नोंद रजिस्टरमध्ये करणेत आली असे.



*[Signature]*

आरोग्याधिकारी  
कोल्हापूर महानगरपालिका

TRUE COPY

*[Signature]*  
Office Superintendent  
D.R.K. College of Commerce, Kolhapur

*[Signature]*  
Principal

Parvatidevi Kumbhar College of Nursing  
Azad Chowk, Kolhapur - 416002

*[Signature]*  
SECRETARY  
COUNCIL OF EDUCATION, KOLHAPUR

# WESTERN INDIA INSTITUTE OF NEUROSCIENCES (WIINS) 201

• POSTGRADUATE TEACHING INSTITUTE FOR DNB NEUROSURGERY •  
NEURONAVIGATION CENTRE FOR CRANIAL & SPINAL SURGERY

183/1 B, Bavda Road, Nagala Park, Kolhapur - 416 002. Ph. : (0231) 2644881, 82  
Mob. : 7447445300, 7447435300, 9421914040 e-mail : wiinsinfo@gmail.com Website : www.wiins.org

## • DEPT. OF NEUROSURGERY & ADVANCED TRAUMA CARE •

Dr. Santosh Prabhu  
MS., MCh.

Consulting Hrs :

Mon. - Fri.: 10 a.m. To 1.00 p.m.  
Evening : 5 p.m. To 6.30 p.m.  
(Evening only by Appointments)  
Sat. Evening & Sunday Only Emergency Cases

Dr. Narendra Motarwar  
DNB (Neuro)

Dr. Sandeep Patil  
MS., MCh.



COMPUTER ASSISTED  
BRAIN & SPINE  
SURGERY

NAVIGATION GUIDED  
ENDOSCOPIC SURGERY  
FOR BRAIN & SPINE

FRAMELESS  
STEREOTACTIC  
SURGERY

SURGERY FOR  
PARKINSON'S DISEASE  
PSYCHOSURGERY

MICRO-NEUROSURGERY  
FOR  
TRIGEMINAL NEURALGIA  
AVM / ANEURYSM  
BRAIN TUMORS

1st STROKE UNIT  
IN MAHARASHTRA

TREATMENT FOR  
BACKACHE  
SCIATICA  
HEADACHE  
PARALYSIS  
HYPERBARIC OXYGEN  
THERAPY

SPINAL / CRANIAL  
NAVIGATION



## Bed Distributions

Classification of Beds - At present Hospital

Beds	Sanction	Occupancy
Medical	10	
Surgical Orthopedic	35	
Gynaec/Obstetrics	10	
Paediatric	10	
ENT/Ophthalmic	6	72%
Psychiatric	-	
I.C.CU / I.C.U	22	
Skin Infection Disease	4	
Emergency Casualty	3	
Any Other Specification	Parbh Hospital for Smile train programme	
Total	100	72%

Principal

Parvatidevi Kumbhar College of Nursing  
Azad Chowk, Kolhapur - 416002



SECRETARY  
COUNCIL OF EDUCATION, KOLHAPUR

stryker® (USA) DESIGNATED TRAINING CENTRE FOR IMAGE GUIDED SURGERY FOR SOUTH EAST ASIA

TRUE COPY

Office Superintendent  
D.R.K. College of Commerce, Kolhapur

# KOLHAPUR MUNICIPAL CORPORATION



कोल्हापूर महानगरपालिका  
संस्थापक: १३-१०-१८५४ कार्यालय: १५-१३-१९७२

(Health Department)

FORM 'C'



(See Rule 5)

Certification of Registration section 5 of the Bombay Nursing Homes  
Registration Act. 1949

## CERTIFICATE

No. 409

This is to Certify that Shri. / Smt. **DR.SANTOSH KAMLESH PRABHU & DR. SUJATA SANTOSH PRABHU** has been registered under the Bombay Nursing Homes Registration Act 1949. in respect of **WESTERN INDIA INSTITUTE OF NEUROSCIENCES (WIINS)** situated at **183/1 B NEAR WONDER 11 BUILDING BAWADA ROAD NAGALA PARK KOLHAPUR** and has been

Registration No. : 409  
Date of Registration : 27-May-2015  
Place : Kolhapur  
Date of issue of Certificate : 23-Oct-2023

This Certificate of registration shall be valid up to 31-Mar-2026

The name of **DR.SANTOSH KAMLESH PRABHU & DR.SUJATA SANTOSH PRABHU**

Local Supervising Authority



Kolhapur Municipal Corporation.

Kolhapur.

*(Handwritten signature)*  
13-10-15

Medical officer of Health  
Kolhapur Municipal Corporation  
(Signature of the registering authority.)

**AMENITIES**

- Cafeteria
- Nature inspired lounge areas interspersed with fountains, cascade and foliage creating a soothing experience.
- 1-House Medical Grade Super-sized Food facility for Patients & Relatives
- 24 hours Pharmacy
- A unique lodging facility (Relatives hr.) for relatives and Parking facility for 100 cars.
- Team of 3 Neurosurgeons

Spinal Ankylosis using the PENUMBRA device. Carotid Stenosis, Aortic Stenosis, Mechanical device removal of blocked Venous sinuses, hemorrhagic infarcts

24 hours Surgical backup for patients requiring clot & hematoma removal and deep impregnation of Cerebral and Cerebellar infarcts.

Unique stroke unit with Neuro-rehabilitation will train family for prolonged home care of Stroke patients prior to discharge.


**TUMOR SURGERIES (MINIMALLY INVASIVE)**

Use of state of the art Stryker Neuronavigation and Computer assisted Surgery minimizes surgical risk and performs complex tumor removals with unmatched safety using cosmetically small flaps. Use of CUSA removal, difficult tumors with no damage to surrounding vital neuronal structures eg. Brain Stem Tumors Spinal Intraductary tumors.

**SPINE UNIT**

Spinal Navigator (Computer Assisted Spine Surgery) allows insertion of implants for Spine Fusion with excellent safety profile. Routine spine surgeries on Lumbar Spine, Microdiscectomies, endoscopic disk removals, removal of intracanal tumors also benefit from these high end technologies. Minimally invasive spine unit makes patient recovery smooth and pain free with early return to productivity.

**FAST RECOVERY**



email: winds\_kol@rediffmail.com, web: www.wiins.org


**ONE STOP DESTINATION FOR ALL BRAIN, SPINE AND POLY TRAUMA CARE**

QUALITY INTERNATIONAL STANDARD HEALTH CARE MADE AFFORDABLE TO ALL



**WESTERN INSTITUTE OF NEURO SCIENCES**

Post Graduate Institute for DNB Neurosurgery  
 Sr/Asst (USA) Designated trainee Consider for  
 Franchise Guided Surgery for South East Asia



331

TRUE COPY

Office Superintendent  
 D.R.K. College of Commerce, Kolhapur

SECRETARY  
 COUNCIL OF EDUCATION, KOLHAPUR



# WINS


WINS is a leading international society of neurologists, neurosurgeons, and neurophysiologists. It is the largest and most active of its kind in the world. WINS is committed to the highest standards of professional conduct and to the advancement of the neurosciences. It is a society of excellence.



Quality Care  
Value based, innovative, collaborative, technology-enabled, patient centered, cost-effective, safe, and secure, and satisfaction.

## CORE VALUES

- PATIENT CENTRIC CARE
  - TRANSPARENCY
  - INTEGRITY
  - EXCELLENCE
- Evolve as a benchmark in Quality Healthcare available to one and all.  
*Adding care in innovative ways.*



## PATIENT SERVICES AND OVERVIEW


- Outpatient Services
- Well equipped, centrally air conditioned consulting rooms.
- Beautifully landscaped waiting areas for each consulting room to the main patient & visitor comfort as well as privacy.
- Paperless & wireless computerized patient recording & archiving systems.

## ADVANCED TECHNOLOGY

- Design compliant with international accredited hospital architectural norms.
- 3 International Standard Modular Operation Theatres & 1st Neuro Care Lab.
- Incorporation of Green Building concept in design & systems.
- Ultra modern Gadgets like Neuro Navigation (Computer Guided Neurosurgery), Advanced Navigation Integrated Microscopes, Cavitation Ultrasonic aspirator (CUSA) for safe Brain & Spinal tumor removal.

## NEURO CATHLAB


- USA
- Aneurysm Coiling
- AVM Embolization
- Cardiac Stenting



20' WIDE ROAD

TRUE COPY

Office Superintendent  
D.R.K. College of Commerce, Kolhar



LOWER GROUND FLOOR PLAN

NOTE: ALL TOILET INTERIAL WALLS ARE 200 MM THICK

GENERAL INFORMATION		REVISIONS	
Project Name	Lower Ground Floor Plan	No.	1
Client	D.R.K. College of Commerce, Kolhar	Date	10/10/2024
Architect	[Signature]	Scale	1:100
Structural Engineer	[Signature]	Sheet No.	1 of 1
MEP Engineer	[Signature]	Project No.	332/189
Electrical Engineer	[Signature]	Block No.	1
Sanitary Engineer	[Signature]	Room No.	101-102
Structural Engineer	[Signature]	Level	Lower Ground
MEP Engineer	[Signature]	Area	1500 sq. m
Electrical Engineer	[Signature]	Perimeter	120m
Sanitary Engineer	[Signature]	Volume	15000 cu. m


[Handwritten Signature]

SECRETARY

COUNCIL OF EDUCATION, KOLHAR

[Handwritten Signature]

Office Superintendent  
D.R.V. College of Commerce, Kothagode



UPPER GROUND FLOOR PLAN

NEW RCC SLAB PROJECTION


Sl. No.	Particulars	Area (sq. ft.)	Remarks
1	Office	100	
2	Library	200	
3	Class Room	300	
4	Staff Room	50	
5	Rest Room	50	
6	Water Closet	20	
7	Corridor	100	
8	Staircase	50	
9	Open Space	100	
10	Other	100	
Total		1070	

SECRETARY  
COUNCIL OF EDUCATION, KOLLAPUR

NOTE:  
ALL FUTURE INTERNAL WALLS ARE TO BE IN PLACE

Sl. No.	Name of the Officer	Date	For Approval	Signature

DMS R.V. [Signature]  
PRESIDENT.



FIRST FLOOR PLAN

*[Handwritten Signature]*  
SECRETARY


COUNCIL OF EDUCATION, KOLHAPUR

<p>APPROVED &amp; released for execution / released for approval</p>		<p>DATE</p>	<p>BY</p>
<p>FOR CLIENT</p>		<p>DATE</p>	<p>BY</p>
<p>PROPOSED ARCHITECTURAL DRAWING FOR WORK IN PROGRESS</p>		<p>DATE</p>	<p>BY</p>
<p>WORKING DRAWINGS</p>		<p>DATE</p>	<p>BY</p>
<p>ASST FLOOR PLAN</p>		<p>DATE</p>	<p>BY</p>

NOTE:  
ALL TOILET WATER & WASTE WATER ARE SEWAGED HERE

NO.	DESCRIPTION	QUANTITY	UNIT	AMOUNT
1	...	...	...	...
2	...	...	...	...
3	...	...	...	...
4	...	...	...	...
5	...	...	...	...
6	...	...	...	...
7	...	...	...	...
8	...	...	...	...
9	...	...	...	...
10	...	...	...	...
11	...	...	...	...
12	...	...	...	...
13	...	...	...	...
14	...	...	...	...
15	...	...	...	...
16	...	...	...	...
17	...	...	...	...
18	...	...	...	...
19	...	...	...	...
20	...	...	...	...
21	...	...	...	...
22	...	...	...	...
23	...	...	...	...
24	...	...	...	...
25	...	...	...	...
26	...	...	...	...
27	...	...	...	...
28	...	...	...	...
29	...	...	...	...
30	...	...	...	...
31	...	...	...	...
32	...	...	...	...
33	...	...	...	...
34	...	...	...	...
35	...	...	...	...
36	...	...	...	...
37	...	...	...	...
38	...	...	...	...
39	...	...	...	...
40	...	...	...	...
41	...	...	...	...
42	...	...	...	...
43	...	...	...	...
44	...	...	...	...
45	...	...	...	...
46	...	...	...	...
47	...	...	...	...
48	...	...	...	...
49	...	...	...	...
50	...	...	...	...
51	...	...	...	...
52	...	...	...	...
53	...	...	...	...
54	...	...	...	...
55	...	...	...	...
56	...	...	...	...
57	...	...	...	...
58	...	...	...	...
59	...	...	...	...
60	...	...	...	...
61	...	...	...	...
62	...	...	...	...
63	...	...	...	...
64	...	...	...	...
65	...	...	...	...
66	...	...	...	...
67	...	...	...	...
68	...	...	...	...
69	...	...	...	...
70	...	...	...	...
71	...	...	...	...
72	...	...	...	...
73	...	...	...	...
74	...	...	...	...
75	...	...	...	...
76	...	...	...	...
77	...	...	...	...
78	...	...	...	...
79	...	...	...	...
80	...	...	...	...
81	...	...	...	...
82	...	...	...	...
83	...	...	...	...
84	...	...	...	...
85	...	...	...	...
86	...	...	...	...
87	...	...	...	...
88	...	...	...	...
89	...	...	...	...
90	...	...	...	...
91	...	...	...	...
92	...	...	...	...
93	...	...	...	...
94	...	...	...	...
95	...	...	...	...
96	...	...	...	...
97	...	...	...	...
98	...	...	...	...
99	...	...	...	...
100	...	...	...	...

*[Handwritten Signature]*  
PRESIDENT,  
COUNCIL OF EDUCATION, KOLHAPUR



TRUE COPY

*[Handwritten signature]*

Office Superintendent  
D.K. College of Commerce, Kolhapur

*[Handwritten signature]*

SECRETARY

COUNCIL OF EDUCATION, KOLHAPUR.

SECOND FLOOR PLAN

APPROVED & ISSUED FOR EXECUTION	DATE	FOR SIGNATURE	DATE

NOTE:  
ALL TOILET WINDERS SHALL BE 200/120 HIGH

NO.	DESCRIPTION	UNIT	QTY	REMARKS
1	...	...	...	...
2	...	...	...	...
3	...	...	...	...
4	...	...	...	...
5	...	...	...	...
6	...	...	...	...
7	...	...	...	...
8	...	...	...	...
9	...	...	...	...
10	...	...	...	...
11	...	...	...	...
12	...	...	...	...
13	...	...	...	...
14	...	...	...	...
15	...	...	...	...
16	...	...	...	...
17	...	...	...	...
18	...	...	...	...
19	...	...	...	...
20	...	...	...	...
21	...	...	...	...
22	...	...	...	...
23	...	...	...	...
24	...	...	...	...
25	...	...	...	...
26	...	...	...	...
27	...	...	...	...
28	...	...	...	...
29	...	...	...	...
30	...	...	...	...
31	...	...	...	...
32	...	...	...	...
33	...	...	...	...
34	...	...	...	...
35	...	...	...	...
36	...	...	...	...
37	...	...	...	...
38	...	...	...	...
39	...	...	...	...
40	...	...	...	...
41	...	...	...	...
42	...	...	...	...
43	...	...	...	...
44	...	...	...	...
45	...	...	...	...
46	...	...	...	...
47	...	...	...	...
48	...	...	...	...
49	...	...	...	...
50	...	...	...	...

*[Handwritten signature]*  
PRESIDENT  
COUNCIL OF EDUCATION, KOLHAPUR

R. S. NO. 183/1B & 182/2, PART, 'E'WARD KII KARVEER KOLHAPUR.			
FOR DR. SANTOSH K. PRABHU - (WINS HOSPITAL)			
SR. NO	AREA STATEMENT	IN SQ. M	
A	NET AREA OF PLOT	8500.32	
1	GROUND COVERAGE (BUILDING)	1485.26	
2	GROUND COVERAGE (RAMP)	465.20	
B	TOTAL (1+2)	1950.46	
C	TOTAL OPEN AREA OF PLOT (A-B)	6549.86	
BUILT UP AREA OF HOSPITAL			
SR. NO.	FLOOR NAME	AREA IN SQ. M	USE OF FLOOR
	STILT FLOOR	1485.26	PARKING
	GROUND FLOOR	1026.24	HOSPITAL
	FIRST FLOOR	867.80	HOSPITAL
	SECOND FLOOR	787.09	HOSPITAL
	THIRD FLOOR	663.85	HOSPITAL
	FOURTH FLOOR	277.84	HOSPITAL + DR'S RESIDENCE
	FIFTH FLOOR	174.35	DR'S RESIDENCE
	TOTAL	5282.43	




SECRETARY  
COUNCIL OF EDUCATION, KOLHAPUR.


TRUE COPY



Office Superintendent  
D.R.K. College of Commerce, Kolhapur



MRS R. V. MOYAL  
D.R.K. COLLEGE OF COMMERCE, KOLHAPUR



SR.NO.	NAME	MAKE/MODEL	SERIAL NUMBER	LOCATION	INVOICE NO DATE
1	AUTOCLAVE(DOUBLE DRUM)				
2	AUTOCLAVE(SINGLE DRUM)	GALTRON	1680219230VA	CSSD	04.02.2015-
3	AUTOCLAVE- HORIZONTAL	GALTRON	C	CSSD	61/095/14-15
4	E.T.O.			CSSD	2017
5	ULTRASONIC CLEANER	RUJIKON		CSSD	2008
6	FUMIGATION MACHINE - FORGER	AVI	2D16002	CSSD	02/08/2016
7	AUTOCLIVE (SINGLE DRUM)			O.T	2017
8	BOYLE MACHIN. 2	GLTRON		CSSD	09.01.2019-1731
		IOL	A/3657-77	MINOR OT	OLD

OT LIGHT & TABLE

SR.NO.	NAME	MAKE/MODEL	SERIAL NUMBER	LOCATION	INVOICE NO DATE
1	OT TABLE				
2	OT TABLE	SURGICRAFT		OT-1	2014
3	OT TABLE	SURGIDENT		OT-2	2014
4	OT TABLE	TECHNOMED		OT-3	18.1.2017-09-16-17
5	OT LIGHT	QUALITY SURGICAL		MINOR OT	1991
6	OT LIGHT- OT LED TMI CT-4 + CT-3	DR MACH		OT	28.02.2014-132110
7	OT LED LIGHT TMI CT-4 OT SPOT LIGHT CULLING SPOT LIGHT	TECHNOMED		OT	2014-50
		TECHNOMED		OT	27.06.2014-152

GROUND FLOOR EQUIPMENT

SR.NO.	NAME	MAKE/MODEL	SERIAL NUMBER	LOCATION	INVOICE NO DATE
1	SCAN MOBILI-X-RAY				
2	CT MACHINE	SKANRAY	5436	CT SCAN	921200021-17.05.2014
3	HYPERBERIC OXYGEN CHAMBER	TOSHIBA ASTLION			SMSBLH/18/2014 15
4	STATIONARY CYCLE	AKOX-BAROXNBO SOLO	SL170602	HBOT	
5	UNWEIGHING SYSTEM	WNO-F1-731BWD	15051131	PHYSIOTHERAPY	18/09/2014 334
6	KYNAPSES SYSTEM	UNIQUE MEDICAL APPLIANCES		PHYSIOTHERAPY	25.08.2015-146
7	SWD	unique rehabilitation solutions		PHYSIOTHERAPY	03.08.2015
8	ECG MACHINE	ELECTROWAVE 300-TECNOMED ELECTRONCE	T-2483	PHYSIOTHERAPY	26.09.2014-019
1	I-STAR ANALYZER & PRINTER	DYAUSEMED-CS100	30130710052N	G WARD	17-08.2008/1
2	TV 32" PANASONIC I FD HL 32A401D	SANDOR	369923		28.02.2015-HYD2234
3	AC	PANASONIC			2014-14/15/DE11-8080
4	COMPUTER & PRINTER	PANASONIC			30.09.2014-DE 11-9045 27.02.2017 11.12.2017 20.11.2014 & 2018 GWN 11/14-15/28

SECRETARY  
COUNCIL OF EDUCATION, KOLHAPUR

TRUE COPY

Office Superintendent  
D.R.K. College of Commerce, Kolhapur

**Equipment List  
Monitor**

SR.NO.	NAME	MAKE/MODEL	SERIAL NUMBER	LOCATION	INVOICE NO DATE
1	Monitor	NIHON KOHDEN Corporation	106391	NEURO ICU-N-1	26.03.2014-2013-1000912
2	Monitor	NIHON KOHDEN Corporation - PVM-2703	106389	NEURO ICU-N-2	26.03.2014-2013-1000912
3	Monitor	SKANRAY HEALTHCARE PVT.LTD INDIA	A145C5314	NEURO ICU-N-3	9016019957-15.03.2014
4	Monitor	NIHON KOHDEN Corporation - PVM-2703	106385	NEURO ICU-N-4	26.03.2014-2013-1000912
5	Monitor	NIHON KOHDEN Corporation - PVM-2703	106384	NEURO ICU-N-5	26.03.2014-2013-1000912
6	Monitor	SKANRAY HEALTHCARE PVT.LTD INDIA	H17CT3404	NEURO ICU-N-6	9016019957-15.03.2014
7	Monitor	NIHON KOHDEN Corporation - PVM-2703	106379	NEURO ICU-N-7	26.03.2014-2013-1000912
8	Monitor	SKANRAY HEALTHCARE PVT.LTD INDIA	A145C5312	NEURO ICU-N-8	9016019957-15.03.2014
9	Monitor	NIHON KOHDEN Corporation - PVM-2703	106392	NEURO ICU-N-9	26.03.2014-2013-1000912
10	Monitor	NIHON KOHDEN Corporation - PVM-2703	106383	NEURO ICU-N-10	26.03.2014-2013-1000912
11	Monitor	SKANRAY HEALTHCARE PVT.LTD INDIA	A145C5322	TRAUMA ICU-T-1	9016019957-15.03.2014
12	Monitor	SKANRAY HEALTHCARE PVT.LTD INDIA	A145C5321	TRAUMA ICU-T-2	9016019957-15.03.2014
13	Monitor	SKANRAY HEALTHCARE PVT.LTD INDIA	A145C5317	TRAUMA ICU-T-3	9016019957-15.03.2014
14	Monitor	SKANRAY HEALTHCARE PVT.LTD INDIA	A145C5316	TRAUMA ICU-T-4	9016019957-15.03.2014
15	Monitor	NIHON KOHDEN Corporation - PVM-2703	106387	TRAUMA ICU-T-5	26.03.2014-2013-1000912
16	Monitor	SKANRAY HEALTHCARE PVT.LTD INDIA	A145C5310	TRAUMA ICU-T-6	9016019957-15.03.2014
17	Monitor	STAR SON LARSEN & TOUBRO LTD.	F12SM	TRAUMA ICU-T-7	2014
18	Monitor	SKANRAY HEALTHCARE PVT.LTD INDIA	A145C5309	TRAUMA ICU-T-8	9016019957-15.03.2014
19	Monitor	SKANRAY HEALTHCARE PVT.LTD INDIA	A145C5300	TRAUMA ICU-T-9	9016019957-15.03.2014
20	Monitor	NIHON KOHDEN Corporation - PVM-2703	106377	TRAUMA ICU-T-10	26.03.2014-2013-1000912
21	MONITOR	COM-STRYKER-	JMW1150KA2400F07	OT-1	
14	NEUROMONITOR	COM-MEDTRONICS-NIM-ECLIPSE SYSTEM	X07298774		04/20/2011
24	XOM-NIHON KOHDEN-MONITOR	PVM-2703	106390	OT-3	03/26/2014
21	MONITOR-PLANET-60	SKANRAY	H17CT3403	CATHLAB	9016019957-15.03.2014
22	MONITOR	SKANRAY	H17CT3405	HDU-01	
23	MONITOR	SKANRAY	H17CT3406	HDU-02	

**TRUE COPY**


Office Superintendent  
D.R.K. College of Commerce, Kolhapur

PRESIDENT,  
COUNCIL OF EDUCATION, KOLHAPUR

VENTILATOR

339 ~~196~~

SR.NO.	NAME	MAKE/MODEL	SERIAL NUMBER	LOCATION	INVOICE NO DATE
1	VENTILATOR	INVENTA-SKANRAY HEALTHCARE	MQ14AA0123	NEURO ICU-N-5	2.10.2014-23
2	VENTILATOR	INVENTA-SKANRAY HEALTHCARE	MQ16BA1177	NEURO ICU-N-02	2.10.2014-23
2	VENTILATOR	LARSEAN & TOUBOR LIMITED	L0150067	NEURO ICU-N-8	
3	VENTILATOR	LARSEAN & TOUBOR LIMITED	F125M2017	NEURO ICU-N-9	
3	VENTILATOR	GE IVENT-2	HCIVE-1101242	NEURO ICU	29.11.2013/414/320 13-14
4	INVENTA VENTILATOR	INVENTA-SKANRAY HEALTHCARE	MR17BA1390	TRAUMA ICU-T-2	2.10.2014-23
7	VENTILATOR	MAX MEDTECH PVT. LTD.	1510/12	TRAUMA ICU-T-6	2008
5	INVENTA-VENTILATOR	INVENTA-SKANRAY HEALTHCARE	1.04	TRAUMA ICU-T-8	2.10.2014-23
6	VENTILATOR	INVENTA-SKANRAY	MQ14AA0066	TRAUMA-11	9016020712/ 31.07.2014
7	VENTILATOR	INVENTA-SKANRAY	MQ14AA0065	TRAUMA-11	9016020712/ 31.07.2014
8	VENTILATOR	SKANRESPIRO-PREETAM ELECTRONICS			12.06.2017/9
9	VENTILATOR	TRIVITRON HEALTHCARE	MV1KSA1A00 3 MV1KSA1A00 04		23.03.2019

  
SECRETARY

COUNCIL OF EDUCATION, KOLHAPUR.

TRUE COPY



Office Superintendent  
D.R.A. College of Commerce, Kolhan.

  
MRS R.V. Wagh

PRESIDENT,  
COUNCIL OF EDUCATION, KOLHAPUR.

### OT Equipment

SR.NO.	NAME	MAKE/MODEL	SERIAL NUMBER	LOCATION	INVOICE NO DATE
1	MODULAT OT	HITEK OTS PVT LTD		OT	25.10.2013 & 21.12.2013 HMS/13- 14*44 & HMS/13- 14/49
2	VISION VIDEO LARYNGING CPR POCKET RESUSCITATOR	KIN KING	C11313A05892		30.10.2013-CC/1846
3	ETOC 2 SMART CABLE WITH SENSOR	NIHON KOHDEN	3		26.13.2014-2013- 100912
4	NEUROENDOSCOPY	STORZ		NEURO ICU	2013
5	Suction machine	QUALITY SURGICAL EQUIPMENTS			
6	MONOPHASIC Defibrillator	BPL MEDICAL TECHNOLOGIES PVT.LTD	BYMPGJ7645	NEURO ICU-N-2	30.12.2016-1326
7	DVT MACHINE	COVIDENT	V14310275X	TRAUMA	
8	DVT MACHINE	COVIDENT	V14398515X	TRAUMA	SAM3638-
9	DVT MACHINE	COVIDENT	V1399045X	TRAUMA	21.01.2015
1	DOPPLER	ELICA	AQ3TJ72P	CATHLAB	
10	CAUTERY	CUADRY	31123	OT-1	2014
11	CAUTERY	CUADRY	V031406	OT-2	09/04/2014/01
5	DEBRIDER	XPS-3000 MEDTRONIK	10859	OT-3	18/07/2015

### Aneasthesia Machine

SR.NO.	NAME	MAKE/MODEL	SERIAL NUMBER	LOCATION	INVOICE NO DATE
1	FABUS PLUS-1	DRAGER	ASAK-0162	OT-3	03/29/2014
2	PRIMUS	DRAGER	ASDF-0002	OT-1	2015
3	FABUS PLUS-2	DRAGER	USEK-0032	CATHLAB	03/29/2014
4	PRIMUS-2	DRAGER		OT-2	12.12.2019-0041
5	VAPORISER SEVOFLURANE	DRAGER	ARZF-1503		2010
6	VAPORISER SEVOFLURANE	DRAGER	ASHE-0574		2014
6	VAPORISER-ISOFIURANCE	DRAGER	ASFA-0925		2014
7	VAPORISER-ISOFIURANCE	PENLON	D08100782		2010

TRUE COPY

  
 Office Superintendent  
 D.R.K. College of Dentistry, Kolhapur

24	MONITOR	SKANRAY	H17CT3409	HDU-03	
25	MONITOR	SKANRAY	H17CQ3148	HDU-04	
26	MONITOR	SKANRAY	H16CP2408	HDU-05	
27	MONITOR	SKANRAY	H17CT3407	HDU-06	

Syringe pump

SR.NO.	NAME	MAKE/MODEL	SERIAL NUMBER	LOCATION	INVOCE NO DATE
1	Syringe pump	FRESENIUS KABI	018090/23253 105	NEURO ICU-N-1	01.04.2014
2	Syringe pump	FRESENIUS KABI	018090/23253 127	NEURO ICU-N-2	01.04.2014
3	Syringe pump	FRESENIUS KABI	018090/23253 104	NEURO ICU-N-3	01.04.2014
4	Syringe pump	FRESENIUS KABI	018090/22148 721	NEURO ICU-N-4	24/10/2013/23
5	Syringe pump	FRESENIUS KABI	018090/22506 705	NEURO ICU-N-6	01.04.2014
6	Syringe pump	FRESENIUS KABI	018090/22419 370	NEURO ICU-N-7	24/10/2013/23
7	Syringe pump	FRESENIUS KABI	018090/21361 324	NEURO ICU-N-8	01.04.2014
8	Syringe pump	FRESENIUS KABI	018090/23253 117	NEURO ICU-N-9	01.04.2014
9	Syringe pump	FRESENIUS KABI	018090/22419 372	NEURO ICU-N-9	01.04.2014
10	Syringe pump	FRESENIUS KABI	078090/22148 732	NEURO ICU-N-10	24/10/2013-23
11	Syringe pump	FRESENIUS KABI	018090/21519 698	TRAUMA ICU-T-1	24/10/2013/23
12	Syringe pump	FRESENIUS KABI	018090/23253 105	TRAUMA ICU-T-4	02.10.2014-23
13	Syringe pump	FRESENIUS KABI	018090/21519 671	TRAUMA ICU-T-4	01.04.2014
14	Syringe pump	FRESENIUS KABI	018090/22506 700	TRAUMA ICU-T-5	02.10.2014-23
15	Syringe pump	FRESENIUS KABI	018090/22149 139	TRAUMA ICU-T-5	24/10/2013-23
16	Syringe pump	FRESENIUS KABI	018090/22418 695	TRAUMA ICU-T-6	01.04.2014
17	Syringe pump	FRESENIUS KABI	018090/22506 701	TRAUMA ICU-T-6	02.10.2014-23
18	Syringe pump	FRESENIUS KABI	018090/21001 331	TRAUMA ICU-T-9	01.04.2014
19	Syringe pump	FRESENIUS KABI	018090/22419 374	TRAUMA ICU-T-9	01.04.2014
20	Syringe pump	FRESENIUS KABI	018090/22147 586	TRAUMA ICU-T-10	24/10/2013/23
21	Syringe pump	FRESENIUS KABI	018090/23253 132	TRAUMA ICU-T-10	01.04.2014
22	Syringe pump	FRESENIUS KABI	018090/22506 706	TRAUMA ICU-T-10	02.10.2014-23

  
 SECRETARY  
 COUNCIL OF EDUCATION, KOLHAPUR.

TRUE COPY  
  
 Office Superintendent  
 D.R.K. College of Commerce, Kolhapur

### Navigation Machine

SR.NO.	NAME	MAKE/MODEL	SERIAL NUMBER	LOCATION	INVOICE NO DATE
1	NEURO NAVIGATION USA	STRYKER-USA	10587	OT-1	INVOICE NO-3-2008
2	NEURO NAVIGATION	MEDTRONIC		OT-2	7400045139/17.04.2017

### Microscope

SR.NO.	NAME	MAKE/MODEL	SERIAL NUMBER	LOCATION	INVOICE NO DATE
1	MICROSCOPE	MIDAKA- FASNE TEST EQUIPMENT		OT-1	25.06.2017/FASNE/37-18/2137
2	MICROSCOPE	NOA ZEISS	391870	OT-2	11.06.2008
3	MICROSCOPE	ZEISS- OPTOFINE PENTERO			12.05.2017-Opto/17.18/150

### C ARM

SR.NO.	NAME	MAKE/MODEL	SERIAL NUMBER	LOCATION	INVOICE NO DATE
1	CARM	SKANRAY	MY131400555	OT-2	12.05.2014/921200021
2	CARM	PHILIPS-BV-25		OT-2	

### Microdrill

SR.NO.	NAME	MAKE/MODEL	SERIAL NUMBER	LOCATION	INVOICE NO DATE
1	PRIMADO-1	NSK-	7500063	OT-1	15.09.2010-179
2	PRIMADO-2	NSK-	A5300753	OT-2	12/21/2015
3	MICRODILL-I	SAEYANG	B90378	OT-1	
4	MICRODILL-II	MARATHON	44016	OT-2	08/09/2017

### CUSA & CATH LAB MACHINE

SR.NO.	NAME	MAKE/MODEL	SERIAL NUMBER	LOCATION	INVOICE NO DATE
1	CUSA	STRYKER-	UST-2001	OT-2	03/05/2014
2	Cath Lab Machine (Sr.No. 2AY0895636, Model No. OP1111030051)	Shimandzu	26.03.2014	Cath Lab	1

**TRUE COPY**

Office Superintendent  
D.R.K. College of Commerce, Kolhapur

PRESIDENT,  
COUNCIL OF EDUCATION, KOLHAPUR

# Para Medical Staff List


341 ~~108~~


Sr. No.	Name Of Employee	Qualification
Sisters-22		
1	Sangita Jadhav	Health Assistant
2	Bindu	GNM
3	Leclamoney	GNM
4	Rinu	GNM
5	Neelam Bhandari	ANM
6	Sushma Kolap	ANM
7	Diksha Bamane	ANM
8	Apeksha Kambale	ANM
9	Pallavi Samudre	ANM
10	Kajal Kambale	ANM
11	Sonali Ghatge	ANM
12	Snehal Khude	ANM
13	Mrunmayi Malavade	GNM
14	Vaishnavi Kumbhar	GNM
15	Sonali Kamble	ANM
16	Satyam Lohar	ANM
17	Madhuri Pimpalkar	Health Assistant
18	Pooja Narke	ANM
19	Priyanka Kamble	Health Assistant
20	Vandan Barkate	CT Tech.
21	Shital Yadav	HBOT Tech.
22	Jagannath Pol	Health Assistant
23	Amar Kamble	Health Assistant
24	Sangram Kale	Health Assistant
25	Sohail Sayyad	OT Tech.
26	Bhagwan Varute	OT Tech.
27	Bhikaji Kamble	Health Assistant
28	Aniket Kamble	OT Tech.
29	Sagar Jirge	OT Tech.
30	Vipul Kamble	ANM
31	Sidharth Kamble	ANM
32	Shivraj Khade	Health Assistant
33	Krishna Patil	X-Ray Tech.


  
SECRETARY

COUNCIL OF EDUCATION, KOLHAPUR.

TRUE COPY

  
Office Superintendent  
D.R.K. College of Commerce, Kolhar

  
PRESIDENT,  
COUNCIL OF EDUCATION, KOLHAPUR



# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781  
Fax: 24024068/24023515  
Website: <http://mpcb.gov.in>  
Email: [psob@mpcb.gov.in](mailto:psob@mpcb.gov.in)



Kalpataru Point, 2nd, 3rd  
and 4th floor, Opp. Cine  
Planet Cinema, Near Sion  
Circle, Sion (E),  
Mumbai-400022

RED/M.S.I  
No:- Format1.0/PSO/UAN No.MPCB-  
CONSENT-0000206346/CO/2407000394

Date:  
03/07/2024

To,  
Western India Institute of Neurosciences  
183/1,183/1 B Bavada Road, Nagala Park  
Karvir,  
Kolhapur-416002  
Email:[wiins\\_kpr@rediffmail.com](mailto:wiins_kpr@rediffmail.com)  
Contact No.:9423637804



Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:**
1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no. Format1.0/PSO/UAN No.0000114770/CR/2202000642
  2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 02/05/2024
  3. Information called through mail dated 23/06/2024.
  4. Your Reply dtd. 24/06/2024,29/06/2024 , 01/07/2024 & 02/07/2024

After examining the proposal, The Maharashtra Pollution Control Board hereby Renew Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **27-05-2024 To 27-05-2026**
2. The capital investment of the HCF is **₹4953** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 8500.32 M<sup>2</sup> with Built-up area 5282.43 M<sup>2</sup>.
4. **Activities Included**
  - a. Total Number of Beds : **100 Nos.** (As per BNH certificate no. 409 valid upto 31-03-2026)
    - I. General Beds : **48 Nos**
    - II. ICU/ICU Beds : **28 Nos**
    - III. Operation Theatre : **3 Nos**
    - IV. Other Beds : **21 Nos**

**5. Conditions under the Water (P&CP) Act, 1974:-**

1. Quantity of total water consumption shall not exceed 32 M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

**6. Conditions under the Air (P&CP) Act,1981:-**

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

**7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1	Biological Sludge	NA	As per Actual	MT/M	use as manure

**8. Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

**9. Conditions under BMW Management rules, 2016 (As Amended):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **S. S. Services, Kolhapur Municipal Corporation, Kolhapur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" ([www.cpcb.nic.in](http://www.cpcb.nic.in)).

- 10.** You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
- 11.** Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
- 12.** You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
- 13.** This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
- 14.** You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
- 15.** Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
- 16.** This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
- 17.** Any violation of applicable Environmental enactments, Rules, CPCB guidelines, and conditions of this CCA may attract revocation of this CCA without further notice.
- 18.** The hospital has uploaded the receipt of payment of JVS outstanding RS.2360/-. SRO Kolhapur you are directed to verify the JVS outstanding payment paid by Hospital on 24/06/2024.
- 19.** You uploaded a Bank Guarantee (BG) of Rs. 2.00 Lakh as per the previous Consent to Operate (CCA) on 13/06/2024. However, according to the Board Circular dated 29/02/2024, a 12% interest amounting to Rs. 54,312/- has been adjusted from the paid fee due to the non-submission of the BG of Rs. 2.00 Lakh within the stipulated period as per the previous CCA.
- 20.** You shall extend and submit the bank guarantee of INR 2.00 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Kolhapur within 15 days. Nonsubmission of B.G. in specified time shall attract 12% interest on BG amount as per Boards Circular dated 29/02/2024.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



महाराष्ट्र MAHARASHTRA

2024

DB 331470

16 MAY 2025

दिनांक

वि.नं.

4996

स्टॅम्प किंमत रु.

Principal

श्री. Parvatidevi Kumbhar College of Nursing

Azad Chowk, Kolhapur - 416002

यांचे रु. ( 500 ) दिले स्टॅम्प कोड क्र. 2609024

ऑफेडव्हीट, करारपत्र, मॉरगोज, मुखपत्र व खरेदी पत्र



28 APR 2025



SNIP HEAD CLERK  
TREASURY OFFICE  
KOLHAPUR (M.S.)

MEMORANDUM OF UNDERSTANDING (MOU) BETWEEN

SECRETARY, COUNCIL OF EDUCATION,  
PARVATIDEVI KUMBHAR COLLEGE OF NURSING,  
649, C WARD, AZAD CHOWK, KOLHAPUR 416002.

AND

SHRI SAI CARDIAC CENTER UNIT OF  
MAHALAKSHMI HRUDAYALAY PVT. LTD.  
2021/ B, E WARD, 6<sup>TH</sup> LANE, RAJARAMPURI,  
KOLHAPUR. 416008.



No. of corrections  
on this page - 11

## Utilization of Parent Hospital for Nursing Students

This DEED OF AGREEMENT is made on this day of 16<sup>th</sup> May, 2025 between

**SECRETARY, COUNCIL OF EDUCATION,  
PARVATIDEVI KUMBHAR COLLEGE OF NURSING,  
649, C WARD, AZAD CHOWK, KOLHAPUR 416002.**

(Here in after called the first party)

AND

**SHRI SAI CARDIAC CENTER UNIT OF  
MAHALAKSHMI HRUDAYALAY PVT. LTD.  
2021/ B, 'E' WARD, 6<sup>TH</sup> LANE, RAJARAMPURI,  
KOLHAPUR. 416008.**

(Here in after called the second party)

1. The First Party can utilize Second Party's Hospital as a Parent hospital for the nursing students of First Party for their clinical experience.
2. The Second Party is having 100 bedded Hospital. The types and number of beds are as follows:
3. A. Medical : - 35 Beds  
B. Surgical : - 35 Beds  
C. Gynaec/Obstetric : - 10 Beds  
D. Pediatric : - 10 Beds  
E. Orthopedic : - 10 Beds

Other Specialities /Facilities for clinical experience as follows:

Major OT  
Minor OT  
Cardiology  
Oncology  
Neurology  
Nephrology  
ICU/ICCU

4. This MOU will be for the period from 30 years and will be renewed further after consent of both parties.
5. Video shooting permission during Inspection (MUHS, INC, MNC, MSBNPE, DMER)
6. Permission to conduct practical examination (MUHS, MSBNPE, MNC)
7. Permission to demonstrate the procedure.
8. Posting timing for internship shift wise (8 hrs duty on rotation basis)
9. During final Examination, before 20 days student will be in study holiday.
10. Permission for integrated posting & research project activities.

No. of corrections  
on this page - 2/11



*[Handwritten Signature]*

SECRETARY, COUNCIL OF EDUCATION,  
PARVATIDEVI KUMBHAR COLLEGE OF  
NURSING, 649, C WAF  
KOLHAPUR 416002.



Witness Name, Address

1.Mr. ....

.....

.....

2.Mr. ....

.....

.....

*[Handwritten Signature]*

SHRI SAI CARDIAC CENTER UNIT OF  
MAHALAKSHMI HRUDAYALAY PVT.LTD  
2021/B, 'E' WARD, 6<sup>TH</sup> LANE,  
RAJARAMPURI, KOLHAPUR 416008.



Witness Name

1.Mr. ....

.....

.....

2.Mr. ....

.....

.....



I Know the signatories  
who have signed before me.

Before Me

Notary Regi. Sr. No. 31

Date :- 17 / 05 / 2025



*[Handwritten Signature]*  
Sachin Babaso Bhosale

SACHIN BABASO BHOSALE  
Advocate & Notary  
17/1, Yashshree Banglow,  
Chhatrapati Rajaram Colony,  
Kasaba Bawada, Kolhapur.

No. of corrections  
on this page - Nil



भारत सरकार



आधार

भारतीय विशिष्ट ओळख प्राधिकरण  
भारत सरकार  
Unique Identification Authority of India  
Government of India

नोंदविण्याचा क्रमांक / Enrollment No 1205/00099/14123


To,  
चंद्रशेखर वसंतराव पाटील  
Chandrashekhar Vasanttrao Patil  
S/O Vasanttrao Rajaram Patil  
Plot No 6 Sharda Housing Society  
Takala Road Rajarampuri Kolhapur  
Karvir  
Rajarampuri Kolhapur  
Maharashtra 416008  
9823149903

25/04/2012

Ref: 405 / 03F / 180972 / 181471 / P



UE545404777IN



आपला आधार क्रमांक / Your Aadhaar No. :

3943 8083 1797

आधार — सामान्य माणसाचा अधिकार

भारत सरकार  
GOVERNMENT OF INDIA

चंद्रशेखर वसंतराव पाटील  
Chandrashekhar Vasanttrao Patil  
जन्म वर्ष / Year of Birth : 1968  
पुरुष / Male

3943 8083 1797




आधार — सामान्य माणसाचा अधिकार

*Am*


 भारत सरकार  
 Government of India


 विश्वनाथ नरहरी मगदुम  
 Vishwanath Narahari Magdum  
 जन्म तारीख / DOB : 29/01/1953  
 पुरुष / Male



3497 4079 5042

आधार - सामान्य माणसाचा अधिकार

ADV. SACHIN  
 BABASO E. ROSALE  
 ADVOCATE & NOTARY  
 KOLHAPI DIST.  
 REG. NO. 3397  
 By 

ARY  
 LE  
 ARY  
 7  
 INDIA


 भारत सरकार  
 Unique Identification Authority of India

पत्ता  
 मगदुम एंडोसरजरी इन्स्टिट्यूट प्रतिभा  
 नगर, शास्त्री गांड समोर,  
 राजारामपुरी, राजारामपुरी, कोल्हापूर,  
 करवीर, महाराष्ट्र, 416008


Address:  
 magdum endosurgery institute  
 pratibha nagar, shastri ground  
 samor, Rajarampuri, Rajarampuri,  
 Kolhapur, Karvir, Maharashtra,  
 416008

3497 4079 5042

 1947  
 1800 300 1947

 help@uidai.gov.in

 www.uidai.gov.in



# KOLHAPUR MUNICIPAL CORPORATION



(Health Department)

FORM 'C'



(See Rule 5)

Certification of Registration section 5 of the Bombay Nursing Homes  
Registration Act 1949

## CERTIFICATE

No. 275

This is to Certify that Shri./Smt. **DR. CHANDRASHEKHAR VASANTRAO PATIL** has been registered under the Bombay Nursing Homes Registration Act 1949, in respect of **SHRI SAI CARDIAC CENTER UNIT OF MAHALAXMI HRUDAYALAY PVT. LTD.** situated at **2021 B E WARD RAJARAMPURI 6TH LANE KOLHAPUR** and has been authorized to carry on the said nursing home.

Registration No. : 275  
Date of Registration : 28-Feb-2003  
Place : Kolhapur  
Date of issue of Certificate : 03-Jul-2025

This Certificate of registration shall be valid up to 31-Mar-2028

The name of **DR. CHANDRASHEKHAR VASANTRAO PATIL**


Maternity beds	Other beds	Total beds
0	100	100

Local Supervising Authority

Kolhapur Municipal Corporation

Kolhapur.



  
Dr. Prakash Pawara

Medical Officer of Health  
Kolhapur Municipal Corporation  
(Signature of the registering authority.)

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781  
Fax: 24024068/24023515  
Website: <http://mpcb.gov.in>  
Email: [psoc@mpcb.gov.in](mailto:psoc@mpcb.gov.in)



Kalpataru Point, 2nd and  
4th floor, Opp. Cine Planet  
Cinema, Near Sion Circle,  
Sion (E), Mumbai-400022

**ORANGE/S.S.I**

**Date: 25/01/2024**

**No:- Format1.0/PSO/UAN No.0000182178/CO/2401002648**

To,  
**Shri Sai Cardiac Center**  
**(Unit of Mahalaxmi Hrudayalay Pvt. Ltd.)**  
**2021/B, E Ward, 6th Lane, Rajarampuri,**  
**Tal:- Karveer,**  
**Dist: -Kolhapur - 416008.**  
**Email:shrisaicardiac@gmail.com**  
**Contact No.:9011066060**



**Your Service is Our Duty**

*Grant of Renewal of Combined Consent to Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.*

- Ref:**
1. Your CCA application for grant of renewal of Consent to Operate and BMW Authorization received to MPCB, HQ, Mumbai through SRO, Kolhapur on 22.11.2023.
  2. This office email dated 07.12.2023.
  3. SCN for refusal of application dated 18.12.2023.
  4. Information uploaded / submitted by you on 04 and 05.01.2024.

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **25-09-2023 To 25-09-2027**
2. The capital investment of the HCF is **₹675.94** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 4522.00 M<sup>2</sup> with Built-up area 5055.00 M<sup>2</sup>.
4. **Activities Included**
  - a. Total Number of Beds : **100 Nos.** (As per BNH certificate no. 275 valid upto 31-03-2025)
    - I. General Beds : **37 Nos**
    - II. ICU/ICU Beds : **27 Nos**
    - III. Operation Theatre : **2 Nos**
    - IV. Other Beds : **34 Nos**

**5. Conditions under the Water (P&CP) Act, 1974:-**

1. Quantity of total water consumption shall not exceed 22 M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

**6. Conditions under the Air (P&CP) Act,1981:-**

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

**7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

<i>Sr No</i>	<i>Type of Waste</i>	<i>HW Category no.</i>	<i>Quantity</i>	<i>UOM</i>	<i>Disposal</i>
1	Biological Sludge		60	Kg/M	For gardening, manure and municipal landfill

**8. Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

**9. Conditions under BMW Management rules, 2016 (As Amended):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **S. S. Services, Kolhapur Municipal Corporation, Kolhapur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" ([www.cpcb.nic.in](http://www.cpcb.nic.in)).

10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall submit the Bank Guarantee of Rs 1.50 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Kolhapur within 30 days. Non submission of Bank Guarantee in specified time shall attract revocation of this CCA without further notice
18. You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, Kolhapur for verification purpose.



Generated by eSign@MPCB  
12ecde21  
92b69a09  
99154bb4  
9ffc98b7  
00039fe7  
d56c87c3  
c89734c7  
61c4209f

Signed by: **Dr. Vishwajeet Ramesh Thakur**  
Principal Scientific Officer  
For and on behalf of,  
**Maharashtra Pollution Control Board**  
pso@mpcb.gov.in  
2024-01-25 15:44:58 IST

**Received Consent/Authorization fee of -**

<b>Sr.No</b>	<b>Amount(Rs.)</b>	<b>Transaction/DR.No.</b>	<b>Date</b>	<b>Transaction Type</b>
1	75000.00	TXN2309003269	21/09/2023	Online Payment
2	5000.00	TXN2311002747	21/11/2023	Online Payment

**You have submitted Consent fee of Rs. 80,000/-. For this application Consent to Operate fees of Rs. 50,000/- & fees for increase in Capital Investment of Rs. 5,000/- is considered. Remining fee of Rs. 25,000/-will be considered at the time of next application.**

**Copy to:**

1. Regional Officer, MPCB, Kolhapur and Sub-Regional Officer, MPCB, Kolhapur
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.



**Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)**

## A. Water Consumption Details:-

<b>Sr. No.</b>	<b>Purpose for water consumed</b>	<b>Water consumption quantity (CMD)</b>
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	22.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

## B. Conditions for Sewage &amp; Effluent Generation, Treatment and Disposal:-

<b>Sr. No.</b>	<b>Description</b>	<b>Permitted quantity of discharge (CMD)</b>	<b>Standards to be achieved</b>	<b>Disposal</b>
1	Domestic Sewage	18	As per clause 'C'	100% Recycle and reuse for gardening, cleaning and washing purpose.
2	Trade effluent	0	As per clause 'C'	100% Recycle

## C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

<b>Sr. No.</b>	<b>Parameters</b>	<b>Discharge Standards applicable</b>
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C )	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

## D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

## E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.

## F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

## G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

**Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack (s):

<b>Sr. No.</b>	<b>Stack Attached to</b>	<b>Fuel Type</b>	<b>Quantity</b>	<b>Stack Height (Mtr)</b>
1	DG set 160 KVA	Diesel	85.00 Ltr/Hr	5.00
2	DG set 125 KVA	Diesel	75.00 Ltr/Hr	5.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.

3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).

4. Conditions for D.G. Set:-

- a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
- b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- f. D.G. Set shall be operated only in case of power failure.
- g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.

5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	90.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	150.00		
		d) Expired or Discarded Medicines	50.00		
		e) Chemical Waste	0.00	Separate collection system leading to effluent treatment system.	
		f) Chemical Liquid Waste	0.00		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	25.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	25.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	120.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
3	White (Translucent)	Waste sharps including Metals	50.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
4	Blue	a) Glassware	20.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
		b) Metallic body implants	10.00		

**Responsibilities of CBWTF**

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **S. S. Services, Kolhapur Municipal Corporation, Kolhapur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Kolhapur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

<b>Sr.No</b>	<b>Activity / Condition to be Complied</b>	<b>Compliance Timeline (Months)</b>	<b>Bank Guarantee Amount</b>
<b>1A</b>	<b>Operation and Maintenance</b>		
1	To Segregate and Handle BMW as per Schedule I	Continuous	50,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
<b>1B</b>	<b>Records</b>		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	25,000.00
2	To maintain records of BMW handed over to CBMWTFD	Continuous	25,000.00
<b>Total</b>			<b>1,50,000.00</b>

**Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.**

**General Conditions****The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Kolhapur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

---

This certificate is digitally & electronically signed.

---





महाराष्ट्र MAHARASHTRA  
16 JUL 2024

2024

12AB 618191

TO  
MBV  
A & BHOSALE  
NOTARY  
OFFICE  
KOLHAPUR  
11/30

दिनांक

वि.नं. ८८२४ स्टॅम्प किंमत रु.

श्री. Principal  
Parvatidevi Kumbhar College of Nursing  
Azad Chowk, Kolhapur.. 416002

यांचे रु. ( १०० ) दिले स्टॅम्प कॉडि के. १६०००२

अफेडेव्हीट, करारपत्र, मॉरगेज, मुखपत्र व खरेदी पत्र

*[Signature]*





15 JUL 2024  
STAMP HEAD CLERK  
TREASURY OFFICE  
KOLHAPUR (M.S.)

MEMORANDUM OF UNDERSTANDING

This Memorandum of Understanding is made and entered at Kolhapur on this day of 1<sup>st</sup> of August 2024

PARVATIDEVI KUMBHAR COLLEGE AND SCHOOL OF NURSING KOLHAPUR located at 649, near Bindu Chowk, C Ward, Kolhapur, Maharashtra 416002 represented by its authorized signatory, hereinafter referred to as "Nursing College" for short, which expression



shall, unless the counterpart otherwise admits, include its present office bearers, executors, successors and assignees) of the **FIRST PART**

**AND**

**PRERANA HOSPITAL LTD.** under the brand name 'Aster Aadhar Hospital', having its place of business at RS. No. 628, B Ward, Near Shastri Nagar, Near KMT Workshop, Kolhapur 416 012 represented by its Head Operations, **Dr. Dalon Fernandes**, hereinafter referred to as "Aster" (which expression shall, unless repugnant to the context hereof, mean and include its successors, legal representative and assigns) of the **SECOND PART**.

**WHEREAS**

1. The First Party is a Nursing college at **Kolhapur**.
2. The First Party is desirous of availing the Training and Internship support at the Hospital of the Second Party for training of its nursing students; hence approached the Second Party to allow their students of Nursing College to explore the clinical hospital beds facilities at Aster Aadhar Hospital, Kolhapur unit for providing clinical training.
3. The First Party confirms that it will be their responsibility to have all statutory affiliation, recognition and certification from all apex bodies including the Maharashtra Nursing Council, Indian Nursing Council, State Government and legal authorities as may be required from time to time as well as recruit Tutors, Teachers and other teaching, technical and administrative staff of their own College of Nursing and create all other facilities to provide academic training of the required curriculum program at their own premises.
4. The Second Party has agreed to allow the students of Nursing School/college of the First Party to come to the hospital and get themselves trained using clinical facilities with the help of existing nursing staff of Hospital, for gaining needed Clinical Training and Experience.
5. The Principal of Parvatidevi Kumbhar College and School Of Nursing, Prof. Bhalchandra Kulkarni has been authorized to sign and execute this Agreement.



6. The parties have thus entered into this Agreement on the terms as recorded hereinafter.

**NOW THIS AGREEMENT WITNESSETH AS UNDER:**

1. The First Party shall be responsible for procurement and maintenance of affiliation and recognition from University, State Nursing Council, Indian Nursing Council and other legal authorities including State Government as may be required from time to time: wherein the Second Party will not be responsible or will not be liable for any de-recognition of the First Party.
2. The First Party shall notify the Second Party in writing in advance, i.e. 15 days before proposed training schedule, about the schedules, timetables and training related activities including clinical examination etc. The Second Party will provide training to the Students of the First Party at Aster Aadhar Hospital, Kolhapur.
3. The First Party shall be responsible to inform the Second Party in case of any changes in decisions concerning training activities-such as change in the schedules etc.
4. The First Party agrees to post/depute the B.Sc. Nursing & General Nursing and Midwifery students continuously for a period in each academic year as mutually agreed between the parties.
5. The Second Party agrees to permit/allow prospective students to undergo training in all departments of the Hospital, provided that any information received during the training shall not be disclosed in connection/ concern to the parties to this MOU.
6. The Second Party will not be responsible for the payment of any Stipend, Incentives or compensations to the students of the First Party. The Parties hereto agrees that students of the First Party in any way shall not be considered as staff, employee or officer of Second Party. By entering into this Agreement no relationship of employer and employee is deemed to be established between the Second Party and students of the First Party.
7. This agreement to create a joint venture, partnership, a principal-agent relationship or any other business organization or entity. Nothing herein shall be construed to constitute either party as the agent of the other party for any purpose whatsoever, and neither party shall

bind or attempt to bind the other party to any contract or the performance of any obligation, or represent to any third party that it has any right to enter into any binding obligation on the other party's behalf. Each Party shall execute its obligations or duties hereunder at its own expense without recourse to the other Party.

8. The First Party shall be responsible to vaccinate its students under this agreement with Hepatitis-B Vaccine. The Second Party will not be responsible for any accident, hazards if any happen to the First Party's Students at the hospital site. First Party hereto agree to indemnify each other in case of any accident, hazards to the interns at hospital site.
9. The Second Party reserves its right to alter, reject or change the clinical (practical) training timetables and schedules, to safeguard the interest of the patients, its own training activities, programs, events etc. or without assignment of any reason whatsoever in any unforeseeable circumstances.
10. Students of the First Party shall be strictly bound to follow rules, regulation and policies enforced from time to time by the Second Party. First Party will submit the attendance record/ Physical Record of training on monthly basis to the Second Party.
11. Both the parties accept to constitute a Steering Co-ordination Committee with due representation of Senior Academicians and Practitioners to be monitored from time to time for the clinical training of nursing students. There would be quarterly meeting held of the Steering Co-ordination Committee till this agreement is in force. The periodically report of the training to be submitted to the Unit Head of the Hospital by the Committee.
12. The First Party shall appoint qualified clinical instructor/tutor exclusively for students, who will monitor them during the training period. He/ She will monitor attendance, training & also take all responsibilities of students. He/ She will be present in the patient area with the students at the time of training period going as per the shift schedule decided respectively.
13. After completion of training, if required their evaluation would be done by the Second Party .

- 
14. The First Party shall be responsible to provide one (1) Supervisor for one (1) batch consisting of students as agreed between the parties and shall also provide Identity Card and Uniform to their students and staff members to allow them entry into the premises of the Second Party. Provided that Second Party holds right to eject any of staff of First Party without any prior intimation. Provided contrary as mutually agreed between the parties to this agreement.
  15. The existing nursing staff of the Second Party will support student of the First Party in clinical training and experience. The Staff of Second Party will cooperate fully to the students in Clinical training. The Second Party shall not be responsible to recruit any special staff to support any clinical training to the Students.
  16. The party of Second Part shall permit Party of the First Part to conduct practical examinations and for inspection of the party of First part. Proviso, the Second Party shall provide necessary compliance documents for the purpose of this clause.
  17. First Party will not do any such activities/ programs /claim such thing which will bring disrepute/bad name to Second Party & attached institutions.
  18. The MOU will not give any right temporary or perpetual on any moveable/immovable/intellectual assets/facilities or any other objects of Second party to First party by virtue of this MOU.
  19. This Memorandum of Understanding will remain in force initially for period of Three (03) years from 01-08-2024 till 31-07-2027 It will automatically expire on 31-07-2027 unless renewed for a further period. Either Party may cancel /terminate this MOU without assigning any reasons by giving three (3) months notice in writing to the Other Party. Without prejudice, The Second Party reserves its right to cancel /terminate this MOU in the event it is found that First Party or any of its students have acted contrary to the obligations contained in this MOU. The decision of the Second Party in such cases shall be final.
  20. The Second Party will permit First Party to conduct practical examinations for its students and co-operate during inspections of First Party by such authorities on the premises of

Second Party as agreed under prior mutual discussion between the parties. The Second Party will provide necessary information subject to such inspection as needed for the inspection.

21. This Memorandum of Understanding shall be governed by and construed in accordance with the laws of India and the courts at Kolhapur shall have exclusive jurisdiction to try and entertain the matters arising here from.

22. No modification, variation, waiver or amendment of any term & condition of this MOU shall be effective unless and until it shall be reduced to writing and signed by both the parties thereto.

23. The Parties agree that the terms and conditions of this Memorandum of Understanding are confidential and shall not be disclosed to any third party without prior written consent from the non-disclosing party, unless law requires such disclosure. Moreover the students deployed in the hospital should not disclose any confidential patient information or any hospital SOPs and processes to third party.

24. Any notice, request, consent, waiver or other communication required or permitted hereunder shall be effective only if it is in writing and shall be deemed duly given: -

- (i) when delivered by hand, or
- (ii) three days after being given to an express courier of repute, or
- (iii) when sent by confirmed facsimile or when sent by electronic mail addressed as

follows: **THE PRINCIPAL,**

**Parvatidevi Kumbhar College and School Of Nursing**

649, near Bindu Chowk, C Ward, Kolhapur, Maharashtra 416002

**THE HEAD OPERATIONS,**

**Aster Aadhar Hospital,**

RS. No. 628, B Ward, Near Shastri Nagar, KMT Workshop, Kolhapur 416 012




25. Any provision of this Memorandum of Understanding which is invalid or unenforceable shall be ineffective to the extent of such invalidity or unenforceability, without affecting in any way the validity, legality and enforceability of the remaining provisions hereof.

IN WITNESS, WHEREOF BOTH THE PARTIES HAVE EXECUTED THIS MEMORANDUM OF UNDERSTANDING ON THE DATE AND PLACE FIRST MENTIONED HEREINABOVE

For,  
Parvatidevi Kumbhar College of Nursing Kolhapur

*[Handwritten Signature]*  
6/8/2024

Prof. Bhalchandra Kulkarni  
Principal, Parvatidevi Kumbhar College and School Of Nursing



For,  
Aster Aadhar Hospital, Kolhapur

*[Handwritten Signature]*  
6/08/2024

Dr. Dalon Fernandes  
Head Operations,  
Aster Aadhar Hospital,  
Kolhapur



WITNESS:

Name: Prasad Kulkarni Name: Nitin S. Misal

Signature: [Handwritten Signature] Signature: [Handwritten Signature]


**BEFORE ME**

*[Handwritten Signature]*

**SARITA V. BHOSALE**  
Advocate & Notary  
'Oasis', B-2, Near Mahaveer College,  
Nagala Park, Kolhapur - 416 003,  
Mob. 9822211377, 99916996

**IDENTIFIED BY**

*[Handwritten Signature]*  
**प्रमोद काभिरे**  
रामदास  
काभिरे कायदिल कार्यालय  
कोल्हापूर फोन 9782656385



Notary Regl. Sr. No. 8784/2024

**14 AUG 2024**

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437  
Fax: 24023516  
Website: <http://mpcb.gov.in>  
Email: [cac-cell@mpcb.gov.in](mailto:cac-cell@mpcb.gov.in)



Kalpataru Point, 2nd, 3rd  
and 4th floor, Opp. Cine  
Planet Cinema, Near Sion  
Circle, Sion (E),  
Mumbai-400022

**ORANGE/L.S.I**  
**No:- Format1.0/CAC/UAN No.MPCB-**  
**CONSENT-0000251561/CO/2509002152**

**Date:**  
**19/09/2025**

**To,**  
**M/s. Aster Aadhar Hospital (Prerana Hospital),**  
**R.S. No. 628, A Ward, Near KMT Workshop, Shastri**  
**Nagar, Tal. Karveer, Dist. Kolhapur.**



**Email: [deepak.mohite@asterhospital.com](mailto:deepak.mohite@asterhospital.com)**  
**Contact No.:9225068431**

*Grant of Renewal of Combined Consent to Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.*

- Ref:**
1. Previous granted Combined Consent and Bio-Medical Authorization granted by the Board vide No. Format1.0/CAC/UAN No. MPCB-CONSENT-0000115982/CO/2212001122 dtd. 15/12/2022
  2. Your application for Combine Consent and Bio-Medical Authorization UAN No. MPCB-CONSENT- 00000251561
  3. Minutes of Consent Appraisal Committee meeting held on 25.08.2025.

After examining the proposal, The Maharashtra Pollution Control Board hereby grant of Renewal of Combined Consent to Operate and BMW Authorization (CCA) to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **31-08-2025 To 30-11-2029**
2. HCF Area : - Plot Area 5900.00 M<sup>2</sup> with Built-up area 8297.38 M<sup>2</sup>.
3. **Activities Included**
  - a. Total Number of Beds : **250 Nos.** (As per BNH certificate no. 214 valid upto 31-03-2028)
4. **Conditions under the Water (P&CP) Act, 1974:-**
  1. Quantity of total water consumption shall not exceed 123 M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
  2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**

3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

**5. Conditions under the Air (P&CP) Act,1981:-**

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

**6. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

<i>Sr No</i>	<i>Type of Waste</i>	<i>HW Category no.</i>	<i>Quantity</i>	<i>UOM</i>	<i>Disposal</i>
1	5.1 Used or spent oil	5.1	100	Ltr/A	Sale to authorised party

**7. Conditions about Non Hazardous Wastes:-**

<i>Sr No</i>	<i>Type of Waste</i>	<i>Quantity</i>	<i>UoM</i>	<i>Treatment</i>	<i>Disposal</i>
1	STP Sludge	110	Kg/M	Drying	Used as a manure
2	Dry Waste	75	Kg/Day	Recycle	Sale to Auth. Party/ Vendor
3	Wet Waste	200	Kg/Day	OWC followed by Composting facility	Used as manure

**8. Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

**9. Conditions under BMW Management rules, 2016 (As Amended):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **S. S. Services, Kolhapur Municipal Corporation, Kolhapur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.

4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" ([www.cpcb.nic.in](http://www.cpcb.nic.in)).
10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. HCE authority shall recycle 60% treated effluent for secondary purposes like Toilet Flushing, floor washing, fire frightening, etc and remaining shall be used on land for gardening and excess shall discharge into local body sewerage system through metering system. Record of the same shall be maintained.
18. HCE shall operate ETP and STP for the treatment of effluent and sewage generated from the Hospital activity to achieve the CCA standard limit.
19. HCE shall renew the membership of CBMWTF, CHWTDF and BNHR certificate before to expiry period regularly.
20. If the Total construction Built up Area (BUA) exceeds more than 20,000 Sq. M. then the Project Proponent/HCE Authority shall obtain Environmental Clearance as per EIA Notification, 2006 and its further amendments
21. HCE shall not carry out any expansion in the beds and Building construction without the Consent of the Board and without Environmental Clearance, wherever it is applicable.
22. HCE shall obtain membership of CHWTF for disposal of 35.3-Hazardous waste within 3 months period.
23. As per the Hospital submission, Laundry activity is Outsourced and an agreement with the third party.

24. You shall submit the bank guarantee of INR 2.00 lakhs towards compliance of the conditions as specified in Schedule III to The Regional Officer, MPCB, Kolhapur within 15 days. Non-submission of B.G. in specified time shall attract 12% interest as per the Board's Circular.
25. The industry / HCE shall create an Environment Cell by appointing an Environmental Engineer / Expert for looking after day-to-day activities related to Environment / Pollution control.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



*Disnazy*

Generated by E-Sign  
5b624036  
76363a0d  
2200a354  
268558a2  
1d893589  
8ca06220  
90f85ad2  
8eeae7e3

Signed by: **Dr. Avinash Dhakne**  
Member Secretary  
For and on behalf of,  
**Maharashtra Pollution Control Board**  
ms@mpcb.gov.in  
2025-09-19 18:46:13 IST

#### Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	250000.00	MPCB-DR-35020	01/07/2025	NEFT
2	996.00	TXN2509000027	01/09/2025	Online Payment

#### Copy to:

1. Regional Officer, MPCB, Kolhapur and Sub-Regional Officer, MPCB, Kolhapur  
- He is directed to ensure submission of Bank Guarantee by hospital as specified in Schedule III of CCA and monitor the compliance of the consent conditions.  
SRO MPCB, Kolhapur- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.
4. CC-CAC Desk- for record & website updating purpose.

**Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)**

## A. Water Consumption Details:-

<b>Sr. No.</b>	<b>Purpose for water consumed</b>	<b>Water consumption quantity (CMD)</b>
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	113.00
3.	Pathology Laboratory, Floor washing, Operation Theater	10.00
4.	Laundry	0.00
5.	Other such as agriculture, gardening, etc.	0.00

## B. Conditions for Sewage &amp; Effluent Generation, Treatment and Disposal:-

<b>Sr. No.</b>	<b>Description</b>	<b>Permitted quantity of discharge (CMD)</b>	<b>Standards to be achieved</b>	<b>Disposal</b>
1	Domestic Sewage	90.0	As per clause 'C'	Recycle 60% treated effluent for secondary purposes like Toilet Flushing, floor washing, fire frightening, etc and remaining shall be used on land for gardening and excess shall discharge into local body sewerage system
2	Trade effluent	5.0	As per clause 'C'	On land for gardening after treatment.

## C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

<b>Sr. No.</b>	<b>Parameters</b>	<b>Discharge Standards applicable</b>
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C )	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.
- H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the premises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.



**Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack (s):

<b>Sr. No.</b>	<b>Stack Attached to</b>	<b>Fuel Type</b>	<b>Quantity</b>	<b>Stack Height (Mtr)</b>
1	DG Set 400 KVA X 3 Nos	Diesel	3.50 Ltr/Hr	4.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.

3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).

4. Conditions for D.G. Set:-

- a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
- b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- f. D.G. Set shall be operated only in case of power failure.
- g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.

5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	155.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	260.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	180.00	Separate collection system leading to effluent treatment system.	
		f) Chemical Liquid Waste	0.00		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	220.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	110.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	7300.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
3	White (Translucent)	Waste sharps including Metals	180.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
4	Blue	a) Glassware	1500.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
		b) Metallic body implants	466.00		

**Responsibilities of HCF**

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **S. S. Services, Kolhapur Municipal Corporation, Kolhapur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Kolhapur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

<b>Sr.No</b>	<b>Activity / Condition to be Complied</b>	<b>Compliance Timeline (Months)</b>	<b>Bank Guarantee Amount</b>
<b>1A</b>	<b>Operation and Maintenance</b>		
1	Towards compliance of CCA	Continuous	200,000.00
<b>Total</b>			<b>2,00,000.00</b>

**Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.**

**The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days from the date of issue of Consent.**

**If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122**



**General Conditions****The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Kolhapur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.
14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.

15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

---

This certificate is digitally & electronically signed.

---





## SS SERVICES

R S No.206, S S No. 29, E Ward, Kasaba Bawada,  
Near Drainage Plant, Behind Circuit House, Kolhapur, Maharashtra, India  
Phone: +91-9112476555 Email: ssserviceskop@gmail.com  
Web: https://ssservices.co.in



Unique Registration No.: SSS/KOL/0018



Offline QR

Outward No. : SSS/KOP/CER/2024-25/613



Online QR

Date : 31-Mar-2025

### Registration Certificate

This is to certify that, **Aster Aadhar Hospital ( Prerana Hospital Ltd.), R.S. No. 628, 1,4,5,7,9 Near KMT Work Shop, Shashtri Nagar, Tal - Karveer, dist- Kolhapur** is registered with **M/s. S S Services**, for management of Bio Medical waste in accordance with, the provision of Bio Medical Waste Management rules, 2016, as amended and in compliance with the provisions of CPCB guidelines.

- |   |   |
|---|---|
| 1 Authorized Person of HCE<br>(Name and Designation)                  | : Dr. Ulhas Bhalchandra Damle<br>: Doctor |
| 2 Bombay Nursing Home Act Registration Details                        |   |
| a. BNH Registration No  | : 214                                     |
| b. BNH Issue Date   | : 21-May-2025                             |
| c. Total Number of Beds   | : 250                                     |
| d. BNH validity (Form 'C')  | : 31-Mar-2028                             |
| 3 Common Treatment Facility Registration Details                      |   |
| a. Date of Registration   | : 16-Oct-2020                             |
| b. No. of Beds Registered   | : 250                                     |
| c. Issue Date   | : 01-Apr-2025                             |
| d. Registration Validity  | : 31-Mar-2026                             |
| 4 Renewal of CTF Membership (if applicable)                           |   |
| a. Renewal Date   | : 31-Mar-2026                             |
| b. No. of Beds  | : 250                                     |
| 5 MPCB Consents (Establish/ 1 <sup>st</sup> Operator/Renewal Details) |   |
| a. Consent / CCA Number   | : No.0000115982/CO/2212001122             |
| b. Issue Date   | : 31-Dec-2022                             |
| c. Validity upto  | : 30-Nov-2025                             |



for *Sa/ajghw*  
23-05-2025  
**S. S. Services**  
CBMWF, Kolhapur

Authorized Signature

Name : Mr. Ashish Vilas Ghatge  
Designation : Partner

Note: HCF shall display copy of Registration Certificate at front Desk and Temporary BMW storage area.



KOLHAPUR MUNICIPAL CORPORATION

Fire Department

Post Box. No. 33, Pin - 416002

**FIRE SAFETY CERTIFICATE**

Date: 01-Apr-2025

To,

Dr. DR. ULHAS BHALCHANDRA DAMALE

Kolhapur.

**Subject:-** Issuing the Fires no objection Certificate for

**ASTER AADHAR HOSPITAL (PRERANA HOSPITAL LTD), R.S.NO.628 B WARD  
NEAR GOMATI NALA SHASTRI NAGAR KOLHAPUR. With No Of Bed :- 250**

**Reference:-** Your application no.: FHR10000004252600006 / FRNOC0214 Date: 01-Apr-2025

As per your application to issue the Fire NOC for **ASTER AADHAR HOSPITAL (PRERANA HOSPITAL LTD)**. Your Hospital has been inspected by the Kolhapur Municipal Corporation Fire Department under Maharashtra fire prevention and life safety measures act 2006. The fire equipments installed in your hospital are maintained in good and efficient condition. Therefore we are issuing the no objection certificate for the same.

Also you have to submit **form B** for renewal of above fire NOC in every year in the month of January and July from government approved license agency only.

**Challan No:-** CLN1743507635374

**Challan Amount:-** 21175.0

मनिष रणचिसे

Chief Fire Officer

Kolhapur Municipal Corporation



महाराष्ट्र MAHARASHTRA

2023

CP 516046

25 OCT 2024

दिनांक

वि.नं.

2844

स्टॅम्प किंमत रु.


श्री. Principal  
Parvatidevi Kumbhar College of Nursing  
Azad Chowk, Kolhapur - 416002

यांचे रु. ( 500 दिले स्टॅम्प कोड क्र. 2609024  
अॅफेडेव्हीट, करारपत्र, मॉरगेज, मुखपत्र व खरेदी पत्र



MEMORANDUM OF UNDERSTANDING (MOU) BETWEEN

SECRETARY, COUNCIL OF EDUCATION,  
PARVATIDEVI KUMBHAR COLLEGE OF NURSING,  
649, C WARD, AZAD CHOWK, KOLHAPUR 416002.  
AND  
ATHAAYU MULTISPECIALITY HOSPITAL PVT. LTD.  
44/1, NH-4, UJALAIWADI, TAL-KARVEER,  
KOLHAPUR-416004.



No. of corrections  
on this page - ni'

**Affiliation for utilization of Hospital for nursing students**

This DEED OF AGREEMENT is made on this day of 4<sup>th</sup> February, 2025 between

**SECRETARY, COUNCIL OF EDUCATION,  
PARVATIDEVI KUMBHAR COLLEGE OF NURSING,  
649, C WARD, AZAD CHOWK, KOLHAPUR 416002.**

(herewith in after called the first party)

AND

**ATHAAYU MULTISPECIALITY HOSPITAL PVT. LTD.  
44/1, NH-4, UJALAIWADI, TAL-KARVEER,  
KOLHAPUR-416004.**

(herewith in after called the second party)



1. The first party can be utilize Second party's Hospital as an affiliated hospital for the Nursing students of First Party for their clinical experience.
2. The second party is having 150 bedded Hospital. The types and number of beds are as follows:



S.N	Bed Type	No. of beds
1	ITU	06
2	ICCU	08
3	MICU	48
4	General Ward Male	16
5	General Ward Female	12
6	Single Room	02
7	Sharing Room	18
8	VIP Suit	11
9	Dialysis	06
10	Casualty/EMR	09
11	Day care	14
	<b>Total</b>	<b>150</b>

No. of corrections  
on this page - Nil

3. This MOU will be for the period from 01/01/2025 To 31/12 / 2027 . And will be renewed further after consent of both parties. Which can be extended further or terminated earlier with 30 days notice on either side, without assigning any reason.
4. Video shooting permission during Inspection (MUHS, MNC, INC).
5. Permission to conduct practical examination. (MUHS, MSBNPE)
6. Permission to demonstrate the procedure.
7. Posting timing for internship shift wise (8 hrs duty on rotation basis)
8. During final examination, before 20 days student will be in study holiday.
9. Hospital is free to associate with the organization of similar service or different services.
10. Hospital have no any legal responsibilities for any activity carried out by Nursing Institute with or without knowledge of hospital management.

On behalf of first Party

On behalf of Second Party



Notary Regi. Sr. No. 06  
Date: 12 FEB 2025

**SECRETARY**  
**COUNCIL OF EDUCATION, KOLHAPUR**  
SECRETARY, COUNCIL OF EDUCATION,  
PARVATIDEVI KUMBHAR COLLEGE OF  
NURSING, 649, C WARD, AZAD CHOWK,

**JAMIL MANER**  
Chief Operating Officer (COO)  
Athaayu Multispeciality Hospital  
ATHAAYU MULTISPECIALITY HOSPITAL  
PVT. LTD. 44/1, NH-4, UJALAIWADI,  
TAL- KOLHAPUR 416002.  
KOLHAPUR-416004.

**Before Me**  
**SACHIN BABASO BHOSALE**  
Advocate & Notary  
17/1, Yashshree Banglow,  
Chhatrapati Rajaram Colony,  
Kasaba Bawada, Kolhapur.

Witness Name, Address

1. Mr. BD Kerkar  
[Signature]

Witness Name, Address Signature

1. Ms. Revati Mane  
[Signature] 11/02/25

2. Mr. Nitin S. Misal  
Ruiker colony, Kolhapur  
[Signature]

2. Mr. Suraj Patil  
[Signature] 11/02/25

No. of corrections  
on this page - Nil

12 FEB 2025

भारत सरकार  
Government of India



विश्वनाथ नरहरी मगदूम  
Vishwanath Narahari Magdum  
जन्म तारीख / DOB : 29/01/1953  
पुरुष / Male



3497 4079 5042

आधार - सामान्य माणसाचा अधिकार

भारत सरकार विशिष्ट प्राधिकरण  
Unique Identification Authority of India



पत्ता  
मगदूम एंडोसर्जरी इन्स्टिट्यूट प्रतिष्ठा  
नगर, शास्त्री शास्त्र समारं  
राजारामपुरी, राजारामपुरी, कोल्हापूर,  
कोल्हापूर, महाराष्ट्र, 415008

Address:  
magdum endosurgery institute  
prabha nagar, shastri ground  
samor, Rajarampuri, Rajarampuri,  
Kolhapur, Kolar, Maharashtra,  
415008

3497 4079 5042

1047  
2020091847

1047  
2020091847

www.uidai.gov.in

NOTARY  
ADV. THIN  
34 SALE  
TY  
3

NOTARY  
ADV. SACHIN  
BABASO  
BHOSALE  
DIST. KOLHAPUR  
R.No.35507  
GOVT. OF INDIA



## महाराष्ट्र शासन

GOVERNMENT OF MAHARASHTRA

### आरोग्य विभाग, जिल्हा परिषद कोल्हापूर

HEALTH DEPARTMENT ZILLA PARASHID KOLHAPUR

मुंबई शुश्रूषा गृह नोंदणी अधिनियम, १९४९

Bombay Nursing Home Act of 1949

महाराष्ट्र शुश्रूषा गृह नोंदणी नियम १९७३

Maharashtra Nursing Homes Registration Rules, 1973

महाराष्ट्र शुश्रूषागृह नोंदणी अधिनियम (सुधारित) नियम २०२१

Maharashtra Nursing Homes Registration (Amendment) Rules 2021

### प्रमाणपत्र / CERTIFICATE

(मुंबई शुश्रूषा गृह नोंदणी अधिनियम, १९४९ च्या कलम ५ अन्वये दिलेले प्रमाणपत्र)  
(Bombay Nursing Home Act of 1949 Registration Certificate issued under section 5)

Dr. Shri / Smt

CHAIRMAN - SHRI ANANT JAGDISH SARNAIK

डॉ. श्री/श्रीमती

अध्यक्ष - श्री अनंत जगदिश सरनाईक

Hospital name

ATHAAYU MULTI SPECIALITY HOSPITAL

रुग्णालयाचे नांव

अथायु मल्टीस्पेशलिटी हॉस्पिटल

Address

44/1 A/P Ujlaiwadi Tal. Karvir Dist. Kolhapur State- Maharashtra

पत्ता

४४/१, मु पो उजळाईवाडी ता. करवीर जि. कोल्हापूर राज्य महाराष्ट्र

नवीन नोंदणी/नूतनीकरणसाठी वरील नर्सिंग होम/मॅटर्निटी होमची नोंदणी करण्यात आली आहे. उक्त नर्सिंग होम / मॅटर्निटी होम चालविण्यास परवानगी दिली जात आहे. Above Nursing Home/Maternity Home has been registered for new registration / renewal. Permission is being granted to operate the said Nursing Home / Maternity Home.

Registration Number : 0158  
नोंदणी क्रमांक :

Maternity Beds : 0010  
प्रसूती खाटा :

Registration Date : 06/05/2009  
नोंदणी दिनांक :

Nursing Beds : 0140  
शुश्रूषा खाटा :

Place : kolhapur

ठिकाणी : कोल्हापूर

Registration /Renewal Date : 01/08/2024  
नोंदणी/नूतनीकरण दिनांक



This certificate shall be valid up to 31 March 2027

हे प्रमाणपत्र ३१ मार्च २०२७ पर्यंत वैध असेल.

Signed by

Aniruddha Nandkumar Pimple

Date: 30-01-2025 15:11:02

( DR. ANIRUDDHA PIMPLE )

District Health Officer  
Zilla Parishad Kolhapur

Note - In case of false information provided by Applicant,  
Registration Certificate will become null and void  
and legal action will be proceeded against him.

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437  
Fax: 24023516  
Website: <http://mpcb.gov.in>  
Email: [cac-cell@mpcb.gov.in](mailto:cac-cell@mpcb.gov.in)



Kalpataru Point, 2nd, 3rd  
and 4th floor, Opp. Cine  
Planet Cinema, Near Sion  
Circle, Sion (E),  
Mumbai-400022

RED/L.S.I

Date: 28/05/2024

No:- Format1.0/CC/UAN No.0000194200/CO/2405002546

To,  
M/s. ATHAAYU MULTISPECIALITY HOSPITALS LIMITED.  
S. No. 44/1, At Post Ujalaiwadi, National Highway No.4,  
Taluka Karvir, Dist. Kolhapur - 416004.  
Email: [financemanager@athaayuhospital.com](mailto:financemanager@athaayuhospital.com)  
Contact No.:9175759696



Your Service is Our Duty

*Combined Renewal of Consent with amalgamation of 1st consent to operate for 150 Beds and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.*

- Ref:**
1. Combine Consent and Bio-Medical Waste Authorization granted by the Board for 106 Beds vide No. Format1.0/BO/PSO/HOD-1912000473 valid upto 19.01.2024 dated. 09.12.2019.
  2. Combine Consent to Establish for increase in bed nos. (106 to150) and Bio-Medical Waste Authorization granted by the Board vide No. Format1.0/CC/UAN No.0000141369/CE/2301001560 dtd. 18.01.2023.
  3. Your application for Combine Consent and Bio-Medical Waste Authorization dated 16/01/2024
  4. This office e-mail on 27/02/2024.
  5. Document uploaded on 08/03/2024.
  6. Minutes of 2nd Consent Committee Meeting held on 29/04/2024.

After examining the proposal, The Maharashtra Pollution Control Board hereby grant Combined Renewal of Consent with amalgamation of 1st consent to operate for 150 Beds and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **19-01-2024 To 19-01-2027**
2. The capital investment of the HCF is **₹1150.24** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 10768.00 M<sup>2</sup> with Built-up area 7132.20 M<sup>2</sup>.

#### 4. Activities Included

a. Total Number of Beds : **150 Nos.** (As per BNH certificate no. 158 valid upto 31-03-2024)

- |                                       |                                    |
|---------------------------------------|------------------------------------|
| I. General Beds : <b>28 Nos</b>       | II. ICU/ICU Beds : <b>62 Nos</b>   |
| III. Operation Theatre : <b>4 Nos</b> | IV. Maternity Beds : <b>10 Nos</b> |
| V. Oncology Beds : <b>15 Nos</b>      |                                    |
| VI. Other Beds : <b>31 Nos</b>        |                                    |

b. Restaurant/Cafeteria/Canteen Area **137.50** Sq mtr.

c. Pathology Lab Average Sample/day:- **60.00 Nos.**

d. Medical Store(s):- **1.00** Nos.

#### 5. Conditions under the Water (P&CP) Act, 1974:-

- Quantity of total water consumption shall not exceed 22.5 M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
- You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
- You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

#### 6. Conditions under the Air (P&CP) Act, 1981:-

- You shall use the fuel for DG set as specified in the **Annexure-II**.
- You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
- You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

#### 7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1		-	As per Actual	--NA--	-

#### 8. Conditions about Non Hazardous Wastes:-

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	Dry Waste	15	Kg/Day	-	Send to Local body
2	STP Sludge	200	Kg/M	-	Use as manure

#### 9. Conditions under Solid Waste Management rules 2016

- You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
- You shall Not mix general solid waste with Bio Medical Waste.

#### 10. Conditions under BMW Management rules, 2016 (As Amended):-

- You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.

2. You shall segregate and handover BMW to BMW T&D CTF **S. S. Services, Kolhapur Municipal Corporation, Kolhapur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
  3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
  4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" ([www.cpcb.nic.in](http://www.cpcb.nic.in)).
11. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
  12. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
  13. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
  14. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
  15. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
  16. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
  17. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
  18. You shall Extend the Bank Guarantee of Rs. 2.50 Lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Kolhapur within 15 days. Non submission of B.G. in specified time shall attract 12% interest on BG amount and revocation of this CCA without further notice.
  19. You shall submit the Bank Guarantee of Rs. 1.00 Lakh towards installation of ETP for treatment of waste water generated from Canteen, Laboratory & OT wash within Six months period from the issuance of this CCA.



3a4f92a2  
f4ca6921  
f7164e4b  
4aa0f5ef  
86f4f303  
6820b197  
f8215e57  
d9591054

Signed by: **Dr. Avinash Dhakne**  
Member Secretary  
For and on behalf of,  
**Maharashtra Pollution Control Board**  
[ms@mpcb.gov.in](mailto:ms@mpcb.gov.in)  
2024-05-28 22:17:03 IST

20. As per FO process remark HCE has provided storage area for BMW, hence BG of Rs. 50,000/- is eligible for release imposed towards separate storage area for BMW as per CPCB guidelines.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.

**Received Consent/Authorization fee of -**

<b>Sr.No</b>	<b>Amount(Rs.)</b>	<b>Transaction/DR.No.</b>	<b>Date</b>	<b>Transaction Type</b>
1	150000.00	TXN2401003162	16/01/2024	Online Payment

**Copy to:**

1. Regional Officer, MPCB, Kolhapur and Sub-Regional Officer, MPCB, Kolhapur  
- Regional Officer, MPCB Kolhapur is directed to ensure submission of Bank Guarantee by hospital as specified in Schedule III of CCA and monitor the compliance of the consent conditions.  
SRO - Kolhapur is directed to ensure the compliance of the CCA conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

**Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)**

## A. Water Consumption Details:-

<b>Sr. No.</b>	<b>Purpose for water consumed</b>	<b>Water consumption quantity (CMD)</b>
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	21.50
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	1.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

## B. Conditions for Sewage &amp; Effluent Generation, Treatment and Disposal:-

<b>Sr. No.</b>	<b>Description</b>	<b>Permitted quantity of discharge (CMD)</b>	<b>Standards to be achieved</b>	<b>Disposal</b>
1	Domestic Sewage	19	As per clause 'C'	50% recycle for flushing in toilet and 50% in Municipal Sewer Line
2	Trade effluent	1.0	As per clause 'C'	100% for gardening

## C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

<b>Sr. No.</b>	<b>Parameters</b>	<b>Discharge Standards applicable</b>
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C )	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

## D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

## E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.

## F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

## G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

**Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack (s):

<b>Sr. No.</b>	<b>Stack Attached to</b>	<b>Fuel Type</b>	<b>Quantity</b>	<b>Stack Height (Mtr)</b>
1	D.G. SET (160 KVA)	Diesel	40.00 Ltr/Hr	5.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.

3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).

4. Conditions for D.G. Set:-

- a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
- b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- f. D.G. Set shall be operated only in case of power failure.
- g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.

5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	739.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	445.00		
		d) Expired or Discarded Medicines	105.00		
		e) Chemical Waste	0.00	Separate collection system leading to effluent treatment system.	
		f) Chemical Liquid Waste	0.00		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	95.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	35.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	1418.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
3	White (Translucent)	Waste sharps including Metals	47.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
4	Blue	a) Glassware	300.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
		b) Metallic body implants	29.00		

**Responsibilities of HCF**

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **S. S. Services, Kolhapur Municipal Corporation, Kolhapur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Kolhapur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

<b>Sr.No</b>	<b>Activity / Condition to be Complied</b>	<b>Compliance Timeline (Months)</b>	<b>Bank Guarantee Amount</b>
<b>1A</b>	<b>Operation and Maintenance</b>		
1	To Segregate and Handle BMW as per Schedule I	Continuous	50,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
<b>1B</b>	<b>Records</b>		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	25,000.00
2	To maintain records of BMW handed over to CBMWTFD	Continuous	25,000.00
<b>2</b>	<b>Performance</b>		
1	To provide Effluent Treatment Plant	Six Month	100,000.00
<b>Total</b>			<b>2,50,000.00</b>

**Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.**

**General Conditions****The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Kolhapur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

---

This certificate is digitally & electronically signed.

---





महाराष्ट्र MAHARASHTRA

2021

YV 220222

दिनांक 13.0 NOV 2021 वि. नं. 9924 स्टॅप किं. रु. 900/-

श्री. PRESIDENT, COUNCIL OF EDUCATION, KOLHAPUR. दत्तेश्वर पांडुरंग

आपत् रा. शुभकर पर कौन्सिलच्यांना

रु. (शिर्कर) चा स्टॅप मागितलेवरून रु. 900/-चा

त्याचे भरती रु. —

*Handwritten signature*

आसे स्टॅप दिले.

म. रफिक, अ. शेख

स्टॅप व्हेंडर

तहसिलदार कचेरी कश्मीर कर्पांड

परवाना क्र. १४८/८९,

कोड नं. २६०१०२१



25 NOV 2021

STAMP HEAD CLERK  
TREASURY OFFICE,  
KOLHAPUR. (M.S.)

सदर मुद्रांक *Handwritten signature* कामी देण्यात आला

**Memorandum of understanding**

Council of education's proposed Parvetidevi Kumbhar School of Nursing, Kolhapur.  
(Here in after called the first party)

And

Masai Hospital,  
C-Ward, Lugadi lane, somvar peth,  
Kolhapur.

The deed of agreement is made on 20-10-21 for next five years for utilization hospital for the nursing students for their clinical experience.

First part can utilize second parties hospital as an affiliated hospital for nursing students for the clinical experience.

Second party is having 50 beded hospital.

<b>Department</b>	<b>No of beds</b>
ICU	29 10
General ward	
Male Ward	13
Female ward	20
Special rooms	09

The mou for the period from 20-10-2021 to 20-10-2026 and will renewerd further after consent of both parties.

Video shooting permission during inspection.

Permission to conduct practical examnation.

Permission to demonstrate the procedure.

Posting timeing for internship shiftwise (8 hrs duty on rotation basis)

During final examination before 20 days stents will be in study holiday.

Permission for intergrated posting and research projects activivities.



*Patil*  
**Dr. UDAY PATIL**  
MDDCH  
Reg. No. 63676

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437  
Fax: 24023516  
Website: <http://mpcb.gov.in>  
Email: [cac-cell@mpcb.gov.in](mailto:cac-cell@mpcb.gov.in)



Kalpataru Point, 2nd and  
4th floor, Opp. Cine Planet  
Cinema, Near Sion Circle,  
Sion (E), Mumbai-400022

RED/M.S.I  
No:- Format1.0/CC/UAN No.0000147085/CO/2305002213

Date: 29/05/2023

To,  
M/s. MASAI CHILDREN'S HOSPITAL  
1st and 2nd Floor, Shree Safalya Appt., 'C' Ward,  
Lugadi Lane,  
Somvar Peth, Kolhapur-416002,



Your Service is Our Duty

Email: [masaihospital@rediffmail.com](mailto:masaihospital@rediffmail.com)  
Contact No.: 9975373356

Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:**
1. Bio-Medical Waste Authorization granted by the Board vide no.RO-KOLHAPUR/BMW\_AUTH/2108000513/2021 dated 26.08.2021
  2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 15/09/2022
  3. Minutes of 24th CC meeting held on 22.12.2022
  4. SCN for refusal for CCA issued on 17.01.2023
  5. Your reply submitted vide letter dated 25.01.2023
  6. Minutes of 36th CC meeting held on 20.03.2023
  7. Your reply submitted vide letter dated 24.04.2023, 25.05.2023

After examining the proposal, The Maharashtra Pollution Control Board hereby grant Combined Consent 1st operate and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **01-06-2022 To 31-05-2027**
2. The capital investment of the HCF is **₹661.41** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 1275.90 M<sup>2</sup> with Built-up area 3654.07 M<sup>2</sup>.
4. **Activities Included**
  - a. Total Number of Beds : **103 Nos.** (As per BNH certificate no. 202 valid upto 31-03-2025)

**5. Conditions under the Water (P&CP) Act, 1974:-**

1. Quantity of total water consumption shall not exceed 20 M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

**6. Conditions under the Air (P&CP) Act,1981:-**

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

**7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

<i>Sr No</i>	<i>Type of Waste</i>	<i>HW Category no.</i>	<i>Quantity</i>	<i>UOM</i>	<i>Disposal</i>
1		NA	As per Actual	--NA--	NA

**8. Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

**9. Conditions under BMW Management rules, 2016 (As Amended):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **S. S. Services, Kolhapur Municipal Corporation, Kolhapur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" ([www.cpcb.nic.in](http://www.cpcb.nic.in)).

10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.

11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. HCE shall submit revised BNH registration copy with incorporation of bed number within a period of three months.
18. You shall submit the bank guarantee of INR 1.50 lakh towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Kolhapur within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice

This consent is issued as per communication letter dated 03/11/2022 which is approved by competent authority of the board.



Generated by: E-Sign@MPCB  
 9f7e2c12  
 757d2635  
 343589d0  
 4b1a5c34  
 baa6fec3  
 812f96ec  
 68958ee5  
 eee1668b

Signed by: **Dr. Amar R. Supate**  
 Principal Scientific Officer  
 For and on behalf of,  
**Maharashtra Pollution Control Board**  
 pso@mpcb.gov.in  
 2023-05-29 16:26:54 IST

**Received Consent/Authorization fee of -**

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	125000.00	MPCB-DR-14098	15/09/2022	NEFT
2	25000.00	MPCB-DR-14097	15/09/2022	NEFT

**Copy to:**

1. Regional Officer, MPCB, Kolhapur and Sub-Regional Officer, MPCB, Kolhapur  
 - - They are directed to ensure the compliance of the consent conditions.  
 SRO They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

**Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)**

## A. Water Consumption Details:-

<b>Sr. No.</b>	<b>Purpose for water consumed</b>	<b>Water consumption quantity (CMD)</b>
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	20.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

## B. Conditions for Sewage &amp; Effluent Generation, Treatment and Disposal:-

<b>Sr. No.</b>	<b>Description</b>	<b>Permitted quantity of discharge (CMD)</b>	<b>Standards to be achieved</b>	<b>Disposal</b>
1	Domestic Sewage	18	As per clause 'C'	Partly on land for gardening and rest for flushing.
2	Trade effluent	0	As per clause 'C'	NA

## C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

<b>Sr. No.</b>	<b>Parameters</b>	<b>Discharge Standards applicable</b>
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C )	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

## D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

## E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.

## F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

## G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

**Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack (s):

<b>Sr. No.</b>	<b>Stack Attached to</b>	<b>Fuel Type</b>	<b>Quantity</b>	<b>Stack Height (Mtr)</b>
1	DG SET	Diesel	5.00 Ltr/Hr	11.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.

3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).

4. Conditions for D.G. Set:-

- a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
- b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- f. D.G. Set shall be operated only in case of power failure.
- g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.

5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

**SCHEDULE-I****Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	80.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	40.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	50.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	30.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	30.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
3	White (Translucent)	Waste sharps including Metals	20.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
4	Blue	a) Glassware	15.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
		b) Metallic body implants	0.00		

**Responsibilities of the Health Care Facility**

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **S. S. Services, Kolhapur Municipal Corporation, Kolhapur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Kolhapur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

<b>Sr.No</b>	<b>Activity / Condition to be Complied</b>	<b>Compliance Timeline (Months)</b>	<b>Bank Guarantee Amount</b>
<b>1A</b>	<b>Operation and Maintenance</b>		
1	To Segregate and Handle BMW as per Schedule I	Continuous	50,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
<b>1B</b>	<b>Records</b>		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	25,000.00
2	To maintain records of BMW handed over to CBMWTF	Continuous	25,000.00
<b>Total</b>			<b>1,50,000.00</b>

**Note: You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.**



**General Conditions****The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Kolhapur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

---

This certificate is digitally & electronically signed.

---



**Dr. Uday Patil**  
M.D., D.C.H. (Mumbai)  
Consulting Pediatrician



# MASAI CHILDREN'S HOSPITAL

1837, 'C' Ward, Lugdi Lane, Near Municipal Corporation, Kolhapur  
Mob.: 8552899694. Website: www.masaihospital.com.  
Email: masaihospital@rediffmail.com

Ref. No. :

Date: 25/03/2025

To,  
Health Department,  
Kolhapur Municipal Corporation,  
Kolhapur

कोल्हापूर महानगरपालिका  
४१९२०८८  
२०१३/२०२५  
असुरीलेटर

**Subject: Application for the Renewal of Registration under section of the Bombay Nursing Home Registration Act 1949**

Respected Sir/Madam,

I have my own hospital registered in the name of Masai Children's Hospital which is located at 1837, C Ward, Lugadi Lane, Somwar Peth, Kolhapur. Hospital is registered with Kolhapur Municipal Corporation Health Department with registration number 202.

I had submitted online Renewal of the registration of my hospital for 103 beds and attached all necessary certificates on 25.03.2025. I kindly request you to accept this Renewal application for renewal of registration under your authority.

All attached certificates copies are submitted along with this letter.

Thanking you

  
**Dr. UDAY PATIL**  
M.D.D.C.H.  
Reg. No. 63676





महाराष्ट्र MAHARASHTRA

2021

YV 220223

दिनांक 30 NOV 2021

वि. नं. 9328 स्टंप किं. रु. 100/-

श्री. PRESIDENT, COUNCIL OF EDUCATION, KOLHAPUR

आपटे रा. शुभाश्रिता पद निष्ठा यांना

रु. शिर्कर) चा स्टंप मागितलेवरून रु. 100/-चा

त्याचे भरती रु.

SHAPK

असे स्टॅम्प दिले.

म. रफिक अ. शेख

स्टॅम्प व्हेंडर

तहसिलदार कचेरी कन्नोड कर्पाड

परवाना क्र. 1846/19,

कोड नं. 2808028



25 NOV 2021

STAMP HEAD CLERK  
TREASURY OFFICE  
KOLHAPUR. (M.S.)

सदर मुद्रांक पुस्तिकाकामी देण्यात आला

### Memorandum of Understanding

Council of Education's proposed Parvatidevi Kumbhar School of Nursing, Kolhapur.

(Here in after called the first party)

And

Patki Hospital,  
Shahupuri 3<sup>rd</sup> Lane,  
Kolhapur.

The deed of agreement is made on 27-12-21 for next five years for utilization hospital for the nursing students for their clinical experience.

First part can utilize second parties hospital as an affiliated hospital for nursing students for the clinical experience.

Second party is having 45 beded Obs. and Gynec hospital.

The mou for the period from 27-12-2021 to 27-12-2026 and will renewerd further after consent of both parties.

Video shooting permission during inspection.


Permission to conduct practical examnation.

Permission to demonstrate the procedure.

Posting timeing for internship shiftwise (8 hrs duty on rotation basis)

During final examination before 20 days stents will be in study holiday.

Permission for intergrated posting and research projects activivities.

  
Dr. Satish M. Patki  
M.B.B.S., M.D.  
Obsterician & Gynecologist  
Regd. No.49228  
Patki Hospital, Kolhpaur.

# KOLHAPUR MUNICIPAL CORPORATION

(Health Department)

FORM 'C'

(See Rule 5)

Certification of Registration section 5 of the Bombay Nursing Homes  
Registration Act 1949

## CERTIFICATE

No. 78

This is to Certify that Shri./Smt. **DR. SATISH MANOHAR PATKI & DR. UJJWALA SATISH PATKI**  
has been registered under the Bombay Nursing Homes Registration Act 1949, in respect of **PATKI HOSPITAL** situated  
at **693 E SHAHUPURI 3 RD LANE KOLHAPUR 416001** and has been authorized to carry on the said nursing  
home.

Registration No. : 78  
Date of Registration : 30-Mar-1995  
Place : Kolhapur  
Date of issue of Certificate : 29-Apr-2025

This Certificate of registration shall be valid up to 31-Mar-2028

The name of **DR. SATISH MANOHAR PATKI & DR. UJJWALA SATISH PATKI**

Maternity beds	Other beds	Total beds
10	35	45

Local Supervising Authority



Kolhapur Municipal Corporation


Kolhapur.

Dr. Prakash Pawara

Medical Officer of Health

Kolhapur Municipal Corporation

(Signature of the registering authority.)



महाराष्ट्र MAHARASHTRA

2025

EA 920748

दि. 18 FEB 2026

वि.क्र. 62930

मुद्रांक शुल्क रक्कम 500/-

दस्ताचा प्रकार/कारण -

बँक / कर्ज / हमीपत्र / करारपत्र / संचकारपत्र / प्रतिज्ञापत्र / पार्टनरशिप / संमतीपत्र / वटमुखत्यारपत्र.

मुद्रांक विकत घेणा-याचे नांव

Principal

Parvatidevi Kumbhar College of Nursing

Azad Chowk, Kolhapur - 416002

हस्ते नांव व पत्ता

डा. चिदानंद पाटील

मुद्रांक विक्रत्याची सही -

परवाना तसेच मुद्रांक विक्रीचे ठिकाण नांव व पत्ता - सौ. जयश्री महेश धाडणकर (स्टॅंप व्हेंडर)

मुद्रांक विकत घेणा-याची सही -

लाय. क्र.७/२००३ कोड नं. २६०१०३०

२४६८, ए वॉर्ड, वरुणतीर्थ वेश, कोल्हापूर



9 FEB 2026

STAMP HEAD CLERK  
TREASURY OFFICE



### MEMORANDUM OF UNDERSTANDING

This memorandum of understanding is made & executed on 26/02/2026 between

Council of education's Parvatidevi Kumbhar College of Nursing, Kolhapur, through Principal Mr. Chidanand Kalgouda Patil age 40. Hereafter shall be called as party No.1

And

Nirmal Hospital, Miraj through Dr. Chandrashekhar A. Halingale age 47, Director of the institute.

Hereafter shall be called as party No.2

The party No.1 is running Education institute (as of now GNM (40 intake) and B.SC Nursing (50 intake) education are run) at Kolhapur.

And

Party No.2 is running 80 bedded (Likely to expand to 150 beds) Neuropsychiatry centre at Hereby the Party No.1 wish to deput students of GNM and B.SC Nursing for completion of prescribed clinical experience in the subject of Mental Health Nursing and Party No.2 will permit party No.1 to post students in the Nirmal Neuropsychiatric centre on following terms and conditions-

- a. All the days of posting and all the time, students will be accompanied by the faculty member and it will be responsibility of such accompanying faculty member to maintain the discipline and ensure completion of prescribed clinical assignment.
- b. Dates of posting shall be planned in advance in consultation of Party No. 2
- c. Party No.2 shall co-operated, provide relevant information during the Inspection of Party No.1 conducted by apical bodies such as MNC, INC, MUHS, MSBPNE.
- d. Though the subject is taught in the college. Party No.2, shall contribute in Teaching special procedures / treatment given in the institution.
- e. The students / faculty members of Party No. 1 shall all the procedures teaching with due permission of designated authority of Party No. 2 and ensure the safety of the instruments and patients.
- f. Individual student/party No.1 shall be responsible for accident, injury, medical emergency earned during clinical posting.
- g. In case damage to the property, special instrument, Party No.2 may claim the damages.
- h. This MOU is for the period of three years from the date of signing. However, both the parties are free to terminate this MOU by mutual consent and by giving one month's notice, however both the parties shall consider the academic internet of the students.



- i. Party No.1 shall not have any objection for starting Nursing or other academic programmes by party No.2.
- j. Of the party 2 wish to charge bed utilization charges, the party No. 1 shall pay such charges through cheque / RTGS / NEFT. These shall be revised the time to time.

On behalf of first Party



*[Signature]*  
Principal

Parvatidevi Kumbhar College of Nursing  
PRINCIPAL, Azad Chowk, Kolhapur - 416002  
PARVATIDEVI KUMBHAR COLLEGE OF  
NURSING, 649, C WARD, AZAD CHOWK,  
KOLHAPUR 416002.



On behalf of Second Party



DIRECTOR,  
DR. CHANDRASHEKHAR A.  
HALINGALE,  
NIRMAL HOSPITAL, MIRAJ.



**Before Me**

*[Signature]*  
Sachin Babaso Bhosale

SACHIN BABASO BHOSALE  
Advocate & Notary  
17/1, Yashshree Banglow,  
Chhatrapati Rajaram Colony  
Kasaba Bawada, Kolhapur.

Notary Regi. Sr. No. 28

Date :- 06/03/2026

No. of corrections  
page - 1/1



**MAHARASHTRA STATE MENTAL HEALTH AUTHORITY  
(MSMHA)**

**Form-F**

**[See rule 66]**

**CERTIFICATE OF PERMANENT REGISTRATION OF MENTAL  
HEALTH ESTABLISHMENT**

The Maharashtra State Mental Health Authority, after considering the application under section 65 (2) or section 66 (3) or section 66(10) or section 66 (17) of the Mental Healthcare Act, 2017, hereby accords Permanent Registration to the applicant mental health establishment in terms of section 66 (4) or section 66 (11), or section (17) as per the details given hereunder:

Name: - **Dr. Chandrashekhar Halingale**

Address: - **Nirmal Neuropsychiatry Center, Station road, Near Pujari Hospital,  
Miraj, Dist. Sangli**

No of beds: - **20**

Permanent Registration Certificate No. **87/2024**

The Permanent registration certificate No. **87/2024** issued, is subject to the conditions laid down in the Mental Healthcare Act, 2017 and the rules and regulations made there under.

Place: Mumbai

Date: 11/01/2024

**Dr. Swapnil Lale**  
**Chief Executive Officer**  
**State Mental Health**  
**Authority, Mumbai**

Seal of the Registration Authority

  
Registration Authority  
(MSMHA)



# Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

## Application for Consent/ Authorisation

Sir,  
I/We hereby apply for\*

- Consent to Establish/Operate/Renewal of consent under section 25 and 26 of the Water (Prevention & Control of Pollution) Act, 1974 as amended.
- Consent to Establish/Operate/Renewal of consent under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981, as amended.
- Authorization/renewal of authorization under Bio-Medical Wastes Management Rules, 2016 as amended, Hazardous waste (M,& TM)n Rules, 2016, in connection with my/our/existing/proposed activity from the premises as per the details given below.

### 1.General Information

**UAN No:** MPCB-CONSENT-0000251455 **Application submitted on:** 21-06-2025

### Industry Information

**Industry Type:** O88 Health-care Establishment (as defined in BMW Rules) **Category:** Orange **Scale:** S.S.I

**Consent To:** Operate (1st Operate) **Submit to:** SRO - Sangli

### Consent to Establish Details

**Consent to Establish No.** SRO-SANGLI/BMW-AUTH/2204000670/22 **Consent to Establish Grant date** 22-04-2022 **Consent to Establish Valid Upto** 30-06-2023

**Authorization No.** 0/SRO/UAN No. 0000173554/CO/2403001239 **Authorization Grant date** 13-03-2024 **Authorization Valid upto** 31-05-2025

### Perticulars of Applicant (Owner/Occupier/Any other Authorised Person)

<b>First Name</b> Dr. Chandrashekhar	<b>Father / Husband Name</b> Appasaheb	<b>Last Name</b> Halingale	<b>Designation</b> Dr
<b>Mobile No</b> 9822106050	<b>Telephone/Fax</b> 00	<b>Email</b> nirmalhospital12345@gmail.com	<b>Aadhar No</b> 606287547758
<b>PAN No</b> ACDPH5354F	<b>Address</b> Near Palkar Hospital, Pratap Colony, Miraj Dist-Sangli		<b>Pin Code</b> 416410

## 2. Health Care Facility (HCF) Information

---

### a) Name of the Health Care Facility

Nirmal Neurosyhiati Center

### b) Address for Corrspondance

<b>Pin Code</b>	<b>District</b>	<b>City/Town</b>
416410	Sangli	Miraj
<b>Survey/Gut No.</b>	<b>Name of premises /Building</b>	<b>Road/Street</b>
TP01 99/1	Nirmal Neurosyhiati Center	Miraj Sangli Road
<b>Area/Locality</b>	<b>Email</b>	<b>Website URL</b>
Miraj	nirmalhospital12345@gmail.com	NA

### c) Onwership of Facility

Private (Registered under company Act)

### Land Ownership

Self Owned

### d) Month and year of commissioning of the HCF

12/09/2022

### e) Area of the Facility / Hospital

<b>i) Total plot area (in square meter)</b>	<b>ii) Built up area (in square meter)</b>	<b>iii) Open Plot Area (Sq.Mtr)</b>
259	200	59.00

### f) Enter Latitude and Longitude of site (In degrees)

<b>Latitude (In degrees)</b>	<b>Longitude (In degrees)</b>
17.34	65.69

### g) Does HCF have Operation Theatre

No

<b>Number of OT</b>	1
---------------------	---

### h) Does HCF have Laundry facility in premises

No

### i) Does HCF have Canteen/Cafeteria facility in premises

No

### j) Does HCF have Hostel/Residential quarters in premises

No

## 3. BMW Authorization Details

---

### a) Type of health treatment system

Medicine

### b) Bombay Nursing Home Registration Details

<b>Total number of Beds</b>	<b>BNH Registration Number</b>	<b>Valid Upto</b>	<b>First Issued Date</b>
20	87	18-07-2023	19-07-2018

### Certificate issuing Authority

Medical Officer or Health Officer of Municipal Corporation

### c) Diagnostic and Pharma Facilities available in Premises

<b>Pathology Lab</b>	No
----------------------	----

<b>Blood Bank</b>	No
-------------------	----

d) Whether HCE intended to Sale / Handover liquid BMW for R&D purpose

No

Category wise Bio-Medical Waste Collected ,Treated,Disposed			
Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/M)
1	Yellow	a) Human Anatomical waste	6.00
		b) Animal Anatomical Waste	0
		c) Soiled Waste	10.00
		d) Expired or Discarded Medicines	0
		e) Chemical Waste	0
		f) Chemical Liquid Waste	22.00
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	27.00
		h) Microbiology Biotechnology and other clinical laboratory waste	0
2	Red	Contaminated waste (Recyclable)	1.00
3	White (Translucent)	Waste sharps including Metals	2.00
4	Blue	a. Glassware	0
		b. Metallic body implants	0

Do you Have Equipment Installed for Pretreatment of Yellow (g), (h) Category Waste

No

Whether you have establish a Bar-Code system for Bag or Containers containing Bio-Medical waste

No

Common Facility Membership Details (CTF)

**CTF Name**

M/s. Surya Central Treatment Facility, Sangli

**Membership Number**

SC20242504295

**Issued Date**

31-03-2025

#### 4.Consent Details

a) Sources of Water

**i) Surface Water**

Yes

**Name of the water supply** **Water Consumption Quantity (CMD)**

SMK CORPORATION

7

**ii) Ground Water**

No

**iii) Tanker Water**

No

b) Water Consumption Details

**Raw Water (CMD)**

**Recycle Water (CMD)**

**Total Water Quantity Requirement (CMD)**

7

7

c) Water consumption for different uses (CMD)

Purpose	Consumption	Effluent Generation	Disposal
Domestic Pourpose	7	5.0	Local Bodies Sewer
Pathology Laboratory, Floor washing, Operation Theater	00	00	Local Bodies Sewer
Laundry	00	00	Local Bodies Sewer

<b>Industrial Cooling,spraying in mine pits or boiler feed</b>	00	00	Local Bodies Sewer
<b>Total</b>	7.00	5.00	

d) Waste Waster Treatment

**Have you installed STP or ETP**

No

e) Other waste generation details

**1) Municipal Solid Waste**

**a) Biodegradable Waste(kg/day)**

2.00

**b) Recyclable Waste(kg/day)**

1.00

**c) Domestic Hazardous Waste(kg/day)**

0

Air Pollution

**Whether D.G. Set Installed**

No

**Do you have Boiler Installed**

No

Do you have adequate facility for collection of samples of emissions in the form of port holes, platform, ladder\etc. As per Central Board Publication "Emission regulations Part-III" ( December, 1985 )

**Port hole**

No

**Platform**

No

**Ladder**

No

Parameter	Permissible Limiting concentration	Latest 3 Sampling Dates		
		1st Date	2nd Date	3rd Date
		NA	NA	NA
Particulate matter	50 mg/Nm3	0	0	0
Nitrogen oxides	400 mg/Nm3	0	0	0
HCL	50 mg/Nm3	0	0	0
Total Dioxins and Furans	0.1 ng TEQ/Nm3 (at 11% O2)	0	0	0
Hg and its compounds	0.05 mg/Nm3	0	0	0

**Whether you have provided Online Continuous Emission Monitoring Systems (OCEMS)**

No

**Quantity of ash generated from Boiler (Tonnes/ month):**

**Mode of Disposal of Boiler ash**

**Provision Of Alternate Electric Supply**

No

**Separate Electricity Meter Provided to Pollution control Devices**

No

**Hazardous Waste**

CHWSDF Details

**CHWTDF Facility Name**

NA

**CHWTDF Membership Number**

0

[Hazardous Waste Details](#)

Description	Waste Category	Quantity in MT/Month
Incineration Ash	37.3	0
STP/ETP	35.3	0
Used Oil		0

Non-Hazardous Waste aspect					
Description	Quantity	UOM	Treatment	Treatment	Remarks
NA	0	NA	NA	NA	NA

## 5. Additional Information

**Do you have Bio Medical Waste Management Committee Constituted**

No

**Average Cost (O & M) for ETP/STP**

5000

**Average Cost of APCD Rs/Year**

90.00

**Brief details of tree plantation/green belt development within applicant's premises**

Open Space Availability	Plantation Done On	Number of Trees Planted
200	80	10

**Whether Environmental Statement submitted**

No

**Environmental Statement submitted Date**

18-07-2024

**Any other additional information that the applicants desires to give**

**Do you have Infection Control Committee Constituted**

No

## 6. Financial Details

**Is there any Bank Gurantee impose on you during previous Consent/Authorization period.**

No

Bank Gurantee Number	Date	Valid Up To	Amount	Bank Name	Branch
0	01-01-1970	NA	0	NA	NA

Additional Bank Gurantee Details, if Any					
Bank Gurantee Number	Date	Valid Up To	Amount	Bank Name	Branch
0	01-01-1970	NA	0	NA	NA



# SURYA CENTER TREATMENT FACILITY PVT. LTD.


## BIO MEDICAL WASTE DISPOSAL PLANT




CST.NO. 79,79A, 80 ARWADE MILL, BALAJI MILL ROAD, NORTH SHIVAJI NAGAR, SANGLI 416416

Tel. No.: 8411811005 Mob: 9823184999. GSTIN - 27ABJCS9911R1ZC

MPCB Licener No. : Format 1.0/CC UAN No. 0000146751/CR/230200193211R1ZC



Offline Verification



Online Verification

### Registration Certificate

Certificate # : SC20252606328

Date: 21-07-2025

This is to certify that **NIHMS Hospital Private Limited, Opp Ashwini Canteen Station Road , Miraj, Miraj City, Tal. : Miraj, Dist. :Sangli, Pin: 416410** is registered with **Surya Center Treatment Facility Pvt. Ltd. Sangli** for Management of Bio Medical Waste in accordance with, the provision of Bio Medical Waste Management Rules, 2016, as amended and in compliance with the provisions of CPCB guidelines.

1	<b>Authorized Person of HCE</b> (Name and Designation)	:	<b>Dr. Chandrashekhar A Hallingale</b> Owner
2	<b>Bombay Nursing Home Act Registration Details</b> BNH Registration Number BNH Issue Date Total Number of beds BNH Validity (Form 'c')	:	- Not Applicable-Being Psychiatric Hospital,instead of Bombay Nursing,certificate issued by CEO State Mental Health Authority Mumbai permanent registration certificate Date-07-06-2023 under Section-65(2) & section 66(10) Mental Health care Act 2017. Not Available 30 Not Available
3	<b>Common Treatment Facility Reistration Details</b> Date of Registration No. of Beds Registered Registration Validity	:	- 01-04-2025 30 31-03-2026
4	<b>Renewal of CTF Membership (if Applicable)</b> Renewal Date No. of Beds Registered	:	- 31-03-2026 30
5	<b>MPCB Consent (Establish/ 1st Operate/Renewal) Details</b> MPCB Consent Remark	:	- CCA NOT OBTAINED APPLICATION NOT SUBMITTED.

- **Remarks:**



*Meghna Rajeev Kore*

**Authorized Signature**

**Name:** Meghna Kore

**Designation:** Director



# महाराष्ट्र राज्य मानसिक आरोग्य प्राधिकरण

प्राधिकरण, आरोग्य भवन, ७वा मजला, पी.डिमेंलो रोड, फोर्ट, मुंबई  
E-mail : smhamaharashtra@gmail.com

सदस्य :

संजय खंडारे, (भा.प्र.से.)  
अध्यक्ष,  
राज्य मानसिक आरोग्य प्राधिकरण

डॉ. स्वप्निल लाळे  
मुख्य कार्यकारी अधिकारी,  
राज्य मानसिक आरोग्य प्राधिकरण

सहायक, सामा. न्याय विभाग  
मुंबई

जावक क्रमांक : 2279

दिनांक : 07/06/2023

सहायक, सार्वजनिक आरोग्य,  
मुंबई

प्रति,  
डॉ. चंद्रशेखर अ. हर्ळीगळे  
एन.आय.एम.एच.एस हॉस्पिटल प्रायव्हेट लिमिटेड,  
स्टेशन रोड, रेल्वे स्टेशन जवळ, मिरज, सांगली

5066  
24/6/23

संचालक वैद्यकीय शिक्षण व  
संशोधन मुंबई

विषय - मानसिक आरोग्य कायदा-२०१७ अन्वये तात्पुरती (प्रोव्हिजनल)  
नोंदणी देणेबाबत.

मनोविकृती विभाग मुख.,  
जी.एम.सी. मुंबई

उपरोक्त विषयाच्या अनुषंगाने आपणास कळविण्यात येते की, नवीन  
मानसिक आरोग्य कायदा-२०१७ मधील कलम क्र. ३ नुसार आपल्या एन.  
आय.एम.एच.एस हॉस्पिटल प्रायव्हेट लिमिटेड, स्टेशन रोड, रेल्वे स्टेशन  
जवळ, मिरज, सांगली या संस्थेला अंतरिम (प्रोव्हिजनल) नोंदणी एक वर्ष  
कालावधीकरीता देण्यात येत आहे.

यास्तव, आपणास असेही कळविण्यात येते की, मानसिक आरोग्य  
कायदा-२०१७ मध्ये विहित केलेल्या अटी व शर्तीचे तंतोतंत पालन करण्यात  
यावे.

हेडकीव अधिकारक प्रा.म.र. ठाने

डॉ. शाधत होरे

श्री. रॉनी जॉर्ज

श्रीमती लस्त्रोम राज

डॉ. रिधा शेटे

श्रीमती नीलम बनलेंडे

श्रीमती जॉय कॅव्हीन नॅन्टेरिओ

श्रीमती परदिन शेख

श्री. जलीम सुह्रत खलेंडे



डॉ. स्वप्निल लाळे  
मुख्य कार्यकारी अधिकारी  
राज्य मानसिक आरोग्य प्राधिकरण, मुंबई

प्रत - जिल्हा मानसिक आरोग्य कार्यक्रम सांगली यांना माहितीस्तव

51 का 3 SL  
15  
17/6/23.

Form - C

MHCA 2017- [See rule 11(3)]

**CERTIFICATE OF PROVISIONAL REGISTRATION**

The state authority after considering the application dated 01/06/2023 submitted by **NIMHS Hospital Private Limited** under section 65 (2) and section 66 (10) of the Mental Health Care act 2017, hereby accords provisional registration to the applicant mental health establishment in terms of section 66(4) as per the details given here under

Name: - **Dr. Chandrashekhar A. Halingale**

Address: - **Station Road near Railway Station, Miraj, Sangli**

Number of beds: - **30**


The provisional registration certificate issued is subject to the condition laid down in the Mental Health Care act 2017, and the rules and regulation made their under and shall be valid for a period of twelve months from the date of its issue and can be renewed द्वितीय जयंती

Place: -Mumbai

Date: -07/06/2023

**GOVERNMENT OF  
MAHARASHTRA**

**Dr. Swapnil Lale**  
Chief Executive Officer  
State Mental Health  
Authority, Mumbai  
Seal of the Registration Authority

  
Registration Authority